



Declaration of Performance



- 1. Product Type: Dampplas CPT Extra Damp Proof Course and Cavity Trays
- 2. Unique Identification Code: Prefix 9NDC06
- 3. Intended Use of the product: Intended use of the construction product, in accordance with the applicable harmonised technical specification as foreseen by the manufacturer.  
**Damp Proofing**
- 4. Manufacturer: NDC Polipak Limited  
1 Garratts Lane  
Old Hill  
Cradley Heath  
West Midlands  
B64 5RE
- 5. Authorised Representative: Not Applicable
- 6. Level of Attestation: System 3
- 7. Harmonised Standard: EN14909: 2012
- 8. Notified Body: ITC 1007.1 LucideonUK24742 (QT-73849/1/JB)/  
FPC Accreditation Body Kiwa  
Performed the initial type testing for durability

9. Declared Performance:

Essential Characteristics	Performance	Harmonised Standard
Water tightness (2kpa)	Pass	BS EN 14909: 2012
Durability (artificial ageing)	Pass	
Durability (alkali)	Pass	
Resistance to impact	350mm	
Foldability at Low Temperatures	-40°C	
Resistance to static loading	20kg	

The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.  
This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for on behalf of NDC Polipak Ltd  
At 1 Garratts Lane, Old Hill, Cradley Heath, B64 5RE

*Stephen Tranter*  
Stephen Tranter, Compliance Manager  
04/09/2024

|

|