

Declaration of Performance

No. 015/DoP

In accordance with Regulation (EU) No 305/2011 of the European Parliament and of the Council laying down harmonised conditions for the marketing of construction products (CPR EU 305/2011)

Unique Identification Code Of Product Type:

Fibre-cement flat sheets (SKU: 5512 & 5524)

Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11 (4):

12mm STS Construction Boards

Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

Flat sheets for internal and external walls and ceiling finishes

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11 (5):

STS Ltd
Unit 3 Ravens Park, Victoria Road
Leeds, LS14 2LA
www.sts-uk.com
0113 2022010

Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2):

Not Applicable

System or system of assessment and verification of constancy of performance of the construction product as out in Annex V:

System 3

Declaration of Performance

No. 015/DoP

6a. Name and identification number of the notified body (in case of the declaration of performance concerning a construction product covered by a harmonised standard):

FOR PRODUCTS MANUFACTURED ACCORDING TO SYSTEM 3

British Board of Agrément
Bucknalls Lane, Watford
Herts WD25 9BA*
T: +44 (0) 1923 665300
www.bbacerts.co.uk

Performed initial type- and acceptance testing according EN12467. Test Report CSI-CERT-No.T1/ 61565, Issued, 23rd January 2018.

Exova Warringtonfire
Helmsfield Road,
Warrington, WA1 2DS,
United Kingdom Notified body No. 0833

Performed reaction to fire testing and classification according EN 13501-1:2007 + A1:2009. Test report No. WF 409358 dated 25th January 2019

6b. Name and identification number of the Technical Assessment Body (in case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued):

No Applicable

Declared performance:

Type of sheets	12mm Thickness	EN 12467:2012+A1:2016 Fibre-cement flat sheets Product specification and test methods
Intended use category	A	
Class of strength	4	
Mechanical resistance	Min. 18 MPa	
Reaction to fire	A1, A1 _{FL} , A1 _L - s1, d0	
Water impermeability	Pass	
Dimensional variations	Level 1	
Release of dangerous substances	NPD	
Durability against warm water	Pass	
Durability against soak/dry	Pass	
Durability against freeze-thaw	Pass	
Durability against heat – rain	Pass	

Declaration of Performance

No. 015/DoP

Appropriate Technical Documentation and/or Specific Technical Documentation:

**EN 12467:2012
Fibre-cement flat sheets Product specification and test methods**

The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 7. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 3.

Signed for and on behalf of the manufacturer by:

Signed for and on behalf of Specialist Tiling Supplies Ltd:



Mr Eddie Burrowes
Managing Director
Leeds, United Kingdom January 2022