

EU TYPE-EXAMINATION CERTIFICATE

Regulation (EU) 2016/425, MODULE B

0598/PPE/24/3163 Issue 2

Product Safety footwear

Model STA40060-101 & STA40060A-101 & STA40060B-101,
STA20087-101 & STA20087A-101 & STA20087B-101,
STA20088-179 & STA20088A-179 & STA20088B-179,
STA20087-179 & STA20087A-179 & STA20087B-179

Trademark 

Certificate Holder / Manufacturer Work in Progress (WIP) Ltd.
3A Holy well Hill, St. Albans, Hertfordshire, AL1 1ER, United Kingdom

Product complies with the applicable essential health and safety requirements of Regulation (EU) 2016/425 and standard(s) mentioned below

Standard(s) EN ISO 20345:2022 + A1:2024 (Personal protective equipment - Safety footwear).
Class I footwear, with a performance category of S7, with additional applications: FO, HRO, LG, SC & SR.

Validity This certificate is valid until 2029-05-15.

Date of issue 2025-07-10

SGS Fimko Oy

Signature



SGS Fimko Oy is a Notified Body (0598) according to the Personal Protective Equipment Regulation (EU)



Additional information

- a) STANLEY®FATMAX® SAFETY FOOTWEAR (logo) ankle boot: Design B, comprising of black action buffalo leather upper, steel toecap, black PU scuff cap, steel insert plate, black nylon mesh tongue and collar, gray polyester mesh with membrane vamp lining, quarter lining and counter lining, grey polyester BK mesh tongue lining, black polyester BK mesh collar lining, grey polyester non-woven insole board with polyester mesh with membrane, black polyester BK mesh and PU insock, PU/rubber outsole, black/yellow polyester lace-up closure, sewn with polyester thread, available in size range: EUR 40#-47#(UK6#-12#); which are available in three style No.: STA40060-101, STA40060A-101, STA40060B-101, three style No. refer to the same product, different style No. for different markets.
- b) STANLEY®FATMAX® SAFETY FOOTWEAR (logo) ankle boot: Design B, comprising of black full grain cow leather upper, steel toecap, black PU scuff cap, steel insert plate, black nylon mesh tongue and collar, gray polyester mesh with membrane vamp lining, quarter lining and counter lining, yellow polyester BK mesh tongue lining, black polyester sandwich mesh collar lining, grey polyester non-woven insole board with polyester mesh with membrane, black polyester BK mesh and PU insock, PU/rubber outsole, twist lock system closure, sewn with polyester thread, available in size range: EUR 40#-47#(UK6#-12#); which are available in three style No.: STA20087-101, STA20087A-101, STA20087B-101 three style No. refer to the same product, different style No. for different markets.
- c) STANLEY®FATMAX® SAFETY FOOTWEAR (logo), ankle boot: Design B, comprising of stone nubuck cow upper, steel toecap, black PU scuff cap, steel insert plate, stone nylon mesh tongue and collar, gray polyester mesh with membrane vamp lining, quarter lining and counter lining, yellow polyester sandwich mesh tongue lining, grey polyester BK mesh collar lining, grey polyester non-woven insole board with polyester mesh with membrane, black polyester BK mesh and PU insock, PU/rubber outsole, twist lock system closure, sewn with polyester thread, which are available in three style No.: STA20088-179, STA20088A-179, STA20088B-179 three style No. refer to the same product, different style No. for different markets.
- d) STANLEY®FATMAX® SAFETY FOOTWEAR (logo), ankle boot: Design B, comprising of stone nubuck cow upper, steel toecap, black PU scuff cap, steel insert plate, stone nylon mesh tongue and collar, gray polyester mesh with membrane vamp lining, quarter lining and counter lining, yellow polyester sandwich mesh tongue lining, grey polyester BK mesh collar lining, grey polyester non-woven insole board with polyester mesh with membrane, black polyester BK mesh and PU insock, PU/rubber outsole, twist lock system closure, sewn with polyester thread, available in size range: EUR 40#-47#(UK6#-12#), which are available in three style No.: STA20087-179, STA20087A-179, STA20087B-179, three style No. refer to the same product, different style No. for different markets.

Contract No: GSL-CERT250600160-01 / GB-202506009145.

Technical File: STA40060-101, Version 3, Dated: Jun 25, 2025.

Additional information Cont.

Detailed Characteristics:

Classification: I;
Closure System: a) lace up; b) c) & d) Twist lock system;
Construction: Injection;
Last Reference: PB-059;
Mould Reference: MM-068 PU/ Rubber;
Size(s) range: EUR40#-47# (UK6#-#12).

