

SAFETY DATA SHEET

VINYL MATT

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1. Product identifier		
Product name	:	VINYL MATT

- 1.2. Relevant identified uses of the substance or mixture and uses advised against
- Product use : Waterborne coating for interior use.

1.3. Details of the supplier of the safety data sheet

ICI Paints AkzoNobel, Wexham Road, Slough, Berkshire, SL2 5DS, U.K. Tel.: +44 (0) 333 222 70 70 www.duluxtrade.co.uk

e-mail address of person : duluxtrade.advice@akzonobel.com responsible for this SDS

1.4 Emergency telephone number

Telephone number	: Emergency Telephone : Slough +44 (0) 1753 550000
------------------	--

Version	:	6
Date of previous issue	:	15-7-2014.

SECTION 2: Hazards identification

2.1. Classification of the sul	nce or mixture	
Product definition	Mixture	
Classification according to Not classified.	julation (EC) No. 1272/2008 [CLP/GHS]	
Ingredients of unknown toxicity	0%	
Ingredients of unknown ecotoxicity	0%	
Classification according to	ective 1999/45/EC [DPD]	
The product is not classified	dangerous according to Directive 1999/45/EC and its amendments.	
Classification	Not classified.	
See Section 16 for the full te	the R phrases or H statements declared above.	
See Section 11 for more deta	information on health effects and symptoms.	

Date of issue/Date of revision : 20-9-2014.

SECTION 2: Hazards identification

2.2. Label elements		
Signal word	: No signal word.	
Hazard statements	: No known significant effects or critical hazards.	
Precautionary statements		
General	 P102 - Keep out of reach of children. P101 - If medical advice is needed, have product container or label at hand. 	
Prevention	: P262 - Do not get in eyes, on skin, or on clothing.	
Response	: P312 - Call a POISON CENTER or physician if you feel unwell.	
Storage	: Not applicable.	
Disposal	: P501 - Dispose of contents and container in accordance with all local, regional, national or international regulations.	
Supplemental label elements	: Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.	
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicable.	
Special packaging requirem	<u>ents</u>	
Containers to be fitted with child-resistant fastenings	: Not applicable.	
Tactile warning of danger	: Not applicable.	

2.3. Other hazards

Other hazards which do : None known. not result in classification

SECTION 3: Composition/information on ingredients

2 2	Mixtures
3.Z	witxtures

: Mixture **Classification Product/ingredient Identifiers** % (w/w) 67/548/EEC **Regulation (EC) No.** Туре 1272/2008 [CLP] name -isopropyl-2, EC: 229-934-9 Not classified. Aquatic Chronic 3, H412 [1] >=1 -2-dimethyltrimethylene <5 diisobutyrate CAS: 6846-50-0 See Section 16 for the full text of the H statements declared above.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Type

Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1. Description of first aid n	neasures
General	: In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical advice.
Eye contact	: Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Seek immediate medical attention.
Inhalation	: Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
Skin contact	 Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.
Ingestion	: If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest. Do NOT induce vomiting.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

4.2. Most important symptoms and effects, both acute and delayed

There are no data available on the mixture itself. The mixture is not classified as dangerous according to Directive 1999/45/EC and its amendments.

If splashed in the eyes, the liquid may cause irritation and reversible damage. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to physician	Freat symptomatically. Contact poison treatment specialist imn quantities have been ingested or inhaled.	nediately if large
Specific treatments	No specific treatment.	

See toxicological information (Section 11)

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	:	Recommended: alcohol-resistant foam, CO ₂ , powders, water spray.
Unsuitable extinguishing media	-	Do not use water jet.
5.2. Special hazards arising	fror	n the substance or mixture
Hazards from the substance or mixture	:	Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon monoxide, carbon dioxide, smoke, oxides of nitrogen.
5.3. Advice for firefighters		
Special protective actions for fire-fighters	:	Cool closed containers exposed to fire with water. Do not release runoff from fire to drains or watercourses.
Special protective equipment for fire-fighters	:	Appropriate breathing apparatus may be required.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures		
For non-emergency personnel	Avoid breathing vapour or mist. Refer to protective measures listed in section and 8.	ons 7
For emergency responders	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".	
6.2. Environmental precautions	Do not allow to enter drains or watercourses. If the product contaminates lat rivers, or sewers, inform the appropriate authorities in accordance with local regulations.	
6.3. Methods and material for containment and cleaning up	Contain and collect spillage with non-combustible, absorbent material e.g. s earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Preferably clean with a dete Avoid using solvents.	
6.4. Reference to other sections	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment See Section 13 for additional waste treatment information.	

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling	 Avoid contact with skin and eyes. Avoid inhalation of vapour, spray or mist. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Put on appropriate personal protective equipment (see Section 8). Never use pressure to empty. Container is not a pressure vessel. Always keep in containers made from the same material as the original one. Comply with the health and safety at work laws. Do not allow to enter drains or watercourses.
7.2 Conditions for safe storage, including any incompatibilities	 Store in accordance with local regulations. Notes on joint storage Keep away from: oxidising agents, strong alkalis, strong acids. Additional information on storage conditions Store in a dry, cool and well-ventilated area. Keep container tightly closed. No smoking. Prevent unauthorised access. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.
7.3 Specific end use(s)	
Recommendations	: Not available.
Industrial sector specific solutions	: Not available.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker or exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

No exposure limit value known.

SECTION 8: Exposure controls/personal protection

Recommended monitoring procedures	: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.
DNELs/DMELs	
No DNELs/DMELs available.	
PNECs	
No PNECs available	
8.2 Exposure controls	
Appropriate engineering controls	: Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction.
Individual protection measures	
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Use safety eyewear designed to protect against splash of liquids.
Skin protection	
Hand protection	
combination of chemicals. The breakthrough time must be The instructions and information replacement must be followed Gloves should be replaced re Always ensure that gloves are The performance or effectiver maintenance.	I or combination of materials that will give unlimited resistance to any individual or be greater than the end use time of the product. on provided by the glove manufacturer on use, storage, maintenance and l. gularly and if there is any sign of damage to the glove material. e free from defects and that they are stored and used correctly. hess of the glove may be reduced by physical/chemical damage and poor rotect the exposed areas of the skin but should not be applied once exposure has
Gloves	For prolonged or repeated contact use protective gloves. Barrier creams may help to protect the exposed areas of skin, they should however not be applied once exposure has occurred. Skin should be washed after contact.
	Use chemical resistant gloves classified under Standard EN 374: Protective gloves against chemicals and micro-organisms. Recommended gloves: Viton® or Nitrile Breakthrough Time: 480 min
	When prolonged or frequently repeated contact may occur, a glove with a protection class of 6 (breakthrough time greater than 480 minutes according to EN 374) is recommended. When only brief contact is expected, a glove with a protection class of 2 or higher (breakthrough time greater than 30 minutes according to EN 374) is recommended.
	NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential

SECTION 8: Exposure controls/personal protection

body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

The user must check that the final choice of type of glove selected for handling this product is the most appropriate and takes into account the particular conditions of use, as included in the user's risk assessment.

Body protection	: Not applicable.
Other skin protection	 Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Usually no respiratory protection required.
	Respiratory protection in case of dust or spray mist formation. (particle filter EN143 type P2). Respiratory protection in case of vapour formation. (half mask with combination filter A2-P2 till concentrations of 0,5 Vol%.).
Environmental exposure controls	: Do not allow to enter drains or watercourses.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

9.1. Information on basic physica	n and chemical properties	
<u>Appearance</u>		
Physical state	: Liquid.	
Colour	: Not available.	
Odour	: Not available.	
Odour threshold	: Not available.	
рН	: Not available.	
Melting point/freezing point	: Not available.	
Initial boiling point and boiling range	: 100°C	
Flash point	: Not applicable.	
Evaporation rate	: Not available.	
Upper/lower flammability or explosive limits	: Not available.	
Vapour pressure	: Not available.	
Vapour density	: Not available.	
Relative density	: 1,461	
Solubility(ies)	: Easily soluble in the following materials: cold water.	
Solubility in water	: Not available.	
Partition coefficient: n-octanol/ water	: Not available.	
Auto-ignition temperature	: Not available.	
Decomposition temperature	: Not available.	
Viscosity	: Kinematic (room temperature): 4,8 cm ² /s	
Explosive properties	: Not available.	
Oxidising properties	: Not available.	
9.2. Other information		
No additional information.		

SECTION 10: Stability and reactivity

	y	
10.1. Reactivity	1	No specific test data related to reactivity available for this product or its ingredients.
10.2. Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
10.3. Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
10.4. Conditions to avoid	:	When exposed to high temperatures may produce hazardous decomposition products.
10.5. Incompatible materials	:	Keep away from the following materials to prevent strong exothermic reactions: oxidising agents, strong alkalis, strong acids.
10.6. Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

There are no data available on the mixture itself. The mixture is not classified as dangerous according to Directive 1999/45/EC and its amendments.

If splashed in the eyes, the liquid may cause irritation and reversible damage. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

Acute toxicity

Conclusion/Summary <u>Acute toxicity estimates</u> Not available.	: Not available.	
Irritation/Corrosion		
Conclusion/Summary	: Not available.	
Sensitisation		
Conclusion/Summary	: Not available.	
<u>Mutagenicity</u>		
Conclusion/Summary	: Not available.	
Carcinogenicity		
Conclusion/Summary	: Not available.	
Reproductive toxicity		
Conclusion/Summary	: Not available.	
Teratogenicity		
Conclusion/Summary	: Not available.	
Specific target organ toxicit	<u>ty (single exposure)</u>	
Not available.		
Specific target organ toxicit	ty (repeated exposure	<u>e)</u>
Not available.		
Aspiration hazard Not available.		
Other information	: Not available.	

Date of issue/Date of revision : 20-9-2014.

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the mixture itself. Do not allow to enter drains or watercourses.

The mixture has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and is not classified as dangerous for the environment. **Conclusion/Summary** : Not available.

lab	ility
:	Not available.
tial	
:	Not available.
:	Not available.
Ва	issessment
:	Not applicable.
	P: Not available. B: Not available. T: Not available.
:	Not applicable.
	vP: Not available. vB: Not available.
:	No known significant effects or critical hazards.
	: tial : Ba :

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non- recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 91/689/EEC.
Disposal considerations	 Do not allow to enter drains or watercourses. Dispose of according to all federal, state and local applicable regulations. If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned. For further information, contact your local waste authority.
Packaging	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Disposal considerations	 Ising information provided in this safety data sheet, advice should be obtained from the relevant waste authority on the classification of empty containers. Empty containers must be scrapped or reconditioned. Dispose of containers contaminated by the product in accordance with local or national legal provisions.
Special precautions	: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

VINYL MATT					
SECTION 14:	Transport information				
	ADR	IMDG			
14.1. UN number	Not regulated.	Not regulated.			
14.2. UN proper shipping name	-	-			
14.3. Transport hazard class(es) Class	_	-			
Subsidiary class	-	-			
14.4. Packing group	-	-			
14.5. Environmental hazards Marine pollutant	No.	No.			
Marine pollutant substances		Not available.			
14.6. Special precautions for user	Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.				
HI/Kemler number	Not available.				
Emergency schedules (EmS)		Not applicable.			
14.7 Transport in bu according to Annex MARPOL 73/78 and Code	ll of				
Additional information	-	-			
SECTION 15:	Regulatory information				
EU Regulation (EC Annex XIV - List of Annex XIV None of the comp Substances of ver None of the comp Annex XVII - Rest on the manufactur placing on the ma and use of certain dangerous substa mixtures and artice Other EU regulation VOC Europe inventory	ery high concern oonents are listed. rictions : Not applicable. re, arket ances, cles ns : Not available. : At least one component is not listed.				
Seveso II Directiv		.			
Date of issue/Date	of revision : 20-9-2014.	Page: 9/11			

SECTION 15: Regulatory information

This product is not controlled under the Seveso II Directive.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Inform Consent (PIC) Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

15.2 Chemical Safety : Not applicable.

Assessment

SECTION 16: Other information

CEPE code

: 7

Indicates information that has changed from previously issued version.

Abbreviations and acronyms	:	CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number
		vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification			Justification
Not classified.			
Full text of abbreviated H statements	:	F 412	Harmful to aquatic life with long lasting effects.
Full text of classifications [CLP/GHS]	:	Aquatic Chronic 3, H412	LONG-TERM AQUATIC HAZARD - Category 3
Full text of abbreviated R phrases	- 1	Not applicable.	
Full text of classifications [DSD/DPD]	-	Not applicable.	
Date of printing	:	24-9-2014.	
Date of issue/ Date of revision	:	20-9-2014.	
Date of previous issue	:	15-7-2014.	
Version	:	6	
Notice to reader			

Notice to reader

IMPORTANT NOTE The information in this data sheet is not intended to be exhaustive and is based on the present state of our knowledge and on current laws: any person using the product for any purpose other than that specifically recommended in the technical data sheet without first obtaining written confirmation from us as to the suitability of the product for the intended purpose does so at his own risk. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. Always read the Material Data Sheet and the Technical Data Sheet for this product if available. All advice we give or any statement made about the product by us (whether in this data sheet or otherwise) is

SECTION 16: Other information

correct to the best of our knowledge but we have no control over the quality or the condition of the substrate or the many factors affecting the use and application of the product. Therefore, unless we specifically agree in writing otherwise, we do not accept any liability whatsoever for the performance of the product or for any loss or damage arising out of the use of the product. All products supplied and technical advice given are subject to our standard terms and conditions of sale. You should request a copy of this document and review it carefully. The information contained in this data sheet is subject to modification from time to time in the light of experience and our policy of continuous development. It is the user's responsibility to verify that this data sheet is current prior to using the product.

Brand names mentioned in this data sheet are trademarks of or are licensed to AkzoNobel.

Head Office

Akzo Nobel Decorative Coatings B.V, Rijksstraatweg 31, 2171 AJ Sassenheim, the Netherlands