

BRUSH CLEANER

Page 1 Issued: 5/8/09 Revision No: 3

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING Product name: BRUSH CLEANER Product code: BRUSHCL Company name: EVERBUILD BUILDING PRODUCTS LTD SITE 41, KNOWSTHORPE WAY CROSS GREEN INDUSTRIAL ESTATE LEEDS WEST YORKSHIRE LS9OSW ENGLAND Tel: 0044 113 240 3456 Fax: 0044 113 240 0024 Emergency tel: 0044 113 240 3456 (office hours only) Email: pault@everbuild.co.uk 2. HAZARDS IDENTIFICATION Main hazards: Flammable. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Harmful: may cause lung damage if swallowed. Repeated exposure may cause skin dryness or cracking. Vapours may cause drowsiness and dizziness. Other hazards: In use, may form flammable / explosive vapour-air mixture. 3. COMPOSITION / INFORMATION ON INGREDIENTS NAPHTHA (PETROLEUM),

Hazardous ingredients:	LOW BOILING POINT HYDROGEN TREATED NAPHTHA - N

HYDRODESULPHURIZED HEAVY >90%

EINECS: 265-185-4 CAS: 64742-82-1

[T] R46; [Xn] R65; [-] R10; [N] R51/53

• METHOXY PROPOXYPROPANOL 0-1% CAS: 34590-94-8

[Xi] R38; [Xi] R41

4. FIRST AID MEASURES (SYMPTOMS)

Skin contact: There may be irritation and redness at the site of contact. Eye contact: There may be irritation and redness. The eyes may water profusely. Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. There may be vomiting. Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

4. FIRST AID MEASURES (ACTION)

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the

BRUSH CLEANER

	affected skin with running water for 10 minutes or longer if substance is still on skin. Consult a	
	doctor.	
Eye contact:	Bathe the eye with running water for 15 minutes. Consult a doctor.	
Ingestion:	Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to	
	drink immediately. Consult a doctor.	
Inhalation:	Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.	
5. FIRE-FIGHTING MEA	SURES	
Extinguishing media:	Alcohol or polymer foam. Carbon dioxide. Dry chemical powder. Use water spray to cool	
	containers.	
Exposure hazards:	Flammable. In combustion emits toxic fumes. Forms explosive air-vapour mixture.	
Protection of fire-fighters:	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin	
	and eyes.	
6. ACCIDENTAL RELEA	SE MEASURES	
Personal precautions:	Refer to section 8 of SDS for personal protection details. If outside do not approach from	
i ersonar precautions.	downwind. If outside keep bystanders upwind and away from danger point. Mark out the	
	contaminated area with signs and prevent access to unauthorised personnel. Turn leaking	
	containing leak-side up to prevent the escape of liquid. Eliminate all sources of ignition.	
Environmental precautions:	Do not discharge into drains or rivers. Contain the spillage using bunding.	
Clean-up procedures:	Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by	
Clean-up procedures.	an appropriate method. Do not use equipment in clean-up procedure which may produce	
	sparks.	
7. HANDLING AND STOP	RAGE	
Handling requirements:	Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do	
	not handle in a confined space. Avoid the formation or spread of mists in the air. Smoking is	
	forbidden. Use non-sparking tools.	
Storage conditions:	Store in cool, well ventilated area. Keep container tightly closed. Keep away from sources of	
	ignition. Prevent the build up of electrostatic charge in the immediate area. Ensure lighting and	
	electrical equipment are not a source of ignition.	
Suitable packaging:	Must only be kept in original packaging.	
8. EXPOSURE CONTROLS / PERSONAL PROTECTION		
Engineering measures:	Ensure there is sufficient ventilation of the area. Ensure lighting and electrical equipment are not	
	a source of ignition.	
Respiratory protection:	Self-contained breathing apparatus must be available in case of emergency. Gas/vapour filter,	
- • •	type A: organic vapours (EN141). must be worn if vapour concentration is above OES or if	
	ventilation is poor	
	1	

Hand protection: Impermeable gloves.

BRUSH CLEANER

Eye protection:Safety glasses. Ensure eye bath is to hand.Skin protection:Impermeable protective clothing.

1 1 I

9. PHYSICAL AND CHEMICAL PROPERTIES

State:	Liquid
Colour:	Clear Blue
Odour:	Characteristic odour
Viscosity:	Non-viscous
Boiling point/range°C:	145 - 180
Flash point°C:	>38
Autoflammability°C:	230
Relative density:	~0.8

10. STABILITY AND REACTIVITY

Stability:	Stable under normal conditions. Stable at room temperature.	
Conditions to avoid:	Heat. Hot surfaces. Sources of ignition. Flames.	
Materials to avoid:	Strong oxidising agents. Strong acids.	
Haz. decomp. products:	In combustion emits toxic fumes.	

11. TOXICOLOGICAL INFORMATION

Routes of exposure: Refer to section 4 of SDS for routes of exposure and corresponding symptoms.

12. ECOLOGICAL INFORMATION

Mobility: Readily absorbed into soil.

Persistence and degradability: Biodegradable.

Bioaccumulative potential: No bioaccumulation potential.

Other adverse effects: Negligible ecotoxicity.

13. DISPOSAL CONSIDERATIONS

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. TRANSPORT INFORMATION

ADR / RID

- **UN no:** 1263
- Packing group: III
- Shipping name: PAINT
 - Labelling: 3



ADR Class: 3 Classification code: F1

Hazard ID no: 30

BRUSH CLEANER

Page 4

NIDG / IMO UN no: 1263 Class: 3 Packing group: III EnnS: F-E,S-E* Marine politant: . Labeling: 3 ILTATA / ICAO ICATA / ICAO ILTA / ICAO INTO: Packing isorrection: 3 ILTA / ICAO INTO: Databeling: 3 ISTECULATORY INFOCACIN; 310(CAO) Labeling: Jangerous: for the environment. Jangerous: for the environment. Jangerous: for the environment. Risk phrases: Risk phrases: Risk phrases: Risk phrases: Safety phrases: <td< th=""><th></th><th></th></td<>			
Preking groupIIIEndsFe.S.AF.Marine pollutaneLabeline3TATA/TCOTATA/TCOIntervalueOnes: 3Decking groupIIIOnes: 3Ones: 3Ones: 3Ones: 3Ones: 3Ones: 5Ones: 5Ones: 5One colspan="2">One colspan="	IMDG / IMO		
Marine pollutari . Labelling: 3 TATA /ICAO IN me: LATA /ICAO Ill Class: Packing ingroup: III Packing ingroup: 30/IPACA); 310/CAO) Labelling: 3 TATA /ICAO Some packing instructions: Joint Colspan="2">Class: Packing instructions: Barard symbols: Harard symbols: Barard Symbols: Barard Symbols: Barard Symbols: Barard Symbols: Barard Symbols: Barard Symbol: Barard Symbol: <td colsp<="" th=""><th>UN no:</th><th>1263 Class: 3</th></td>	<th>UN no:</th> <th>1263 Class: 3</th>	UN no:	1263 Class: 3
Labelling: 3 IATA / ICAO Ill Inservice of a strain of the strep of the	Packing group:	III EmS: F-E,S-E*	
IATA / ICAO UN no: 1263 Class: 3 Pecking group: III Packing instructions: 309(P&CA); 310(CAO) Labelling: 3 15. REGULATORY INFORMATION Targerous for the environment. Diffect Mathematical State State	Marine pollutant:		
UN no: 1263 Class: 3 Packing group: III Packing instructions: 30(PRCA); 310(CAO) Labelling: 3 15. REGULATORY INFOUNDED Hazard symbols: Harmful. Dangerous for the environment. Disposition: Risk phrases: R10: Flammable. R51:/33 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R65: Harmful: may cause long damage if swallowed. R66: Repeated exposure may cause skin dryness or cracking. R67: Vapours may cause drowsiness and dizziness. S2: Keep out of the reach of children. S2: Keep out of the reach of children. <td col<="" th=""><th>Labelling:</th><th>3</th></td>	<th>Labelling:</th> <th>3</th>	Labelling:	3
UN no: 1263 Class: 3 Packing group: III Packing instructions: 30(PRCA); 310(CA0). Labelling: 3 IS.REGULATORY INFORMATION Ister Colspan="2" Ister Colspan="2" Ister Colspan="2" Ister Colspan="2" Ister Colspan="2" Ister Colspan="2" Ister Formation Colspan="2" Risk phrases: Risk phrase: Risk phrase: Risk phrase: Risk phrase: Risk phrase: <td cols<="" th=""><th>IATA / ICAO</th><th></th></td>	<th>IATA / ICAO</th> <th></th>	IATA / ICAO	
Packing group:IIPacking instructions:3000000000000000000000000000000000000	UN no:		
Packing instructions:390(P&CA); 310(CAO)Labeling:3 IS.REGULATORY INFUTATION Hazard symbols:Harmful.Dangerous for the environment.Dangerous for the environment.William William Willi			
Labeling: 3 J. REGULATORY INFU			
15. REGULATORY INFORMATION Hazard symbols: Harmful. Dangerous for the environment. Dangerous for the environment. Image: Image			
Hazard symbols: Harmful. Dangerous for the environment. Dangerous for the environment. Image: Ima			
Independent of the environment.Risk phrases:Risk phrases:<	15. KEGULATOKY INFO	KMATION	
Risk phrasesiImage: Image:	Hazard symbols:		
 R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R65: Harmful: may cause lung damage if swallowed. R66: Repeated exposure may cause skin dryness or cracking. R67: Vapours may cause drowsiness and dizziness. Safety phrases S2: Keep out of the reach of children. S24: Avoid contact with skin. S29: Do not empty into drains. S61: Avoid release to the environment. Refer to special instructions / safety data sheets. S62: If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label. Haz. ingredients (label) LOW BOILING POINT HYDROGEN TREATED NAPHTHA - NAPHTHA (PETROLEUM), HYDRODESULPHURIZED HEAVY Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all 		Dangerous for the environment.	
 R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R65: Harmful: may cause lung damage if swallowed. R66: Repeated exposure may cause skin dryness or cracking. R67: Vapours may cause drowsiness and dizziness. S2: Keep out of the reach of children. S24: Avoid contact with skin. S29: Do not empty into drains. S61: Avoid release to the environment. Refer to special instructions / safety data sheets. S62: If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label. Haz. ingredients (table) LOW BOILING POINT HYDROGEN TREATED NAPHTHA - NAPHTHA (PETROLEUM), HYDRODESULPHURIZED HEAVY The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all 		X	
 R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R65: Harmful: may cause lung damage if swallowed. R66: Repeated exposure may cause skin dryness or cracking. R67: Vapours may cause drowsiness and dizziness. Safety phrases S2: Keep out of the reach of children. S24: Avoid contact with skin. S29: Do not empty into drains. S61: Avoid release to the environment. Refer to special instructions / safety data sheets. S62: If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label. Haz. ingredients (lable) LOW BOILING POINT HYDROGEN TREATED NAPHTHA - NAPHTHA (PETROLEUM), HYDROESULPHURIZED HEAVY The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all 	Risk nhrases:	R10: Flammable	
environment. R65: Harmful: may cause lung damage if swallowed. R65: Repeated exposure may cause skin dryness or cracking. R67: Vapours may cause drowsiness and dizziness. Safety phrases: S2: Keep out of the reach of children. S24: Avoid contact with skin. S29: Do not empty into drains. S61: Avoid release to the environment. Refer to special instructions / safety data sheets. S62: If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label. Haz. ingredients (labe): LOW BOILING POINT HYDROGEN TREATED NAPHTHA - NAPHTHA (PETROLEUM), HYDRODESULPHURIZED HEAVY Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all	ruon printissos		
R65: Harmful: may cause lung damage if swallowed.R66: Repeated exposure may cause skin dryness or cracking.R67: Vapours may cause drowsiness and dizziness.Safety phrasesS2: Keep out of the reach of children.S24: Avoid contact with skin.S29: Do not empty into drains.S61: Avoid release to the environment. Refer to special instructions / safety data sheets.S62: If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.Haz. ingredients (labe)Haz. ingredients (labe)The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all			
R66: Repeated exposure may cause skin dryness or cracking.R67: Vapours may cause drowsiness and dizziness.Safety phrases:S2: Keep out of the reach of children.S24: Avoid contact with skin.S29: Do not empty into drains.S61: Avoid release to the environment. Refer to special instructions / safety data sheets.S62: If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.Haz. ingredients (labe):LOW BOILING POINT HYDROGEN TREATED NAPHTHA - NAPHTHA (PETROLEUM), HYDRODESULPHURIZED HEAVYNote:The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all			
R67: Vapours may cause drowsiness and dizziness.Safety phrases:S2: Keep out of the reach of children. S24: Avoid contact with skin. S29: Do not empty into drains. S61: Avoid release to the environment. Refer to special instructions / safety data sheets. S62: If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.Haz. ingredients (label):LOW BOILLING POINT HYDROGEN TREATED NAPHTHA - NAPHTHA (PETROLEUM), HYDRODESULPHURIZED HEAVYNote:The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all			
Safety phrases:S2: Keep out of the reach of children.S24: Avoid contact with skin.S29: Do not empty into drains.S61: Avoid release to the environment. Refer to special instructions / safety data sheets.S62: If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.Haz. ingredients (label):LOW BOILING POINT HYDROGEN TREATED NAPHTHA - NAPHTHA (PETROLEUM), HYDRODESULPHURIZED HEAVYNote:The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all			
S24: Avoid contact with skin.S29: Do not empty into drains.S61: Avoid release to the environment. Refer to special instructions / safety data sheets.S62: If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.Haz. ingredients (labe):LOW BOILING POINT HYDROGEN TREATED NAPHTHA - NAPHTHA (PETROLEUM), HYDRODESULPHURIZED HEAVYNote:The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all	Safety phrases:		
S61: Avoid release to the environment. Refer to special instructions / safety data sheets.S62: If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.Haz. ingredients (label):LOW BOILING POINT HYDROGEN TREATED NAPHTHA - NAPHTHA (PETROLEUM), HYDRODESULPHURIZED HEAVYNote:The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all		S24: Avoid contact with skin.	
 S62: If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label. Haz. ingredients (label): LOW BOILING POINT HYDROGEN TREATED NAPHTHA - NAPHTHA (PETROLEUM), HYDRODESULPHURIZED HEAVY Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all 		S29: Do not empty into drains.	
container or label.Haz. ingredients (label):LOW BOILING POINT HYDROGEN TREATED NAPHTHA - NAPHTHA (PETROLEUM), HYDRODESULPHURIZED HEAVYNote:The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all		S61: Avoid release to the environment. Refer to special instructions / safety data sheets.	
Haz. ingredients (label):LOW BOILING POINT HYDROGEN TREATED NAPHTHA - NAPHTHA (PETROLEUM), HYDRODESULPHURIZED HEAVYNote:The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all		S62: If swallowed, do not induce vomiting: seek medical advice immediately and show this	
HYDRODESULPHURIZED HEAVY Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all		container or label.	
Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all	Haz. ingredients (label):	LOW BOILING POINT HYDROGEN TREATED NAPHTHA - NAPHTHA (PETROLEUM),	
applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all		HYDRODESULPHURIZED HEAVY	
the possible existence of additional provisions which complete these regulations. Refer to all	Note:	The regulatory information given above only indicates the principal regulations specifically	
		applicable to the product described in the safety data sheet. The user's attention is drawn to	
applicable national, international and local regulations or provisions.		the possible existence of additional provisions which complete these regulations. Refer to all	
		applicable national, international and local regulations or provisions.	

BRUSH CLEANER

16. OTHER INFORMATION

Risk phrases used in s.3:	R46: May cause heritable genetic damage.
	R65: Harmful: may cause lung damage if swallowed.
	R10: Flammable.
	R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic
	environment.
	R38: Irritating to skin.
	R41: Risk of serious damage to eyes.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive and shall
	be used only as a guide. This company shall not be held liable for any damage resulting from
	handling or from contact with the above product.

Page 5