
Printing date 04.08.2017

Version: 2

Revision: 04.08.2017



· Signal word Danger

GHS08

Printing date 04.08.2017

Version: 2

Revision: 04.08.2017

(Contd. of page 1)

>30%

Hazard-determining components of labelling: Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics</td> Hazard statements Hazard statements

H304 May be fatal if swallowed and enters airways.

Precautionary statements

P102 Keep out of reach of children.

P260 Do not breathe fume.

P301+P312 IF SWALLOWED: Call a doctor if you feel unwell.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P331 Do NOT induce vomiting.

P331 P501

Dispose of contents/container in accordance with local/regional/national/international regulations.

• Additional information:

EUH066 Repeated exposure may cause skin dryness or cracking.

- 2.3 Other hazards The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.

• vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

 EC number:
 926-141-6
 Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics</th>
 75-100%

 Reg.nr.:
 01-2119456620-43
 \$ Asp. Tox. 1, H304
 75-100%

Ingredients according to Detergents Regulation 648/2004/EC

For the wording of the listed hazard phrases refer to section 16.

Aliphatic hydrocarbons

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing: Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

• Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• 5.2 Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.

• 5.3 Advice for firefighters

· Protective equipment: Mount respiratory protective device.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

• 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, universal binders).

Printing date 04.08.2017

Version: 2

Revision: 04.08.2017

Trade name: Zep Commercial® Sticky Stuff Remover

Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Use only in well ventilated areas.

• Information about fire - and explosion protection: Keep respiratory protective device available.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Provide solvent resistant, sealed floor.

· Information about storage in one common storage facility: Not required.

· Further information about storage conditions: None.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

* 8.1 Control parameters			
· Ingredients with limit values that require monitoring at the workplace:			
34590-94-8 (2-methoxymethylethoxy)propanol (2.5-5%)			
WEL (Great Britain)	Long-term value: 308 mg/m ³ , 50 ppm		
	Sk		
IOELV (European Union)	Long-term value: 308 mg/m ³ , 50 ppm		
	Skin		
• Additional information: I	The lists valid during the making were used as basis.		
· 8.2 Exposure controls			
· Personal protective equip	ment:		
• General protective and hy			
Keep away from foodstuffs			
Wash hands before breaks			
Do not inhale dust / smoke	e / mist.		
Respiratory protection:			
	rotective device only when aerosol or mist is formed.		
Filter AX			
Not necessary if room is w	ell-ventilatea.		
• Protection of hands: Selection of the glove met	erial on consideration of the penetration times, rates of diffusion and the degradation		
· Material of gloves	ertal on consideration of the penetration times, rates of alfusion and the degradation		
	le gloves does not only depend on the material, but also on further marks of quality and varies from		
	urer. As the product is a preparation of several substances, the resistance of the glove material can		
	ice and has therefore to be checked prior to the application.		
Penetration time of glove			
	ime has to be found out by the manufacturer of the protective gloves and has to be observed.		
	on times according to EN 374 part III are not performed under practical conditions. Therefore a		
maximum wearing time, w	hich corresponds to 50% of the penetration time, is recommended.		
· For the permanent contac	ct gloves made of the following materials are suitable:		
Nitrile rubber, NBR			
PVA gloves			
8	ade of the following materials: Strong material gloves		
• Eye protection: Goggles r	ecommended during refilling		

· Body protection: Solvent resistant protective clothing

GB

(Contd. of page 2)

Version: 2

Revision: 04.08.2017

Trade name: Zep Commercial® Sticky Stuff Remover

(Contd. of page 3)

9.1 Information on basic physical and c	hemical properties
General Information	nemen properties
Appearance:	
Form:	Liquid
Colour:	Colourless
Odour:	Solvent-like
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range	:: >180°C
Flash point:	67°C
Flammability (solid, gas):	Not applicable.
Ignition temperature:	230°C
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	0.6 Vol %
Upper:	6.0 Vol %
Vapour pressure at 20°C:	0.1 hPa
Density at 20°C:	0.802 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Insoluble.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	99.8 %
Swiss VOC:	3.00 %
Solids content:	0.1%
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

	<i>Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics</i>	
Oral	LD50	>5000 mg/kg (Rat) (OECD 401)
Dermal	LD50	>5000 mg/kg (Rabbit) (OECD 402 (24 h))

(Contd. on page 5) GB

Printing date 04.08.2017

Version: 2

Revision: 04.08.2017

(Contd. of page 4)

Trade name: Zep Commercial® Sticky Stuff Remover

Inhalative LC50/8 h >5000 mg/m3 (Rat) (OECD 403) Primary irritant effect:

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard
- May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics

EL50 (48 h) >1000 mg/l (Daphnia magna (water flea)) (OECD 202)

OECD test 301 F 69 % (biodegradation in % after 28 days)

Readily Biodegradable

- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Smaller quantities can be disposed of with household waste.
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	

_____ GB

Printing date 04.08.2017

Version: 2

Revision: 04.08.2017

(Contd. of page 5)

Trade name: Zep Commercial® Sticky Stuff Remover

· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

· UN "Model Regulation":

Void

Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Reg. (EC) n. 1272/2008 - CLP; Reg. (EC) n. 1907/2006 - Reach; Reg. (EC) n. 2015/830 annex II of REACH; Reg. (EC) n. 648/04 (Detergents); Reg. (EC) n. 528/12 (Biocides BPR); Reg. (EC) n. 1223/2009 (Cosmetics); Dir. 06/08 ADR - RID - IMDG - IATA; Dir. 47/08 (Aerosols); Dir. 12/18 (Seveso III); Dir. 2008/98/CE and Reg. (EC) n.1357/2014 (Waste management) · Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed. · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· National regulations:

• Technical instructions (air):

Class Share in % NK 75-100

• Waterhazard class: Water danger class 3 (Self-assessment): extremely hazardous for water.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H304 May be fatal if swallowed and enters airways.

· Department issuing SDS:

Customer Service NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

Contact:

Customer Service NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative Asp. Tox. 1: Aspiration hazard – Category 1

* Data compared to the previous version altered.

(Contd. on page 7)

GB

Printing date 04.08.2017

Version: 2

Revision: 04.08.2017

Trade name: Zep Commercial® Sticky Stuff Remover

(Contd. of page 6)

GB

Anne	ex: Exposure scenario
	title of the exposure scenario
	of Use
	Consumer uses: Private households / general public / consumers
	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
	iption of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Shee
	tions of use
	ion and frequency 5 workdays/week.
	cal parameters
	cal state Fluid
	ntration of the substance in the mixture The substance is main component.
	amount per time or activity
	ding to directions for use.
	er than 10 g per application.
	operational conditions
	operational conditions affecting environmental exposure No special measures required.
	operational conditions affecting consumer exposure Keep out of the reach of children.
	operational conditions affecting consumer exposure during the use of the product Not applicable.
	nanagement measures
	r protection
	isational protective measures No special measures required.
	ical protective measures Ensure that suitable extractors are available on processing machines
	nal protective measures
	t inhale gases / fumes / aerosols.
	ion of the glove material on consideration of the penetration times, rates of diffusion and the degradation
	ires for consumer protection
	e adequate labelling.
	ocked up and out of the reach of children.
	onmental protection measures
	No special measures required.
	sal measures Ensure that waste is collected and contained.
	sal procedures Must not be disposed together with household garbage. Do not allow product to reach sewage system.
	type Partially emptied and uncleaned packaging
	ure estimation
	mer Not relevant for this Exposure Scenario. nce for downstream users No further relevant information available.