(in accordance with Regulation (EC) No 1907/2006)

SOLUBLE LUBRICANT

 Version: 2
 Page 1 of 6

 Revision date: 30/08/2011
 Print date: 15/04/2015

1. IDENTIFICATION OF THE MIXTURE AND OF THE COMPANY/UNDERTAKING.

1.1 Product identifier.

Product Name: SOLUBLE LUBRICANT

1.2 Relevant identified uses of the mixture and uses advised against.

Lubricant for PVC pipes.

1.3 Details of the supplier of the safety data sheet.

Company: Kalsi Plastics UK Ltd
Address: Kalsi House 5 Tomey Road

 City:
 Birmingham

 Telephone:
 0121 693 0373

 Fax:
 0121 624 2662

E-mail: sales@kalsiplastics.co.uk

1.4 Emergency telephone number: 0121 693 0373 (Only available during office hours)

2. HAZARDS IDENTIFICATION.

2.1 Classification of the mixture.

The product is not classified as hazardous within the meaning of Directive 1999/45/EC.

The product is not classified as hazardous within the meaning of Regulation (EU) No 1272/2008.

2.2 Label elements.

The preparation is not classified as hazardous according to the Regulation on classification, packing and labelling of hazardous preparations.

P Phrases:

Safety data sheet available for professional user on request.

2.3 Other hazards.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

3. COMPOSITION/INFORMATION ON INGREDIENTS.

The product does not contain substances that are hazardous for health or the environment in accordance with Annex II of Regulation (EC) no. 1907/2006.

Contains: mineral oil, mineral and synthetic fillers,

4. FIRST AID MEASURES.

4.1 Description of first aid measures.

Due to the composition and type of the substances present in the product, no particular warnings are necessary.

Inhalation.

Does not concern.

Eve contact

may cause minor irritation. Take off contact lenses and wipe eyes with a paper towel or a clean piece of cloth (eye lids open). Rinse eyes with considerable amount of warm water for min.15 minutes. Avoid strong streams of water as may harm cornea.

(in accordance with Regulation (EC) No 1907/2006)

SOLUBLE LUBRICANT

Version: 2 Page 2 of 6
Revision date: 30/08/2011 Print date: 15/04/2015

Skin contact.

neutral unless hot. Take of clothes and wash with warm water and soap.

Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. **NEVER** induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed.

No known acute or delayed effects from exposure to the product.

4.3 Indication of any immediate medical attention and special treatment needed.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

5. FIREFIGHTING MEASURES.

5.1 Extinguishing media.

Recommended extinguishing methods.

Extinguisher powder or CO_2 . In case of more serious fires, also alcohol-resistant foam and water spray. Do not use a direct stream of water to extinguish.

5.2 Special hazards arising from the mixture.

Special risks.

Fire can cause thick, black smoke. As a result of thermal decomposition, dangerous products can form: carbon monoxide, carbon dioxide. Exposure to combustion or decomposition products can be harmful to your health.

5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways.

Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and gloves.

6. ACCIDENTAL RELEASE MEASURES.

6.1 Personal precautions, protective equipment and emergency procedures.

For exposure control and individual protection measures, see section 8.

6.2 Environmental precautions.

Product not classified as hazardous for the environment, avoid spillage as much as possible.

6.3 Methods and material for containment and cleaning up.

Pick up the spill with non-combustible absorbent materials (soil, sand, vermiculite, diatomite, etc.). Pour the product and the absorbent in an appropriate container. The contaminated area should be immediately cleaned with an appropriate de-contaminator. Pour the decontaminator on the remains in an opened container and let it act various days until no further reaction is produced.

6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

7. HANDLING AND STORAGE.

7.1 Precautions for safe handling.

The product does not require special handling measures, the following general measures are recommended:

For personal protection, see section 8. Never use pressure to empty the containers. They are not pressure-resistant containers.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

(in accordance with Regulation (EC) No 1907/2006)

SOLUBLE LUBRICANT

 Version: 2
 Page 3 of 6

 Revision date: 30/08/2011
 Print date: 15/04/2015

Keep the product in containers made of a material identical to the original.

7.2 Conditions for safe storage, including any incompatibilities.

The product does not require special storage measures.

As general storage measures, sources of heat, radiation, electricity and contact with food should be avoided.

Keep away from oxidising agents and from highly acidic or alkaline materials.

Store the containers between 5 and 35° C, in a dry and well-ventilated place.

Store according to local legislation. Observe indications on the label.

7.3 Specific end use(s).

Lubricant for PVC pipes .

8. EXPOSURE CONTROLS/PERSONAL PROTECTION.

8.1 Control parameters.

The product does NOT contain substances with Professional Exposure Environmental Limit Values.

8.2 Exposure controls.

Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

Breathing protection:

If the recommended technical measures are observed, no individual protection equipment is necessary.

Hand protection:

PPE: Protective gloves.

Characteristics: «CE» marking, category II.

CEN standards: EN 374-1, En 374-2, EN 374-3, EN 420



<u>Maintenance</u>: Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives. <u>Observations</u>: Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands.

Protective creams can help to protect exposed areas of the skin. These creams must **NEVER** be applied once exposure has occurred.

Eye protection:

PPE: Face shield.

<u>Characteristics:</u> «CE» marking, category II. Face and eye protector against

splashing liquid.

CEN standards: EN 165, EN 166, EN 167, EN 168



<u>Maintenance</u>: Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Make sure that mobile parts move smoothly. <u>Observations</u>: Face shields should offer a field of vision with a dimension in the central line of, at least, 150 mm vertically once attached to the frame.

Skin protection:

(in accordance with Regulation (EC) No 1907/2006)

SOLUBLE LUBRICANT

Version: 2 Page 4 of 6
Revision date: 30/08/2011 Print date: 15/04/2015

PPE: Protective clothing.

Characteristics: «CE» marking, category II. Protective clothing should not be

too tight or loose in order not to obstruct the user's movements.

CEN standards: EN 340

<u>Maintenance</u>: In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer.

<u>Observations:</u> The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.

PPE: Work footwear.

<u>Characteristics:</u> «CE» marking, category II. <u>CEN standards:</u> EN ISO 13287, EN 20347

<u>Maintenance</u>: This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people.

Observations: Work footwear for professional use includes protection elements aimed at protecting users against any injury resulting from an accident

9. PHYSICAL AND CHEMICAL PROPERTIES.

9.1 Information on basic physical and chemical properties.

Appearance: Paste

PH: 9

Initial boiling temperature: 100 - 250°C Ignition temperature: above 250°C Vapour pressure: 23 mbar 20°C Relative density:1,3 g/cm3 Viscosity: thixotropic Solubility: In water

N.A./N.A. = Not Available/Not Applicable due to the nature of the product

9.2. Other information.

10. STABILITY AND REACTIVITY.

10.1 Reactivity.

The product does not present hazards by their reactivity.

10.2 Chemical stability.

Stable under the recommended handling and storage conditions (see section 7).

10.3 Possibility of hazardous reactions.

The product does not present possibility of hazardous reactions.

10.4 Conditions to avoid.

Avoid temperatures near or above the flash point. Do not heat closed containers.

10.5 Incompatible materials.

Keep away from oxidising agents and from highly alkaline or acidic materials in order to prevent exothermic reactions.

10.6 Hazardous decomposition products.

In case of fire, dangerous decomposition products can be generated, such as carbon monoxide and dioxide and nitrogen fumes and oxides.

(in accordance with Regulation (EC) No 1907/2006)

SOLUBLE LUBRICANT

Version: 2 Page 5 of 6
Revision date: 30/08/2011 Print date: 15/04/2015

11. TOXICOLOGICAL INFORMATION.

11.1 Information on toxicological effects.

There are no tested data available on the product.

Repeated or prolonged contact with the product can cause the elimination of oil from the skin, giving rise to non-allergic contact dermatitis and absorption of the product through the skin.

Splatters in the eyes can cause irritation and irreversible damage.

No information is available regarding the toxicity of the substances present.

12. ECOLOGICAL INFORMATION.

12.1 Toxicity.

No information is available regarding the ecotoxicity of the substances present.

12.2 Persistence and degradability.

No information is available about persistence and degradability of the product.

12.3 Bioaccumulative potencial.

No information is available regarding the bioaccumulation of the substances present.

12.4 Mobility in soil.

No information is available about the mobility in soil.

The product must not be allowed to go into sewers or waterways.

Prevent penetration into the ground.

12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

12.6 Other adverse effects.

No information is available about other adverse effects for the environment.

13. DISPOSAL CONSIDERATIONS.

13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 91/689/EEC regarding waste management.

14. TRANSPORT INFORMATION.

Transportation is not dangerous. In case of road accident causing the product's spillage, proceed in accordance with point 6.

15. REGULATORY INFORMATION.

15.1 Safety, health and environmental regulations/legislation specific for the mixture.

The product is not affected by the Regulation (EC) No 2037/2000 of the european parliament and of the council, of 29 June 2000 on substances that deplete the ozone layer.

15.2 Chemical safety assessment.

There has been no evaluation a chemical safety assessment of the product.

16. OTHER INFORMATION.

(in accordance with Regulation (EC) No 1907/2006)

SOLUBLE LUBRICANT

 Version: 2
 Page 6 of 6

 Revision date: 30/08/2011
 Print date: 15/04/2015

It is recommended that the product only be employed for the purposes advised.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.