

SAFETY DATA SHEET ALCOHOL HAND SANITISER

Page: 1 Compilation date: 29/04/2020 Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: ALCOHOL HAND SANITISER

Product code: ALHSGEN

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: WHO recommended handrub formulation PC8: Biocidal products (e.g.

Disinfectants, pest control).

1.3. Details of the supplier of the safety data sheet

Company name:	J.V. Barrett & Co Ltd
	St Ivel Way
	Warmley
	Bristol
	BS30 8TY
	United Kingdom
Tel:	01179600060
Fax:	01179352437

Email: sales@barrettine.co.uk

1.4. Emergency telephone number

Emergency tel: +44 (0) 1179 600060 (Office hours only 8am - 5pm Mon- Thurs. 8 am - 4.30 pm Fri.) +44 (0) 1270 502891 (Out of hours emergency number)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP:	STOT SE 3: H336; Eye Irrit. 2: H319; Flam. Liq. 2: H225
Most important adverse effects:	Highly flammable liquid and vapour. Causes serious eye irritation. May cause
	drowsiness or dizziness.

2.2. Label elements


Label elements:

Hazard statements: H225: Highly flammable liquid and vapour.

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

ALCOHOL HAND SANITISER



2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

PROPAN-2-OL - REACH registered number(s): 01-2119457558-25-XXXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent
200-661-7	67-63-0	-	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336	70-95%
GLYCEROL - REACH registered number(s): 01-2119471987-18-XXXX				
200-289-5	56-81-5	Substance with a Community workplace exposure limit.	-	1-10%

Section 4: First aid measures

4.1. Description of first aid measures

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

Ingestion: Rinse out mouth with water. Do not induce vomiting. If feeling unwell after ingestion occurs seek medical advice

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

ALCOHOL HAND SANITISER

Page: 3

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Treat Symptomatically.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Carbon dioxide. Alcohol resistant foam. Dry chemical powder. Use water spray to cool containers. Do not use high pressure water jet as this may spread burning material.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

ALCOHOL HAND SANITISER

7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

PROPAN-2-OL

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	999 mg/m3	1250 mg/m3	-	-

DNEL/PNEC Values

Hazardous ingredients:

PROPAN-2-OL

Туре	Exposure	Value	Population	Effect
DNEL	Dermal (repeated dose)	888 mg/kg/d	Workers	Systemic
DNEL	Inhalation (repeated dose)	500 mg/m3	Workers	Systemic
DNEL	Dermal (repeated dose)	319 mg/kg/d	Consumers	Systemic
DNEL	Inhalation (repeated dose)	89 mg/m3	Consumers	Systemic
DNEL	Oral (repeated dose)	26 mg/kg/d	Consumers	Systemic
PNEC	Fresh water	140.9 mg/l	-	-
PNEC	Marine water	140.9 mg/l	-	-
PNEC	Soil (agricultural)	25 mg/kg	-	-
PNEC	Microorganisms in sewage treatment	2251 mg/l	-	-
PNEC	Oral	160 mg/kg food	_	-
PNEC	Fresh water sediments	552 mg/kg	-	-
PNEC	Marine sediments	552 mg/kg	-	-

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Eye protection: Safety glasses.

ALCOHOL HAND SANITISER

Page: 5

Section 9: Physical and chemical properties

State:	Liquid		
Colour:	Colourless		
Odour:	Alcoholic		
Evaporation rate:	No data available.		
Oxidising:	Non-oxidising (by EC criteria)		
Solubility in water:	Miscible in all proportions		
Also soluble in:	Most organic solvents.		
Boiling point/range°C:	~ 82	Melting point/range°C:	~ -89
Flammability limits %: lower:	~ 2	upper:	~ 12
Flash point°C:	21 cc	Part.coeff. n-octanol/water:	No data available.
Autoflammability°C:	~ 425	Vapour pressure:	No data available.
Relative density:	No data available.	pH:	No data available.
VOC g/l:	588		

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Direct sunlight. Heat. Hot surfaces. Sources of ignition. Flames.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

SAFETY DATA SHEET ALCOHOL HAND SANITISER

Page: 6

11.1. Information on toxicological effects

Hazardous ingredients:

PROPAN-2-OL

DERMAL	RBT	LD50	16.4	ml/kg
ORAL	RAT	LD50	5840	mg/kg
VAPOURS	RAT	6H LC50	10000	ppm

Relevant hazards for product:

Hazard	Route	Basis
Serious eye damage/irritation	OPT	Hazardous: calculated
STOT-single exposure	-	Hazardous: calculated

Symptoms / routes of exposure

Eye contact:	There may be pain and redness. The eyes may water profusely. There may be
	severe pain. The vision may become blurred. May cause permanent damage.
Ingestion:	There may be soreness and redness of the mouth and throat. Nausea and

stomach pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

PROPAN-2-OL

DAPHNIA	24H EC50	10	g/l
FISH	96H LC50	9.64-10	g/l

12.2. Persistence and degradability

Persistence and degradability: No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces.

ALCOHOL HAND SANITISER

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Avoid release to the environment.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

Disposal of packaging: Dispose of in accordance with Local Authority requirements.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN1219

14.2. UN proper shipping name

Shipping name: ISOPROPANOL (ISOPROPYL ALCOHOL)

14.3. Transport hazard class(es)

Transport class: 3

14.4. Packing group

Packing group: ||

14.5. Environmental hazards

Environmentally hazardous: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: D/E

Transport category: 2

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Retail packs require a tactile warning triangle. HSE CRITICAL SITUATION PERMIT UKCSP-2020-01

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Marine pollutant: No

SAFETY DATA SHEET ALCOHOL HAND SANITISER

Page: 8

Section 16: Other information

Other information

Other information:	according to Regulation (EC) No. 1907/2006 (REACH) with its amendment
	Regulation (EU) 2015/830
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and s.3:	H225: Highly flammable liquid and vapour.
	H319: Causes serious eye irritation.
	H336: May cause drowsiness or dizziness.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all
	inclusive and shall be used only as a guide. This company shall not be held liable
	for any damage resulting from handling or from contact with the above product.