



In accordance with REACH Regulation EC No. 1907/2006

Document:	SDS 01
Issue No:	6
Issue Date:	16-May-2014
Page	1 of 11

SECTION 1: IDENTIFICATION OF THE PRODUCT AND OF THE MANUFACTURER/SUPPLIER

1.1	Product Identifier:	Valve Regulated Lead-Acid (VRLA) Industrial Battery		
	Classification:	Battery, wet, non-spillable, electric storage Substance classification: UN 2800		
	Product Codes:	EN & ENL, NP, NPC, NPH, NPL, NPW, RE, REC, REW, SWL, TEV, FXH, UXH, UXL, Yucel, YPC and YFT Series of Industrial VRLA Batteries		
1.2	Relevant Identified Uses Of The Product And Uses Advised Against	Relevant identified uses: Standby: Telecoms; UPS; alarm and security systems; emergency lighting; utility switching Cyclic: Golf Trolleys, portable tools, portable lighting, wheelchairs, remote telemetry Energy storage: Photovoltaic energy systems (PVES); wind turbines		
		Uses advised against: Automotive, commercial, and agricultural SLI applications Reason why uses advised against: High starting and ignition current demands beyond the design of internal and external current carrying components		
1.3	Details Of The Supplier Of The Safety Date Sheet	Supplier: Address:		
		Contact: Tel: e-mail: Language: Available:		
	National Contacts:	France: Contact: Tel: e-mail: Language:		
		Germany: Contact: Tel: e-mail: Language:		
		Iberia: Contact: Tel: e-mail: Language:		
		Italy: Contact: Tel: e-mail: Language:		
		UK: Contact: Tel: e-mail Language:		
1.4	Emergency telephone number:	Contact: Tel: Opening Hours: Language: Available:		





In accordance with REACH Regulation EC No. 1907/2006

Document:	SDS 01
Issue No:	6
Issue Date:	16-May-2014
Page	2 of 11

#### SECTION 2: HAZARDS IDENTIFICATION

VRLA Battery	Mechanical	VRLA Batteries can be heavy. Correct manual handling techniques and/or mechanical lifting aides (e.g. Fork Lift Truck) must be used.	
AMERICAN SALVANIA AND AND AND AND AND AND AND AND AND AN	Electrical	VRLA Batteries can contain large amounts of electrical energy which can give very high discharge currents and severe electrical shock if the terminals are short circuited.	
	Chemical	The VRLA Battery presents no chemical hazards during the normal operation provided the recommendations for handling, storage, transport and usage are observed.  VRLA Batteries emit hydrogen gas which is highly flammable and will form explosive mixtures in air from approx. 4% to 76%. This can be ignited by a spark	
:		at any voltage, naked flames or other sources of ignition.  If the battery is broken and the internal components exposed, hazards may exist which require careful attention.	
Plate Grids and	Metallic Lead	, Lead alloys and Lead inorganic compounds:	
absorbed by the blo		g is usually caused by inhalation of minute particles of Lead fume and dust, which are ne blood stream from the lungs and deposited in the bone marrow.  Owly released from the bones and thus has an accumulative effect causing chronic	
	, ,	estion or inhalation of dust, vapour or fume	
		rm to the unborn child	
		alation and if swallowed	
	Danger of cumulative effects		
Battery Electrolyte		ION and DAMAGE to internal tissues if swallowed.	
,,	I	IRRITATION of eyes and skin and may cause BURNS and DERMATITIS.	
Case Material		UL94:HB & Flame Retardant (FR) Grade, UL94:V0.	
	No hazard in nor		
	Material can buri	n in a fire with toxic smoke and decomposition products.	
Separator Material		ause IRRITATION to skin or eyes upon exposure, and to internal tissues if	
1 '	inhaled or swallo	wed	

#### **SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS**

Components	Risk	Substances	Approximate %	Chemical	CAS No.
Phrase	Phrases <sup>1</sup>		( <sup>w</sup> / <sub>w</sub> )	Symbol	
Plate Grid	R23	Metallic Lead	30 to 40	Pb	7439-92-1
	R25	Calcium	< 0.1	Ca	7440-70-2
	1(25	Tin	< 2	Sn	7440-31-5
Active	R23	Lead Monoxide	< 0.1	PbO	1317-36-8
Materials	R24	Lead Dioxide (Lead IV Oxide)	35 to 45	PbO <sub>2</sub>	1309-60-0
	R25	Barium compound	< 1.5	Ba	7440-39-3
Battery R21 R22 Electrolyte R35 R36 R37 R38 R49		Dilute Sulphuric Acid	10 to 20	H₂SO₄	7664-93-9
Case Material		Standard Grade, UL94:HB  ABS (Acrylonitrile-Butadiene-Styrene Copolymer)	5 to 10		9003-56-9
		Flame Retardant (FR) Grade, UL94:V0  • ABS (Acrylonitrile-Butadiene-Styrene Copolymer)	5 to 10		9003-56-9
		Tetrabromobisphenol-A-diglycygilether, with tribromophenol	< 0.1		40039-98-8
İ		Antimony trioxide	< 0.01		1309-64-4
Separator Material		Absorbent Glass Matt (AGM) Separator (100% Borosilicate Glass Microfibre)	2 to 5		65997-17-3





In accordance with REACH Regulation EC No. 1907/2006

Document:	SDS 01 -
Issue No:	6
Issue Date:	16-May-2014
Page	3 of 11

### **SECTION 4: FIRST AID MEASURES FOR ACUTE EXPOSURE**

This information is of relevance only if the VRLA Battery has suffered damage, is broken and persons have direct contact with the internal components

Components		Action
L ' 1		
Plate Grids and Active materials	Inhalation:	Remove the person from exposure to fresh air. Seek advice from a medical doctor
	Ingestion	Wash out mouth with water and give plenty of water to drink. Do not induce vomiting. Seek advice from a medical doctor
	Skin Contact:	Wash off with plenty of water and soap to prevent accidental ingestion or inhalation Seek medical advice if pain or rash does not reduce
	Eye Contact:	Immediately irrigate with eyewash solution or clean water for at least 10 minutes, holdi the eyelids apart. Then take the person to hospital without further delay
	Self-protection for the first aider	Eye protection (safety glasses or face shield), and heavy-duty gloves are required.  In case of inhalation, a face mask or respirator may be required.
Battery Electrolyte		SPEED IS ESSENTIAL - OBTAIN IMMEDIATE MEDICAL ATTENTION.
	Inhalation:	Remove the person from exposure to fresh air.  If the person continues to feel unwell seek advice from a medical doctor.
	Ingestion	Wash out mouth with water and give plenty of water to drink.  Do not induce vomiting,
		If the person continues to feel unwell seek advice from a medical doctor.
	Skin Contact:	Drench with large quantities of water.
		Remove contaminated clothing and place in water to dilute the acid
		Continue to wash the affected area for at least 10 minutes.
	<u></u>	Seek advice from a medical doctor
	Eye Contact:	SPEED IS ESSENTIAL - OBTAIN IMMEDIATE MEDICAL ATTENTION
		Immediately irrigate with eyewash solution or clean water for at least 10 minutes, holdi the eyelids apart. Then take the person to hospital without further delay
4	Self-protection	Eye protection (safety glasses or face shield), and heavy-duty gloves are required.
	for the first aider	In case of inhalation, a face mask or respirator may be required.
Case Material	Inhalation:	Material can burn in a fire with toxic smoke and decomposition products.
		Upon inhalation of decomposition products, keep patient calm, remove to fresh air, and
		seek advice from a medical doctor. If a large quantity is inhaled take the person to
		hospital.
		Note to physician: Treat according to symptoms (decontamination, vital functions), no known specific antidote.
	Ingestion	Wash out mouth with water and give plenty of water to drink. Do not induce vomiting.
•		If the person continues to feel unwell seek advice from a medical doctor.
	Skin Contact:	Areas affected by molten material should be quickly placed under cold running water an
		sterile protective dressing applied.
	Evo Contant	Seek advice from a medical doctor.
	Eye Contact:	May cause irritation or injury due to mechanical action and traces of Battery Electrolyte.  Immediately irrigate with eyewash solution or clean water for at least 10 minutes, holding the eyelids apart. Then take the person to hospital without further delay
	Self-protection	Eve protection (safety glasses or face shield), and disposable gloves are required.
	for the first aider	In case of inhalation, a face mask or respirator may be required.
Separator Material	Inhalation:	Remove patient from exposure to fresh air. If irritation persists, seek advice from a med doctor
	Ingestion	Wash out mouth with water and give plenty of water to drink. Do not induce vomiting. If person continues to feel unwell seek advice from a medical doctor.
	Skin Contact:	After contact with skin, wash immediately with plenty of soap and water. If irritation persists, seek advice from a medical doctor
	Eye Contact:	May cause irritation or injury due to mechanical action and traces of Battery Electrolyte. Immediately irrigate with eyewash solution or clean water for at least 10 minutes, holding
		the eyelids apart. Then take the person to hospital without further delay
	Self-protection	Eye protection (safety glasses or face shield), and disposable gloves are required.
	for the first aider	In case of inhalation, a face mask or respirator may be required.



In accordance with REACH Regulation EC No. 1907/2006

Document:	SDS 01
Issue No:	6
Issue Date:	16-May-2014
Page	4 of 11

#### SECTION 5: FIRE-FIGHTING AND EXPLOSION HAZARD MEASURES

OLC	HOW S. TIKE TIG	HING AND EXPLOSIO	V HAZARD WEASURES
5	VRLA Battery	General Information	<ul> <li>VRLA Batteries emit hydrogen gas which is highly flammable and will form explosive mixtures in air from approx. 4% to 76%. This can be ignited by a spark at any voltage, naked flames or other sources of ignition.</li> </ul>
			Batteries in use will be part of an electrical circuit and must be isolated from the power source before attempting to put out a fire. Switch the power OFF before disconnecting the batteries from the power source.
	,		Damaged batteries may expose negative plates, grey in colour, which may ignite if allowed to dry out. These plates may be wetted down with water after the battery has been removed from all electrical circuits.
5.1		Suitable Extinguisher types:	CO <sub>2</sub> ; Foam; Dry Powder.
		Unsuitable Extinguisher types	Water extinguishers must never be used to put out an electrical fire.
5.2		Hazardous combustion & decomposition products:	Carbon monoxide, Sulphur Dioxide, Sulphur Trioxide, Lead fume and vapour, toxic fumes from decomposition of battery case materials.
5.3		Advice for fire-fighters	Full face visor or safety goggles; Respiratory equipment or self-contained breathing apparatus (SCBA); Full acid resistant protective clothing must be worn in fire-fighting conditions.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

This information is of relevance only if the VRLA Battery has suffered damage and is broken.

Components		
VRLA Battery		VRLA batteries are designed to be safe to handle and not to leak battery electrolyte under normal conditions.  In case of accidental damage heavy-duty gloves are required to pick-up the battery to protect against unseen electrolyte leakage
Plate Grids and Active Materials	Personal Precautions:	Eye protection (safety glasses or face shield), and heavy-duty gloves are required.  If the material is wet, a face mask or respirator is not required If the material is dry, a face mask or respirator is required
	Clean-up Methods:	Large, solid pieces may be picked up and bagged for recycling.  Never use a brush to sweep up debris; it may create Lead-dust in the air.  Wet clean the spill area to remove all traces of debris. Battery debris and cleaning materials must be collected and placed in an inert sealed container (e.g. self-seal plastic bag or bucket) for disposal, see Section 13.
	Environmental Precautions:	Do not allow material to enter a watercourse. Exposed Lead materials must placed in an inert sealed container (e.g. self-seal plastic bag or bucket) for disposal, see Section 13.
Battery Electrolyte:	Personal Precautions:	Ensure suitable, acid resistant personal protective clothing (including heavyduty gloves, safety glasses and respiratory protection) is worn during removand clean-up of spillages.
	Clean-up Methods: Small spillages:	Neutralise and absorb the spillage using soda ash, sodium bicarbonate (available from supermarkets), sodium carbonate or calcium carbonate powder.  Wet clean the spill area to remove all traces of debris. Battery debris and cleaning materials must be collected and placed in an inert sealed container (e.g. self-seal plastic bag or bucket) for disposal, see Section 13.
	Large spillages:	Large amounts of electrolyte spillage are unlikely with VRLA batteries since electrolyte is fully absorbed in the active materials and separator. Bund the spillage area using dry sand, earth, sawdust or other inert material. Neutralise the electrolyte using soda ash, sodium bicarbonate (available from supermarkets), sodium carbonate or calcium carbonate powder. Wet clean the spill area to remove all traces of debris and electrolyte. Cleaning materials must be collected and placed in an inert sealed containe (e.g. self-seal plastic bag or bucket) for disposal, see Section 13.
	Environmental Precautions:	Battery electrolyte must not be allowed to enter any drains or sewage system or water course.
Case Material:	Clean-up Methods:	Assume battery case material is contaminated and proceed as for Plate Gri and Active Materials above.
Separator Material:	Clean-up Methods:	Assume battery case material is contaminated and proceed as for Plate Gri and Active Materials above.

Note: If appropriate refer to 8 and 13





In accordance with REACH Regulation EC No. 1907/2006

### SECTION 7: HANDLING AND STORAGE

	Component:	Precautions For Safe	
	VRLA Battery	Handling:	·
			Only trained operators should be allowed to handle VRLA batteries.
			PPE: No specialist protective clothing or equipment is required, except that for
			handling heavy weights.
			Hygiene: There are no specialist requirements beyond good, standard
			workplace practices,
	,		Mechanical lifting aides: (e.g. FLT and pallet trucks) will be required to move
			pallets of batteries. Weight approximately 1 tonne
			Mechanical handling aides; (e.g. trucks and lifters) will be required to handle individual batteries over 25 kg in weight.
			General Safety Considerations:
			Do not drop batteries: dents and deformation of the case may be an indication
			of internal damage to the battery. Cracks will allow electrolyte to escape.
			Do not place VRLA Batteries lid-to-lid so that terminals will short-circuit.
7.2		Conditions For Safe	Store VRLA Batteries in a cool, well-ventilated area with a solid, impervious
		Storage, Including Any	surface, and adequate containment in the event of accidental acid spillage.
		Incompatibilities:	Store under a roof and protect against direct sunlight and adverse weather
			conditions including rain, snow and other sources of water.
			Storage of large quantities of VRLA batteries may require approval from local
			environmental protection agency and/or local water authorities.
			Pallets of VRLA Batteries are heavy. Store at ground level or in lower levels of storage systems (e.g. racking).
			Take special care in dry conditions to avoid the risk of electrostatic discharges.
			Protect against physical damage and exposure to organic solvents and other
			incompatible materials.
			Do not store VRLA batteries close to sources of heat, naked flames and
			sparks.
			Store batteries in their original packaging wherever possible. When batteries
i			are removed from their original packaging (e.g. for transportation of small
ļ			quantities), ensure new packaging protects the batteries from damage and the
		End-of-Life	risk of short-circuit of the terminals.  Ensure batteries are removed from equipment at the end of life and are
		(EC WEEE Regulations)	collected for recycling by an approved contractor.
7.3		Specific End Uses:	Refer to EN 50272-1:2010, Safety requirements for secondary batteries
		Installation:	and battery installations – Part 1 General safety information.
			Refer to EN 50272-2:2001, Safety requirements for secondary batteries
			and battery installations - Part 2 Stationary batteries.





In accordance with REACH Regulation EC No. 1907/2006

Document:	SDS 01
Issue No:	6
 Issue Date:	16-May-2014
Page	6 of 11

### **SECTION 8: EXPOSURE CONTROL / PERSONAL PROTECTION**

	Components		
8.1	VRLA Battery	Control Parameters:	There are no special control parameters for the handling, storage, installation of VRLA Batteries.
			VRLA Batteries emit hydrogen gas which is highly flammable and will form
			explosive mixtures in air from approximately 4% to 76%. Never install VLRA
	- ·		Batteries in a gas-tight enclosure during storage, transport or usage.
8.2		Exposure Control:	There are no special exposure controls for the handling, storage, installation or use of VRLA Batteries.
8.3		Personal Protection:	When there is no evidence of damage or visible traces of liquid (electrolyte) or solid deposits on the batteries they may be handled safely without extra personal protective equipment.
			Ensure electrical insulation equipment is used when installing batteries. (e.g. insulated mats and covers; insulated tools)
			Remove ALL metallic objects from the person when working with VRLA Batteries: e.g. Jewellery (rings, watches, bracelets, necklaces), pens, torches, etc.
			Where there are signs of damage or liquid (electrolyte) or solid deposits, rubber gloves and acid resistant clothing must be worn when handling the batteries and affected packaging to protect against the effects of any electrolyte that may be present.
			If it is suspected that free electrolyte is present, then safety glasses must be worn, and if large amounts are present, chemical goggles or face shield should be used.
		UL CAUTIONARY STATEMENT:	"Warning: Risk of fire, explosion, or burns. Do not disassemble; heat above 50°C; or incinerate".

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Components				
VRLA Battery		onents are listed in S		
	The undamaged	l product is a manufa	actured article in an inert plastic	(ABS) case, which will burn if
	subjected to high	h temperatures or so	urces of ignition. Some battery	types are made with Flame Retarda
	ABS cases, see	technical specification	on. These batteries carry the s	uffix 'FR' after the battery type; e.g.
	NP24-12IFR			
		emical properties of t	he main VRLA Battery compon	ents and substances. This informati
ublished for reference only				
Plate Grids and	Appearance		Safety-related data	
Active materials	Form	Solid	Solidification point	327 °C
	Colour	Grey or brown	Boiling point	1740 °C
	Odour	Odourless	Solubility in water	Very low (0.15mg/l)
			Solubility in acid or	Yes, dependant on the strength of
			alkaline solutions	solution.
			Density (at 20°C)	11.35 g/cm³
			Vapour pressure (at 20°C)	N.A.
Battery Electrolyte:				
	Form	Liquid	Solidification point	-35 to -60 °C
	Colour	Colourless	Boiling point	Approx 108 to 114 °C
	Odour	Odourless	Solubility in water	Complete
		777777777777777777777777777777777777777	Density (at 20°C)	Variable up to 1.350 g/cm <sup>3</sup>
			Vapour pressure (at 20°C)	N.A.
Case Material:	Appearance		Safety-related data	
	Form	Solid	Softening point	> 100 °C (DIN 53460)
	Colour	Grey or black	Flash Point	>330 °C
	Odour	Slight Odour	Solubility in water	Insoluble
		_	Solubility in other solvents	Soluble in polar solvents, aromatic
				solvents, chlorinated hydrocarbons
			Density (at 20°C)	1.07-1.4 g/cm3 (DIN 53479)
			Vapour pressure	1mm Ha
			(at 973°C)	
Separator Material:			, , , , , , , , , , , , , , , , , , , ,	
	Form	Fibrous material	Solidification point	N/A
	Colour	White	Boiling point	N/A
	Odour	Odourless	Solubility in water	Insoluble
			Density (at 20°C)	N/A
			Vapour pressure (at 20°C)	N/A





In accordance with REACH Regulation EC No. 1907/2006

Document:	SDS 01
Issue No:	6
Issue Date:	16-May-2014
Page	7 of 11

#### **SECTION 10: STABILITY AND REACTIVITY**

	Components		
10.1	VRLA Battery	Stability:	Within the operational temperature range -20 to +50 °C the undamaged product is stable.
10.4	Plate Grids and Active materials:	Materials & Conditions to Avoid:	Powdered Lead reacts violently with fused ammonium nitrate and sodium acetylide. Reacts violently when in contact with chlorine trifluoride.
10.3	Battery Electrolyte:	Possibility of Hazardous Reactions	<ul> <li>Dilution of the higher concentrated grades with water may liberate excessive heat.</li> <li>Highly reactive with metals and organic materials.</li> <li>On contact with metals, may generate hydrogen which forms explosive mixtures with air.</li> <li>Destroys organic materials such as cardboard, wood, textiles, etc.</li> <li>Vigorous reaction with sodium hydroxide and alkalis.</li> </ul>
10.6		Hazardous Decomposition Product(s):	Sulphur oxides
10.1	Case Material:	Materials & Conditions to Avoid:	To avoid thermal decomposition, do not overheat. Starts to decompose at temperatures >275'C. Powerful oxidising agents.
10.6		Hazardous decomposition products:	Monomers, other degradation products, traces of hydrogen cyanide.
10.1	Separator Material:	Stability:	Stable material.
10.4		Materials & Conditions to Avoid:	Incompatible with Hydrofluoric acid and concentrated Sodium Hydroxide.
10.6		Hazardous decomposition products:	No hazardous polymerisation expected.

### **SECTION 11: TOXICOLOGICAL INFORMATION**

This information is of relevance only if the VRLA Battery has suffered damage and is broken.

	Components		
11	VRLA Battery		This information does not apply to the undamaged VRLA Battery. It is of relevance if the battery is broken and the components are released to the environment.  Exposure limits may vary according to national law and regulations.
11.1	Plate Grids: Metallic Lead, Lead alloys.	Toxicity	Toxic by ingestion or inhalation Chronic poison Lead is a poison that affects virtually every system in the body Symptoms include fatigue, headaches, constipation, aching bones and muscles, gastrointestinal tract disturbances and reduced appetite Blood Lead levels of 80 µg/dl and above have been associated with both acute and chronic effects of Lead poisoning
	Active materials: Lead dioxide.	Toxicity	Toxic by ingestion or inhalation Chronic poison Chronic exposure to Lead compounds may lead to a build-up of Lead in the body, giving rise to a variety of health problems, including anaemia, kidney and liver damage, impaired eyesight, memory loss and CNS² damage
	Battery Electrolyte:	Dilute Sulphuric Acid	Corrosive, the more concentrated solutions can cause serious burns to the mouth, eyes and skin Harmful by ingestion and through skin contact
		Inhalation:	Mist is a severe irritant to the respiratory fract. Fluid build up on the lung (pulmonary oedema) may occur up to 48 hours after exposure and could prove fatal
		Ingestion:	Will immediately cause severe corrosion of and damage to the gastrointestinal tract

<sup>2</sup> CNS = Central Nervous System





In accordance with REACH Regulation EC No. 1907/2006

Document:	SDS 01
Issue No:	6
Issue Date:	16-May-2014
Page	8 of 11

11.1	Battery Electrolyte:	Skin Contact:	Causes severe chemical burns
		Eye Contact:	Risk of serious damage to eyes. Causes severe burns. May cause prolonged or permanent damage or even total loss of sight. Mist will cause irritation
	Case Material:		According to information available the product is not harmful to health provided it is correctly handled and processed according to the given recommendations.
	Separator Material:		Based on animal implantation and epidemiologic studies glass microfibers are thought to have some limited carcinogenic potential and as such are designated as Group 2B materials (IARC, US). The material should be treated as a category 3 carcinogen (Europe). Limited evidence of carcinogenic effect.

### **SECTION 12: ECOLOGICAL INFORMATION**

	Components	only if the VRLA Battery has suffe	The second of th
12.1	VRLA Battery		This information does not apply to the undamaged VRLA Battery. It is of relevance if the battery is broken and the components are released to the environment.
12.2	Plate Grids and Active materials:	Metallic Lead, Lead alloys and Lead dioxide.	Chemical and physical treatment is required for the elimination of Lead from water. Waste water containing Lead must not be disposed of in an untreated condition.
		Ecotoxicity:  Risk Phrase R52/53  Effect in the aquatic	The general classification for Lead compounds, R50/53 does not apply to Battery Lead Oxide  Tests in 2001 and 2005 have concluded that Battery Lead Oxide is NOT toxic for the environment; neither R50 nor R50/53 nor R51/53.  Risk Phrase R52/53 (Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment) applies to Battery Lead Oxide.  Toxicity for fish: 96 h LC 50 > 100 mg/l
		environment:	• Toxicity for daphnia: 48 h EC 50 > 100 mg/l • Toxicity for alga: 72 h IC 50 > 10 mg/l
12.3	Battery Electrolyte:	Ecotoxicity:	<ul> <li>In order to avoid damage to the sewerage system, the acid has to be neutralised by means of soda ash, sodium bicarbonate or sodium carbonate before disposal.</li> <li>Ecological damage is possible by change of pH. The electrolyte solution reacts with water and organic substances, causing damage to flora and fauna.</li> <li>The electrolyte may also contain components of Lead that can be toxic to aquatic environments.</li> </ul>
40.4	0	Persistence and Degradation:	Remains indefinitely in the environment as sulphate.
12.4	Case Material:	Elimination information:  Behaviour and environmental fate:	No data available: insoluble in water  Due to the consistency of the product, and its insolubility in water, it will apparently not be bio-available.
12.5	Separator Material:		No data available: insoluble in water  Not thought to pose any risk to the environment.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

	Components		
13.1	VRLA Battery	Europe:	Spent (used) VRLA Batteries are subject to the requirements of the Batteries Directive 2006/66/EC on batteries and accumulators and waste batteries and accumulators. Spent (used) VRLA Batteries MUST be sent for recycling through an authorised contractor at the end-of-life.     The WEEE Directive 2002/96/EC (Waste Electrical and Electronic Equipment) applies. Spent (used) VRLA Batteries MUST be removed from electrical and electronic equipment at the end-of-life.





In accordance with REACH Regulation EC No. 1907/2006

SDS 01
6
16-May-2014
9 of 11

		Worldwide:	VRLA batteries contain inorganic Lead compounds and Sulphuric Acid which are damaging to the environment. Spent (used) batteries must be disposed of in an environmentally friendly manner in accordance with local national laws and regulations.  VRLA batteries must not be dismantled, burnt or incinerated as a means of disposal.  At the end of life VRLA batteries may still be electrically 'live' and contain a large amount of electrical energy. The same care and attention to safe handling should be taken as when handling new batteries.  Particular care must be taken to avoid short-circuiting the battery terminals.
13.2	Plate Grids and Active materials:	Europe Worldwide	Metallic Lead and active materials (Lead Oxides) must be recycled.     Disposal must be carried out in accordance with the European Hazardous Waste Directive 2008/98/EC
13.3	Battery Electrolyte:	Europe	Disposal must be carried out in accordance with the European Hazardous Waste Directive 2008/98/EC on the protection of the environment through criminal law
		Worldwide	Disposal should be in accordance with local, state or national legislation.
		General	Battery electrolyte is dilute Sulphuric Acid, the strength of which depends on the state of charge of the batteries. It must be neutralised before disposal. See SECTION 6 for clean-up and disposal advice.
13.3	Case Material:		Do not dispose of this product into sewers, any ocean or water course in order to prevent marine animals and birds from ingesting. Recycling is encouraged. Disposal by controlled incineration or source landfill in accordance with local national laws and regulations may be acceptable.
13.4	Separator Material:		Constitutes a special waste by virtue of hazardous substance content.     Dispose of via approved landfill site. Disposal by controlled source landfill in accordance with local national laws and regulations may be acceptable.

### **SECTION 14: TRANSPORT INFORMATION**

	Components		
14.1	VRLA Battery	Land Transport	Land Transport (ADR / RID)
		·	• UN N°: UN2800
			Classification ADR / RID: Class 8
			<ul> <li>Proper Shipping Name: BATTERIES, WET, NON-SPILLABLE electric</li> </ul>
			storage
			Packing Group ADR: not assigned
			Tunnel code: E
			<ul> <li>ADR / RID: New and spent (used) batteries are exempt from all ADR /</li> </ul>
			RID (special provision 598)
	1	Sea Transport	Sea transport (IMDG Code)
			<ul> <li>UN N°: UN2800</li> </ul>
			Classification: Class 8
			<ul> <li>Proper Shipping Name: BATTERIES, WET, NON-SPILLABLE electric</li> </ul>
			storage
			• EmS: F-A, S-B
			Non-Spillable batteries meet the requirements of Special Provision 238;
			they are therefore exempt from all IMDG codes and are not subject to
			special regulation for sea transport
		Air Transport	Air Transport (IATA-DGR)
			• UN N°: 2800
			Classification: Class 8
			<ul> <li>Proper Shipping Name: BATTERIES, WET, NON-SPILLABLE electric</li> </ul>
			storage
			<ul> <li>Special Provision A48: Packaging test are not considered necessary</li> </ul>
			<ul> <li>Special Provision A67: Yuasa's VRLA batteries meet the requirements</li> </ul>
			of Packing Instruction 872.
			The battery has been prepared for transport so as to prevent:
			A short-circuit of the battery's terminals by packaging in a strong an
			sturdy carton box; AND/OR
			b) The battery has been fitted with an insulating cover (made from AB)
			which prevents contact with the terminals. c) Unintentional activation is thus prevented
			The words "NOT RESTRICTED" and the Special Provision (SP) numb
			must be indicated on all shipping documents
			Special Provision: A164: The battery has been prepared for transport:
			as to prevent:





In accordance with REACH Regulation EC No. 1907/2006

Document:	SDS 01
Issue No:	6
Issue Date:	16-May-2014
Page	10 of 11

	Short-circuit of the battery's terminals by packaging in a strong and sturdy carton box; AND/OR     The battery has been fitted with a cover (made from ABS) which prevents contact with the terminals     Unintentional activation is thus prevented
All methods of transport	DO NOT PLACE VRLA BATTERIES INSIDE SEALED OR GAS-TIGHT ENCLOSURES.  VRLA Batteries emit hydrogen gas which is highly flammable and will form explosive mixtures in air from approximately 4% to 76%. This can be ignited by a spark at any voltage, naked flames or other sources of ignition.


### **SECTION 15: REGULATORY INFORMATION**

	Components		
15.1	VRLA Battery	Required Markings:	
		X	Crossed-out wheeled bin indicating "SEPARATE COLLECTION" for all batteries and accumulators. Not to be disposed of with general domestic, commercial or industrial waste.  Ref: The Batteries Directive 2006/66/EC
		Pb	The Pb symbol indicates the heavy metal content of the battery and enables the Lead-Acid battery to be sorted for recycling.  Ref: The Batteries Directive 2006/66/EC.
		É	The International Recycling Symbol, required by law in many countries world-wide to facilitate the Identification of secondary batteries and accumulators for recycling.  Ref: IEC 61429: 1995, Marking of secondary cells and batteries with the International Recycling Symbol ISO 7000-1135.
		EC Directives	Directive 2006/66/EC, on batteries and accumulators and waste batteries and accumulators Paragraph (Recital) 29 states: "Directive 2002/95/EC of the European Parliament and of the Council of 27 January 2003 on the restriction of the use of certain hazardous substances in electrical and electronic equipment does not apply to batteries and accumulators used in electrical and electronic equipment."

#### **SECTION 16: OTHER INFORMATION**

	Components			
16 (a)	Revision Information	Version 4: February 2013 There has been a major revision of all sections of the Safety Data Sheet to bring it into line with current REACH Regulations.		
16 (b)	Abbreviations	Pb – The chemical symbol for Lead Ba – the chemical symbol for Barium Ca – the chemical symbol for Calcium Sn – the chemical symbol for Tin PbO <sub>2</sub> – the chemical formulae for Lead Dioxide H <sub>2</sub> SO <sub>4</sub> – the chemical formulae for Sulphuric Acid VRLA – Valve Regulated Lead-Acid battery		
16 (c)	Key literature references and sources of data	SDS documents from suppliers for components and raw materials		
16 (d)	CLP Regulations	Not Applicable		
16 (e) Ri	Risk Phrases	R21	Harmful in contact with skin	
		R22	Harmful if swallowed	
		R23	Toxic by inhalation	
		R24	Toxic in contact with skin	
		R25	Toxic if swallowed	
		R35	Causes severe burns	
		R36	Irritating to eyes	
		R37	Irritating to respiratory system	
		R38	Irritating to skin	





In accordance with REACH Regulation EC No. 1907/2006

Document:	SDS 01
Issue No:	6
Issue Date:	16-May-2014
 Page	11 of 11

		R49	May cause cancer by inhalation
		R52	Harmful to aquatic organisms
		R53	May cause long-term adverse effects in the aquatic environment
16 (f)	Training Advice	Only trained, competent personnel, who have received special instructions for the hazards and risks, should be allowed to handle VRLA Batteries.     See Section 7.1 for general advice	
16 (g)	Further Information		
			by its odour of rotten eggs (at extremely low concentrations), switch off the charging evacuate all personnel from the area and ventilate well. Seek advice before attempting to reng.