

**SAFETY DATA SHEET****PEST-STOP SUPER RAT AND MOUSE KILLER MAX WAX BLOCKS**

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

**Product name** PEST-STOP SUPER RAT AND MOUSE KILLER MAX WAX BLOCKS

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Identified uses** Ready for use Rodenticide bait containing 25ppm Brodifacoum.

**Uses advised against** No specific uses advised against are identified.

**1.3. Details of the supplier of the safety data sheet**

**Supplier** Pest-Stop Systems Ltd  
Sterling House  
Grimbald Crag Close  
Knaresborough  
North Yorkshire  
HG5 8PJ  
Tel: 0800 652 5521  
Fax: 01423 863 497  
info@peststopsystems.com

**1.4. Emergency telephone number**

**Emergency telephone** +44 (0) 1423 796630

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification (EC 1272/2008)**

**Physical hazards** Not Classified

**Health hazards** STOT RE 2 - H373

**Environmental hazards** Not Classified

**2.2. Label elements****Pictogram**

**Signal word** Warning

**Hazard statements** H373 May cause damage to organs (Blood) through prolonged or repeated exposure.

## PEST-STOP SUPER RAT AND MOUSE KILLER MAX WAX BLOCKS

### Supplemental label information

EUH 208 Contains 1, 2- Benzisothiazolin-3-one. May produce an allergic reaction.  
 EUH401 To avoid risks to human health and the environment, comply with the instructions for use.  
 P102 Keep out of reach of children.  
 P103 Read label before use.  
 P220 Keep / Store away from foodstuffs, beverages and animal feeding stuffs.  
 P262 Do not get on skin.  
 P270 Do not eat, drink or smoke when using this product.  
 P280 Wear protective gloves [Professional users].  
 P273 Avoid release to the environment.  
 P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  
 P404 Store in a closed container.  
 P405 Store locked up.  
 P501 Dispose of contents/container in accordance with local regulations.

### 2.3. Other hazards

#### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

|                                   |                      |
|-----------------------------------|----------------------|
| <b>Ethyl vanillin</b>             | <b>&lt;0.1</b>       |
| CAS number: 121-32-4              | EC number: 204-464-7 |
| <b>Classification</b>             |                      |
| Eye Irrit. 2 - H319               |                      |
| <b>2,2'-Imino Diethanol</b>       | <b>&lt;0.1%</b>      |
| CAS number: 111-42-2              | EC number: 203-868-0 |
| <b>Classification</b>             |                      |
| Acute Tox. 4 - H302               |                      |
| Skin Irrit. 2 - H315              |                      |
| Eye Dam. 1 - H318                 |                      |
| STOT RE 2 - H373                  |                      |
| Aquatic Chronic 3 - H412          |                      |
| <b>1,2-BENZISOTHIAZOLIN-3-ONE</b> | <b>0.02%</b>         |
| CAS number: 2634-33-5             | EC number: 220-120-9 |
| M factor (Acute) = 10             |                      |
| <b>Classification</b>             |                      |
| Acute Tox. 4 - H302               |                      |
| Skin Irrit. 2 - H315              |                      |
| Eye Dam. 1 - H318                 |                      |
| Skin Sens. 1 - H317               |                      |
| Aquatic Acute 1 - H400            |                      |

## PEST-STOP SUPER RAT AND MOUSE KILLER MAX WAX BLOCKS

|                         |                         |
|-------------------------|-------------------------|
| <b>BRODIFACOUM (EU)</b> | <b>0.0025%</b>          |
| CAS number: 56073-10-0  | EC number: 259-980-5    |
| M factor (Acute) = 10   | M factor (Chronic) = 10 |

|   |
|---|
| <p><b>Classification</b></p> <p>Acute Tox. 1 - H300<br/>         Acute Tox. 1 - H310<br/>         Acute Tox. 1 - H330<br/>         Repr. 1A - H360D<br/>         STOT RE 1 - H372<br/>         Aquatic Acute 1 - H400<br/>         Aquatic Chronic 1 - H410</p> |
|---|

|                            |                      |
|----------------------------|----------------------|
| <b>Denatonium Benzoate</b> | <b>0.001%</b>        |
| CAS number: 3734-33-6      | EC number: 223-095-2 |

|   |
|---|
| <p><b>Classification</b></p> <p>Acute Tox. 4 - H302<br/>         Acute Tox. 4 - H332<br/>         Skin Irrit. 2 - H315<br/>         Eye Irrit. 2 - H319<br/>         Aquatic Chronic 3 - H412</p> |
|---|

The full text for all hazard statements is displayed in Section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

|                            |  |
|----------------------------|--|
| <b>General information</b> | In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Advice for Medical Doctors: Brodifacoum is an indirect anti-coagulant. Phytomenadione, Vitamin K, is antidotal. Determin prothrombin time not less than 18 hours after consumption. If elevated, administer Vitamin K1 until prothrombin time normalises. Continue determination of prothrombin time for two weeks after withdrawal of antidote and resume treatment if elevation occurs in that time. |
| <b>Inhalation</b>          | Due to the physical nature of this product, exposure by this route is unlikely. Seek medical attention if symptoms persist.  |
| <b>Ingestion</b>           | Rinse mouth. Do not induce vomiting. Get medical attention immediately.  |
| <b>Skin contact</b>        | May cause irritation to susceptible persons. If skin irritation occurs wash with soap and water. Remove contaminated clothing. Get medical attention if symptoms are severe or persist.  |
| <b>Eye contact</b>         | May cause eye irritation to susceptible persons. Rinse immediately with plenty of water and seek medical advice.   |

#### 4.2. Most important symptoms and effects, both acute and delayed

#### 4.3. Indication of any immediate medical attention and special treatment needed

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

|                                     |  |
|-------------------------------------|--|
| <b>Suitable extinguishing media</b> | Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. |
|-------------------------------------|--|

## PEST-STOP SUPER RAT AND MOUSE KILLER MAX WAX BLOCKS

**Unsuitable extinguishing media** Do not use water jet as an extinguisher, as this will spread the fire.

### 5.2. Special hazards arising from the substance or mixture

**Specific hazards** None known.

**Hazardous combustion products** Thermal decomposition or combustion products may include the following substances:  
Harmful gases or vapours.

### 5.3. Advice for firefighters

**Protective actions during firefighting** Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out.

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** No specific recommendations. For personal protection, see Section 8.

### 6.2. Environmental precautions

**Environmental precautions** Avoid discharge to the aquatic environment.

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Reuse or recycle products wherever possible. Collect spillage with a shovel and broom, or similar and reuse, if possible. Collect and place in suitable waste disposal containers and seal securely. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dispose of contents/container in accordance with national regulations.

### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8. For waste disposal, see Section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions** Avoid contact with skin and eyes. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Good personal hygiene is necessary. Wash hands and contaminated areas with water and soap before leaving the work site. Read label before use.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in a cool, dry location. Store only in the original receptacle. Keep containers tightly closed in a well-ventilated place. Take suitable precautions when opening sealed containers, as pressure can build up during storage.  
Keep away from sources of heat. Keep out of the reach of children. Store away from foodstuffs. Keep away from oxidizing agents.

**Storage class** Miscellaneous hazardous material storage.

### 7.3. Specific end use(s)

**Usage description** Ready to use Rodenticide bait containing 25ppm Brodifacoum.

## SECTION 8: Exposure Controls/personal protection

## PEST-STOP SUPER RAT AND MOUSE KILLER MAX WAX BLOCKS

### 8.1. Control parameters

#### Occupational exposure limits

Propane-1,2-diol (Propane-1,2-diol Particulates) WEL 8-Hr limit mg/M3: 10  
 Propane-1,2-diol (Propane-1,2-diol total vapour and particulates) WEL 8-Hr limit ppm: 150  
 WEL 8Hr limit mg/M3: 474  
 Sugar (Sucrose) WEL 8-Hr limit mg/M3: 10 WEL 15 min limit mg/M3: 20  
 Paraffin Wax WEL 8-Hr limit mg/M3: 2 WEL 15 min limit mg/M3: 6

Paraffin Wax (Paraffin wax fume) WEL 8-Hr limit mg/M3: 2 WEL 15 min limit mg/M3: 6

### 8.2. Exposure controls

#### Protective equipment

|   |   |
|---|---|
| <b>Appropriate engineering controls</b> | No specific ventilation requirements.   |
| <b>Personal protection</b>              | Body protection must be chosen depending on activity and possible exposure, for example apron, protecting boots, chemical-protection suit.  |
| <b>Eye/face protection</b>              | No specific eye protection required during normal use.  |
| <b>Hand protection</b>                  | Suitable chemical resistant gloves are recommended for professional users.  |
| <b>Other skin and body protection</b>   | Handle in accordance with good hygiene and safety practice. Wearing of closed work clothing is recommended. Avoid contact with the skin, eyes and clothing. Store work clothing separately. |
| <b>Hygiene measures</b>                 | Wash hands thoroughly after handling. Wash at the end of each work shift and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.               |
| <b>Respiratory protection</b>           | No specific recommendations. Provide adequate ventilation.  |
| <b>Environmental exposure controls</b>  | Not regarded as dangerous for the environment.  |

## SECTION 9: Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

|   |                                 |
|---|---------------------------------|
| <b>Appearance</b>                                   | Wax Block.                      |
| <b>Colour</b>                                       | Red or Blue                     |
| <b>Odour</b>  | Slight.                         |
| <b>Odour threshold</b>                              | No information available.       |
| <b>pH</b>   | No information available.       |
| <b>Melting point</b>                                | approx. 60 Deg C (for the wax). |
| <b>Initial boiling point and range</b>              | No information available.       |
| <b>Flash point</b>                                  | No information available.       |
| <b>Evaporation rate</b>                             | Not relevant.                   |
| <b>Evaporation factor</b>                           | No information available.       |
| <b>Flammability (solid, gas)</b>                    | combustible                     |
| <b>Upper/lower flammability or explosive limits</b> | No information available.       |

## PEST-STOP SUPER RAT AND MOUSE KILLER MAX WAX BLOCKS

|                                  |                                 |
|----------------------------------|---------------------------------|
| <b>Other flammability</b>        | No information available.       |
| <b>Vapour pressure</b>           | Not relevant.                   |
| <b>Vapour density</b>            | Not relevant.                   |
| <b>Relative density</b>          | No information available.       |
| <b>Bulk density</b>              | No information available.       |
| <b>Solubility(ies)</b>           | Immiscible with water.          |
| <b>Partition coefficient</b>     | Not relevant.                   |
| <b>Auto-ignition temperature</b> | No information available.       |
| <b>Decomposition Temperature</b> | No information available.       |
| <b>Viscosity</b>                 | No information available.       |
| <b>Explosive properties</b>      | Not considered to be explosive. |
| <b>Oxidising properties</b>      | Not oxidising.                  |

### 9.2. Other information

#### SECTION 10: Stability and reactivity

##### 10.1. Reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

##### 10.2. Chemical stability

**Stability** Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.

##### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** Keep away from: Oxidising agents.

##### 10.4. Conditions to avoid

**Conditions to avoid** Heat, sparks, flames.

##### 10.5. Incompatible materials

**Materials to avoid** No specific material or group of materials is likely to react with the product to produce a hazardous situation.

##### 10.6. Hazardous decomposition products

**Hazardous decomposition products** Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.

#### SECTION 11: Toxicological information

##### 11.1. Information on toxicological effects

###### Acute toxicity - oral

**Notes (oral LD<sub>50</sub>)** >2000 mg/kg

###### Acute toxicity - dermal

**Notes (dermal LD<sub>50</sub>)** >2000 mg/kg

###### Acute toxicity - inhalation

**Notes (inhalation LC<sub>50</sub>)** >5 mg/l (Dust)

## PEST-STOP SUPER RAT AND MOUSE KILLER MAX WAX BLOCKS

### Skin corrosion/irritation

**Skin corrosion/irritation** Not irritating.

### **Animal data**

Based on available data the classification criteria are not met.

### Serious eye damage/irritation

**Serious eye damage/irritation** Based on available data the classification criteria are not met.

### Respiratory sensitisation

**Respiratory sensitisation** Based on available data the classification criteria are not met.

### Skin sensitisation

**Skin sensitisation** Based on available data the classification criteria are not met.

### Germ cell mutagenicity

**Genotoxicity - in vitro** Based on available data the classification criteria are not met.

### Carcinogenicity

**Carcinogenicity** Based on available data the classification criteria are not met.

### **IARC carcinogenicity**

None of the ingredients are listed or exempt.

### Reproductive toxicity

**Reproductive toxicity - fertility** Based on available data the classification criteria are not met.

### **Reproductive toxicity - development**

Contains an ingredient listed as: Reprotoxic

### Specific target organ toxicity - single exposure

**STOT - single exposure** Not classified as a specific target organ toxicant after a single exposure.

### Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** STOT RE 2 - H373 May cause damage to organs through prolonged or repeated exposure.

### Aspiration hazard

**Aspiration hazard** Not relevant. Solid.

### **General information**

The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

### **Inhalation**

No specific symptoms known.

### **Ingestion**

See section 4 - First Aid

### **Skin contact**

Prolonged contact may cause dryness of the skin.

### **Eye contact**

No specific symptoms known.

### **Route of entry**

Ingestion Inhalation Skin and/or eye contact

### **Toxicity of ingredients**

Denatonium Benzoate Oral (Rat) LD50 = 584 mg/kg Brodifacoum Acute Oral ≤5mg/kg  
Acute Dermal ≤50mg/kg Acute Inhalation ≤0.05mg/kg (Commission Regulation 2016/1179)

## SECTION 12: Ecological Information

### **Ecotoxicity**

Not regarded as dangerous for the environment.

### 12.1. Toxicity

#### **Toxicity**

Based on available data the classification criteria are not met.

### 12.2. Persistence and degradability

## PEST-STOP SUPER RAT AND MOUSE KILLER MAX WAX BLOCKS

**Persistence and degradability** The degradability of the product is not known.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential** No data available on bioaccumulation.

**Partition coefficient** Not relevant.

### 12.4. Mobility in soil

**Mobility** No data available.

### 12.5. Results of PBT and vPvB assessment

### 12.6. Other adverse effects

**Other adverse effects** Toxic to mammals, including domesticated animals and birds if ingested. Exposure of non-target animals should be prevented.

**Toxicity of ingredients** Brodifacoum Daphnia EC50/48Hr = 0.25 mg/l Rainbow trout LC50/96Hr = 0.042 mg/l

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**General information** This material and its container must be disposed of in a safe way.

**Disposal methods** Dispose of in accordance with applicable regional, national, and local laws and regulations. Dispose of Contaminated packaging as unused product unless fully cleaned.

**Waste class** Waste disposal key number from EWC is 20 01 19 (Pesticides)

## SECTION 14: Transport information

**General** The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

### 14.1. UN number

Not applicable.

### 14.2. UN proper shipping name

Not applicable.

### 14.3. Transport hazard class(es)

No transport warning sign required.

### 14.4. Packing group

Not applicable.

### 14.5. Environmental hazards

**Environmentally hazardous substance/marine pollutant**

No.

### 14.6. Special precautions for user

Not applicable.

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

**Transport in bulk according to** Not applicable.

**Annex II of MARPOL 73/78 and the IBC Code**

## SECTION 15: Regulatory information



## PEST-STOP SUPER RAT AND MOUSE KILLER MAX WAX BLOCKS

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

|                             |  |
|-----------------------------|--|
| <b>National regulations</b> | Health and Safety at Work etc. Act 1974 (as amended).<br>The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].<br>EH40/2005 Workplace exposure limits.  |
| <b>EU legislation</b>       | Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).<br>Commission Regulation (EU) No 2015/830 of 28 May 2015.<br>Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). |

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

#### Inventories

##### **EU - EINECS/ELINCS**

None of the ingredients are listed or exempt.

### **SECTION 16: Other information**

|   |   |
|---|---|
| <b>Abbreviations and acronyms used in the safety data sheet</b>         | ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.<br>ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.<br>RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.<br>IATA: International Air Transport Association.<br>ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air.<br>IMDG: International Maritime Dangerous Goods.<br>CAS: Chemical Abstracts Service.<br>ATE: Acute Toxicity Estimate.<br>LC <sub>50</sub> : Lethal Concentration to 50 % of a test population.<br>LD <sub>50</sub> : Lethal Dose to 50% of a test population (Median Lethal Dose).<br>EC <sub>50</sub> : 50% of maximal Effective Concentration.<br>PBT: Persistent, Bioaccumulative and Toxic substance.<br>vPvB: Very Persistent and Very Bioaccumulative. |
| <b>Classification abbreviations and acronyms</b>                        | STOT RE = Specific target organ toxicity-repeated exposure  |
| <b>Classification procedures according to Regulation (EC) 1272/2008</b> | STOT RE 2 - H373: Commission Regulation (EU) 2016/1179  |
| <b>Revision date</b>  | 11/07/2017  |
| <b>Revision</b>   | 1   |
| <b>Supersedes date</b>  | 31/08/2016  |
| <b>SDS number</b>   | 21144   |

## PEST-STOP SUPER RAT AND MOUSE KILLER MAX WAX BLOCKS

|                                  |  |
|----------------------------------|--|
| <b>Hazard statements in full</b> | H300 Fatal if swallowed.<br>H302 Harmful if swallowed.<br>H310 Fatal in contact with skin.<br>H315 Causes skin irritation.<br>H317 May cause an allergic skin reaction.<br>H318 Causes serious eye damage.<br>H319 Causes serious eye irritation.<br>H330 Fatal if inhaled.<br>H332 Harmful if inhaled.<br>H360D May damage the unborn child.<br>H372 Causes damage to organs (Blood) through prolonged or repeated exposure.<br>H373 May cause damage to organs (Blood) through prolonged or repeated exposure.<br>H373 May cause damage to organs through prolonged or repeated exposure.<br>H400 Very toxic to aquatic life.<br>H410 Very toxic to aquatic life with long lasting effects.<br>H412 Harmful to aquatic life with long lasting effects. |
|----------------------------------|--|

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.