Printing date 16.07.2018 Version: 2 Revision: 01.04.2016

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Zep Commercial® Driveway, Concrete & Masonry Cleaner
- · Article number: 15260001
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- · Application of the substance / the mixture Cleaning agent
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

ZEP UK Ltd

Tanhouse Lane

Widnes Cheshire, WA8 0RD

United Kingdom

Tel: +44 (0)151 422 1000 Fax: +44 (0)151 422 1011 @: info@zep.co.uk web: www.zep.co.uk

ZEP Industries BV

Vierlinghweg 30

4612 PN Bergen op Zoom

The Netherlands

Tel: (NL) + 31 164 250 100 (B) + 32 2 347 0117 Fax:(NL) + 31 164 266 710 (B) + 32 2 347 1395

@: sales@zepbenelux.com

ZEP ITALIA SRL

Via Netunese Km. 25.000

04011 Aprilia (LT) - Italy

Tel: +39.06.926691

Fax: +39.06.92747061 @: tecnico@zepeurope.com

Sito: www.zep.it

· Further information obtainable from:

Customer Service

NL: Tel: +31 164 250 100 Fax: +31 164 266 710 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

· 1.4 Emergency telephone number:

Customer Service

NL: Tel: +31 164 250 100 Fax: +31 164 266 710 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

EU: Tel. 112

## SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

(Contd. on page 2)

(Contd. of page 1)

# Safety data sheet According to 1907/2006/EC, Article 31 REACH

Printing date 16.07.2018 Version: 2 Revision: 01.04.2016

#### Trade name: Zep Commercial® Driveway, Concrete & Masonry Cleaner

· Hazard pictograms



· **Signal word** Danger

· Hazard-determining components of labelling:

Alcohol ethoxylate C9 - C11 disodium metasilicate pentahydrate

· Hazard statements

H315 Causes skin irritation. H318 Causes serious eye damage.

· Precautionary statements

P102 Keep out of reach of children.

P260 Do not breathe spray.

P280 Wear protective gloves / eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.

2.3 Other hazards The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.

· Results of PBT and vPvB assessment

· **PBT**: Not applicable. · **vPvB**: Not applicable.

# SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
CAS: 68439-46-3 Polymer	Alcohol ethoxylate C9 - C11  Eye Dam. 1, H318  Acute Tox. 4, H302; Acute Tox. 4, H312	2.5-5%
CAS: 5131-66-8 EINECS: 225-878-4 Reg.nr.: 01-2119475527-28-xxxx	3-butoxypropan-2-ol  Skin Irrit. 2, H315; Eye Irrit. 2, H319	2.5-5%
CAS: 10213-79-3 EINECS: 229-912-9 Reg.nr.: 01-2119449811-37-xxxx	disodium metasilicate pentahydrate  ♠ Met. Corr.1, H290; Skin Corr. 1B, H314  ♠ Acute Tox. 4, H302; STOT SE 3, H335	2.5-5%
EC number: 701-037-1 Reg.nr.: 01-2119513350-56-xxxx	sodium xylene sulphonate  © Eye Irrit. 2, H319	1-2.5%

Ingredients according to Detergents Regulation 648/2004/EC

For the wording of the listed hazard phrases refer to section 16.

Nonionic surfactants, Anionic surfactants

# **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact:

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

GB

<5%

Printing date 16.07.2018 Version: 2 Revision: 01.04.2016

Trade name: Zep Commercial® Driveway, Concrete & Masonry Cleaner

(Contd. of page 2)

## **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · 5.3 Advice for firefighters
- · Protective equipment: Mount respiratory protective device.

### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: Dilute with plenty of water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, universal binders).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

# SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs		
5131-66-8	3-butoxypropan-2-ol	
Oral	DNEL Long term-systemic	8.75 mg/kg human/day (consumer)
Dermal	DNEL Acute-systemic	44 mg/kg human/day (consumer)
		16 mg/kg human/day (worker)
	DNEL Long term-systemic	16 mg/kg human/day (consumer)
		44 mg/kg human/day (worker)
Inhalative	DNEL Long term-systemic mg/m3	33.8 mg/m3 (consumer)
	DNEL Acute-systemic mg/m3	270.5 mg/m3 (worker)

### · PNECs

#### 5131-66-8 3-butoxypropan-2-ol

JI I	
PNEC Freshwater mg/L	0.525 mg/L
PNEC Marinewater mg/L	0.0525 mg/L
PNFC Freshwater sediment	2 36 mg/Kg

(Contd. on page 4)

Printing date 16.07.2018 Version: 2 Revision: 01.04.2016

#### Trade name: Zep Commercial® Driveway, Concrete & Masonry Cleaner

PNEC Marine water sediment 0.236 mg/Kg

PNEC Intermittent release 5.25 (mg/l)

PNEC Soil 0.16 mg/Kg

PNEC Sewage treatment Plant mg/L 10 mg/L

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

- Respiratory protection: Not required.
- Protection of hands:



Protective gloves

#### Rubber gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Rubber gloves

## · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

- · Not suitable are gloves made of the following materials: Strong material gloves
- · Eye protection:



Tightly sealed goggles

# SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- General Information
- · Appearance:

Form: Liquid
Colour: Purple
Odour: Characteristic
Odour threshold: Not determined.

• pH-value at 20 °C: 11.5

· Change in condition

**Melting point/freezing point:** Undetermined. **Initial boiling point and boiling range:** 100 °C

· Flash point:	Not applicable.
Flammability (solid, gas):	Not applicable.
· Ignition temperature:	260 °C

Decomposition temperature: Not determined.

· Auto-ignition temperature: Product is not selfigniting.

(Contd. on page 5)

Printing date 16.07.2018 Version: 2 Revision: 01.04.2016

Trade name: Zep Commercial® Driveway, Concrete & Masonry Cleaner

	(Conto	d. of page
Explosive properties:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure at 20 °C:	23 hPa	
Density at 20 °C:	1.02 g/cm³	
Relative density	Not determined.	
· Vapour density	Not determined.	
Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
water:	Fully miscible.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Swiss VOC:	5.00 %	
Solids content:	6.8 %	
9.2 Other information	No further relevant information available.	

# SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

# SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC5	0 values relevant for	classification:
68439-4	6-3 Alcohol ethoxyla	te C9 - C11
Oral	LD50	1,400 mg/kg (Rat)
Dermal	LD50	2,000 mg/kg (Rat)
5131-66	-8 3-butoxypropan-2	-ol
Oral	LD50	3,300 mg/kg (Rat)
Dermal	LD50	>2,000 mg/kg (Rat)
	LC50 / 96 h (static)	560-1,000 mg/ltr (fish) (Poecilia reticulata)
	EC 50 / 48 h (static)	>1,000 mg/ltr (Daphnia magna (water flea))
	EC 50 / 96 h (static)	>1,000 mg/ltr (Selenastrum capricornutum (Algae))
10213-7	9-3 disodium metasil	licate pentahydrate
Oral	LD50	>1,000 mg/kg (Rat)
	LC50 / 96 h	>200 mg/ltr (Daphnia magna (water flea))

- Primary irritant effect:
- · Skin corrosion/irritation

Causes skin irritation.

- · Serious eye damage/irritation
- Causes serious eye damage.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

Printing date 16.07.2018 Version: 2 Revision: 01.04.2016

Trade name: Zep Commercial® Driveway, Concrete & Masonry Cleaner

(Contd. of page 5)

- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

### 5131-66-8 3-butoxypropan-2-ol

OECD test 301 E 90 (biodegradation in % after 28 days)

- · 12.2 Persistence and degradability No further relevant information available.
- Other information: The product is biodegradable.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

In accordance with the requirements of the RVO in the Act on Detergents and Cleansing Agents, tensides are biodegradable up to at least 90 %.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

- · Uncleaned packaging:
- Recommendation: Disposal in accordance with administrative provisions

14.1 UN-Number ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Annex II of the IBC Code	<b>f Marpol and</b> Not applicable.	
UN "Model Regulation":	Void	

GE

Printing date 16.07.2018 Revision: 01.04.2016 Version: 2

Trade name: Zep Commercial® Driveway, Concrete & Masonry Cleaner

(Contd. of page 6)

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Reg. (EC) n. 1272/2008 - CLP;

Reg. (EC) n. 1907/2006 - Reach;

Reg. (EC) n. 2015/830 annex II of REACH;

Reg. (EC) n. 648/04 (Detergents);

Reg. (EC) n. 528/12 (Biocides BPR);

Reg. (EC) n. 1223/2009 (Cosmetics);

Dir. 06/08 ADR - RID - IMDG - IATA;

Dir. 47/08 (Aerosols); Dir. 12/18 (Seveso III);

Dir. 2008/98/CE and Reg. (EC) n.1357/2014 (Waste management)

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- National regulations:
- · Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

#### Department issuing SDS:

Customer Service

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61

UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

· Contact:

Customer Service

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61

UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

#### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Met. Corr.1: Corrosive to metals - Category 1

Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

(Contd. on page 8)

Page 8/9

# Safety data sheet According to 1907/2006/EC, Article 31 REACH

*Printing date 16.07.2018 Version: 2 Revision: 01.04.2016* 

Trade name: Zep Commercial® Driveway, Concrete & Masonry Cleaner

\* \* Data compared to the previous version altered.

(Contd. of page 7)

GB

(Contd. on page 9)

Printing date 16.07.2018 Version: 2 Revision: 01.04.2016

Trade name: Zep Commercial® Driveway, Concrete & Masonry Cleaner

(Contd. of page 8)

### Annex: Exposure scenario

- · Short title of the exposure scenario For the finished product.
- · Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet.
- · Conditions of use
- · Duration and frequency 5 workdays/week.
- · Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- · Used amount per time or activity

According to directions for use.

Smaller than 10 g per application.

- Other operational conditions
- Other operational conditions affecting environmental exposure No special measures required.
- Other operational conditions affecting worker exposure

Avoid contact with eyes.

Avoid contact with the skin.

- · Other operational conditions affecting consumer exposure Keep out of the reach of children.
- Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- · Risk management measures
- · Worker protection
- Organisational protective measures No special measures required.
- · Technical protective measures Ensure that suitable extractors are available on processing machines
- · Personal protective measures

Do not inhale gases / fumes / aerosols.

Avoid contact with the skin.

Avoid contact with the eyes.

Tightly sealed goggles

Protective gloves

Rubber gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### · Measures for consumer protection

Ensure adequate labelling.

Keep locked up and out of the reach of children.

- Environmental protection measures
- · Water Generally, prior to the introduction of wastewater into wastewater treatment plants a neutralisation is required.
- · Disposal measures Ensure that waste is collected and contained.
- Disposal procedures Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- · Waste type Partially emptied and uncleaned packaging
- Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.

GE