

This safety data sheet was created pursuant to the requirements of:  
UK REACH Regulations (SI 2019/758 as amended)

Revision date 30/01/2025

Revision Number 24

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Product Code(s)** HMTN0601A, HMTN0004A

**Product Name** Electrical Contact Cleaner

**Pure substance/mixture** Mixture

Contains Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended use** Car Maintenance Product

**Uses advised against** No information available

### 1.3. Details of the supplier of the safety data sheet

<b>Manufacturer</b>	<b>Supplier</b>
Holts Auto	Holts Auto
Unit 100 Barton Dock Road	Unit 100 Barton Dock Road
Manchester	Manchester
United Kingdom	United Kingdom
M32 0YQ	M32 0YQ

For further information, please contact

**Contact Point** www.holtsauto.com

**E-mail address** info@holtsauto.com

### 1.4. Emergency telephone number

**Emergency Telephone** Holt Lloyd International: UK - 00 44 (0) 161 866 4800 Office Hours - Mon - Thurs: 8am - 5pm. Fri - 8am - 1pm.  
00 44 (0) 161 886 4806 (24 Hour Voicemail).

<b>United Kingdom</b>	Holt Lloyd International: UK - 00 44 (0) 161 866 4800 Office Hours - Mon - Thurs: 8am - 5pm. Fri - 8am - 1pm. 00 44 (0) 161 886 4806 (24 Hour Voicemail).
-----------------------	--

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

<b>Aerosols</b>	Category 1 - (H222, H229)
<b>Skin corrosion/irritation</b>	Category 2 - (H315)
<b>Specific target organ toxicity — single exposure</b>	Category 3 - (H336)
Category 3 Narcotic effects	
<b>Chronic aquatic toxicity</b>	Category 2 - (H411)

**2.2. Label elements**

Contains Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane



**Signal word**  
Danger

**Hazard statements**

- H222 - Extremely flammable aerosol
- H229 - Pressurised container: May burst if heated
- H315 - Causes skin irritation
- H336 - May cause drowsiness or dizziness
- H411 - Toxic to aquatic life with long lasting effects

**Precautionary statements**

- P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- P211 - Do not spray on an open flame or other ignition source
- P251 - Do not pierce or burn, even after use
- P273 - Avoid release to the environment
- P391 - Collect spillage
- P410 + P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

Aliphatic hydrocarbons	15 - < 30%
------------------------	------------

**Unknown aquatic toxicity**                      Contains 0.00276 % of components with unknown hazards to the aquatic environment.

**2.3. Other hazards**

No information available.

**SECTION 3: Composition/information on ingredients**

**3.1 Substances**

Not applicable

**3.2 Mixtures**

Chemical name	Weight-%	EC No (EU Index No)	UK REACH registration number	Classification according to GB CLP (SI)	Specific concentration	M-Factor	M-Factor (long-term)
---------------	----------	---------------------	------------------------------	---	------------------------	----------	----------------------

				2020/1567 as amended)	limit (SCL)		
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	50 - <100%	-	-	-	-	-	-
n-Butane 106-97-8	5 - <10%	203-448-7 (601-004-00-0)	-	Flam. Gas 1 (H220) Press. Gas ()	-	-	-
Propane 74-98-6	5 - <10%	200-827-9 (601-003-00-5)	-	Flam. Gas 1 (H220)	-	-	-
Isobutane 75-28-5	2.5 - <5%	200-857-2 (601-004-00-0)	-	Flam. Gas 1 (H220) Press. Gas	-	-	-

**Full text of H- and EUH-phrases: see section 16**

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (UK REACH Article 59)

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

<b>General advice</b>	Show this safety data sheet to the doctor in attendance.
<b>Inhalation</b>	Remove to fresh air. IF exposed or concerned: Get medical advice/attention. Get medical attention immediately if symptoms occur.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Call a doctor.
<b>Self-protection of the first aider</b>	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Wear personal protective clothing (see section 8). Avoid contact with skin, eyes or clothing.

**4.2. Most important symptoms and effects, both acute and delayed**

<b>Symptoms</b>	Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.
<b>Effects of Exposure</b>	No information available.

**4.3. Indication of any immediate medical attention and special treatment needed**

<b>Note to doctors</b>	Treat symptomatically.
------------------------	------------------------

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

<b>Suitable Extinguishing Media</b>	Dry chemical. Carbon dioxide (CO <sub>2</sub> ). Water spray.
<b>Large Fire</b>	CAUTION: Use of water spray when fighting fire may be inefficient.
<b>Unsuitable extinguishing media</b>	DO NOT EXTINGUISH A LEAKING GAS FIRE UNLESS LEAK CAN BE STOPPED.

### 5.2. Special hazards arising from the substance or mixture

<b>Specific hazards arising from the chemical</b>	Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Cylinders may rupture under extreme heat. Damaged cylinders should be handled only by specialists. Containers may explode when heated.
---	--

### 5.3. Advice for firefighters

<b>Special protective equipment and precautions for fire-fighters</b>	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
---	--

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

<b>Personal precautions</b>	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Take precautionary measures against static discharges. Avoid breathing dust/fume/gas/mist/vapours/spray.
<b>Other information</b>	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.
<b>For emergency responders</b>	Use personal protection recommended in Section 8.

### 6.2. Environmental precautions

<b>Environmental precautions</b>	Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.
----------------------------------	--

### 6.3. Methods and material for containment and cleaning up

<b>Methods for containment</b>	Keep out of drains, sewers, ditches and waterways. Stop leak if you can do it without risk. A vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Flood with water to complete polymerization and scrape off floor.
<b>Methods for cleaning up</b>	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers.
<b>Prevention of secondary hazards</b>	Clean contaminated objects and areas thoroughly observing environmental regulations.

### 6.4. Reference to other sections

<b>Reference to other sections</b>	See section 8 for more information. See section 13 for more information.
------------------------------------	--

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Advice on safe handling**

Use personal protection equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Use spark-proof tools and explosion-proof equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Keep in an area equipped with sprinklers. Do not puncture or incinerate cans. Contents under pressure. In case of rupture. Avoid breathing vapours or mists. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse. In case of insufficient ventilation, wear suitable respiratory equipment.

**General hygiene considerations**

Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage Conditions**

Protect from sunlight. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store in a cool, dry area away from potential sources of heat, open flames, sunlight or other chemicals.

### 7.3. Specific end use(s)

**Risk Management Methods (RMM)** The information required is contained in this Safety Data Sheet.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

**Exposure Limits**

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical name	United Kingdom
n-Butane 106-97-8	TWA: 600 ppm TWA: 1450 mg/m <sup>3</sup> STEL: 750 ppm STEL: 1810 mg/m <sup>3</sup>

**Biological occupational exposure limits**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

**Derived No Effect Level (DNEL) - Workers** No information available

**Derived No Effect Level (DNEL) - General Public** No information available.

**Predicted No Effect Concentration (PNEC)** No information available.

**8.2. Exposure controls**

**Engineering controls** No information available.

**Personal protective equipment**

**Eye/face protection** Tight sealing safety goggles. Safety glasses with side shields are recommended for medical or industrial exposures.

**Hand protection** Impervious gloves. Wear suitable gloves.

**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.

**Respiratory protection** No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**General hygiene considerations** Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection.

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

<b>Physical state</b>	Aerosol
<b>Appearance</b>	Aerosol
<b>Colour</b>	Colourless
<b>Odour</b>	Hydrocarbons.
<b>Odour threshold</b>	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>Melting point / freezing point</b>	No data available	None known
<b>Initial boiling point and boiling range</b>	No data available	None known
<b>Flammability</b>	No data available	None known
<b>Flammability Limit in Air</b>		None known
<b>Upper flammability or explosive limits</b>	No data available	
<b>Lower flammability or explosive limits</b>	No data available	
<b>Flash point</b>	< 0 °C	Closed cup
<b>Autoignition temperature</b>	200 °C	200°C
<b>Decomposition temperature</b>		None known
<b>pH</b>	No data available	None known
<b>pH (as aqueous solution)</b>	No data available	None known
<b>Kinematic viscosity</b>	No data available	None known
<b>Dynamic viscosity</b>	No data available	None known
<b>Water solubility</b>	No data available	None known
<b>Solubility(ies)</b>	No data available	None known
<b>Partition coefficient</b>	No data available	None known
<b>Vapour pressure</b>	No data available	None known
<b>Relative density</b>	0.672 @ 20°C	None known

Bulk density	No data available	
Liquid Density	No data available	
Relative vapour density	No data available	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	
Explosive properties	No information available	
Oxidising properties	No information available	

9.2. Other information

**SECTION 10: Stability and reactivity**

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

    Sensitivity to mechanical impact None.

    Sensitivity to static discharge Yes.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Heat, flames and sparks.

10.5. Incompatible materials

Incompatible materials Strong acids. Strong bases. Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

**SECTION 11: Toxicological information**

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information

**Inhalation** Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. May cause drowsiness or dizziness.

**Eye contact** Specific test data for the substance or mixture is not available.

**Skin contact** Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).

**Ingestion** Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

**Symptoms related to the physical, chemical and toxicological characteristics**

**Symptoms** Redness. May cause redness and tearing of the eyes. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

**Acute toxicity**

**Numerical measures of toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	99,999.00 mg/kg
ATEmix (dermal)	99,999.00 mg/kg
ATEmix (inhalation-gas)	99,999.00 ppm
ATEmix (inhalation-vapour)	99,999.00 mg/l
ATEmix (inhalation-dust/mist)	99,999.00 mg/l

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Skin corrosion/irritation** Classification based on data available for ingredients. Causes skin irritation.

**Serious eye damage/eye irritation** No information available.

**Respiratory or skin sensitisation** No information available.

**Germ cell mutagenicity** No information available.

Chemical name	United Kingdom
n-Butane	Muta. 1B
Propane	Muta. 1B
Isobutane	Muta. 1B

**Carcinogenicity** No information available.

Chemical name	United Kingdom
n-Butane	Carc. 1A
Propane	Carc. 1A
Isobutane	Carc. 1A

**Reproductive toxicity** No information available.

**STOT - single exposure** May cause drowsiness or dizziness.

**STOT - repeated exposure** No information available.

Aspiration hazard No information available.  
 Other adverse effects No information available.

**SECTION 12: Ecological information**

**12.1. Toxicity**

Ecotoxicity Toxic to aquatic life with long lasting effects.  
 Unknown aquatic toxicity Contains 0.00276 % of components with unknown hazards to the aquatic environment.

**12.2. Persistence and degradability**

Persistence and degradability No information available.

**12.3. Bioaccumulative potential**

Bioaccumulation There is no data for this product.

**12.4. Mobility in soil**

Mobility in soil No information available.

**12.5. Results of PBT and vPvB assessment**

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Chemical name	PBT and vPvB assessment
n-Butane	The substance is not PBT / vPvB
Propane	The substance is not PBT / vPvB
Isobutane	The substance is not PBT / vPvB

**12.6. Other adverse effects**

No information available.

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

Waste from residues/unused products Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.  
 Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

**SECTION 14: Transport information**

IATA  
 14.1 UN number or ID number UN1950  
 14.2 UN proper shipping name Aerosols  
 14.3 Transport hazard class(es) 2.1

14.4 Packing group None  
 14.5 Environmental hazards Yes  
 14.6 Special precautions for user  
 Special Provisions None

**IMDG**

14.1 UN number or ID number UN1950  
 14.2 UN proper shipping name Aerosol  
 14.3 Transport hazard class(es) 2.1  
 14.4 Packing group None  
 14.5 Environmental hazards Yes  
 14.6 Special precautions for user  
 Special Provisions None  
 14.7 Maritime transport in bulk according to IMO instruments No information available

**RID**

14.1 UN number or ID number UN1950  
 14.2 UN proper shipping name Aerosol  
 14.3 Transport hazard class(es) 2.1  
 14.4 Packing group None  
 14.5 Environmental hazards Yes  
 14.6 Special precautions for user  
 Special Provisions None

**ADR**

14.1 UN number or ID number UN1950  
 14.2 UN proper shipping name Aerosols  
 14.3 Transport hazard class(es) 2.1  
 14.4 Packing group None  
 14.5 Environmental hazards Yes  
 14.6 Special precautions for user  
 Special Provisions EMS F-D, S-U  
 Classification code 2  
 Tunnel restriction code (D)

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**National regulations**

**Authorisations and/or restrictions on use:**

This product does not contain substances subject to authorisation (UK REACH - Annex XIV). This product does not contain substances subject to restriction (UK REACH - Annex XVII).

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
n-Butane - 106-97-8	Use restricted. See item 28. Use restricted. See item 29. Restricted Carcinogen 1A Restricted Mutagen 1B	-
Propane - 74-98-6	Use restricted. See item 28. Use restricted. See item 29.	-
Isobutane - 75-28-5	Use restricted. See item 28. Use restricted. See item 29. Restricted Carcinogen 1A Restricted Mutagen 1B	-

**Persistent Organic Pollutants**

Not applicable

**Export Notification requirements**

Not applicable

**Dangerous substance category per COMAH Regulations 2015 (as amended)**

P3a - FLAMMABLE AEROSOLS

E2 - Hazardous to the Aquatic Environment in Category Chronic 2

P3b - FLAMMABLE AEROSOLS

**Named dangerous substances per COMAH Regulations 2015 (as amended)**

Not applicable

**The Ozone-Depleting Substances Regulations 2015**

Not applicable

**The Biocidal Products Regulations 2001 (as amended)**

Not applicable

**The Water Environment (Water Framework Directive) (England and Wales) Regulations 2017 (as amended)**

Not applicable

**Poisons Act 1972 (Explosive Precursors) Regulations (as Amended)**

Not applicable

**International Inventories**

**TSCA**

Contact supplier for inventory compliance status

**DSL/NDSL**

Contact supplier for inventory compliance status

**EINECS/ELINCS**

Contact supplier for inventory compliance status

**ENCS**

Contact supplier for inventory compliance status

**IECSC**

Contact supplier for inventory compliance status

**KECL**

Contact supplier for inventory compliance status

**PICCS**

Contact supplier for inventory compliance status

**AIIC**

Contact supplier for inventory compliance status

**NZIoC**

Contact supplier for inventory compliance status

**Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AIIC** - Australian Inventory of Industrial Chemicals

**NZIoC** - New Zealand Inventory of Chemicals

**15.2. Chemical safety assessment**

**Chemical Safety Report**

No information available

**SECTION 16: Other information**

**Key or legend to abbreviations and acronyms used in the safety data sheet**

**Legend**

SVHC: Substances of Very High Concern for Authorisation:

**Legend Section 8: Exposure controls/personal protection**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
+	Sensitisers		

**Classification procedure**

Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Chronic aquatic toxicity	Calculation method
Acute aquatic toxicity	Calculation method
Aspiration hazard	On basis of test data
Ozone	Calculation method
Flammable aerosol	On basis of test data

**Key literature references and sources for data used to compile the SDS**

Agency for Toxic Substances and Disease Registry (ATSDR)  
 U.S. Environmental Protection Agency ChemView Database  
 European Food Safety Authority (EFSA)  
 European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA\_RAC)  
 European Chemicals Agency (ECHA) (ECHA\_API)  
 EPA (Environmental Protection Agency)  
 Acute Exposure Guideline Level(s) (AEGl(s))  
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
 U.S. Environmental Protection Agency High Production Volume Chemicals  
 Food Research Journal  
 Hazardous Substance Database  
 International Uniform Chemical Information Database (IUCLID)  
 National Institute of Technology and Evaluation (NITE)  
 Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
 NIOSH (National Institute for Occupational Safety and Health)  
 National Library of Medicine's ChemID Plus (NLM CIP)  
 National Library of Medicine's PubMed database (NLM PUBMED)  
 National Toxicology Program (NTP)  
 New Zealand's Chemical Classification and Information Database (CCID)  
 Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications  
 Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme  
 Organisation for Economic Co-operation and Development Screening Information Data Set  
 World Health Organization

**Revision date** 30/01/2025

**This material safety data sheet complies with the requirements of UK REACH Regulations (SI 2019/758 as amended)  
 Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work**

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**

**UK SDS version information - XGHS**

UL release:  
GHS Revision 7  
2022 Q1

**United Kingdom**

Partial process, including GHS Wizard, NO TW

Specific target organ toxicity — single exposure	Category 3
--	------------

Category 3 Target organ effects: Narcotic effects.

Chemical name	Classification according to GB CLP (SI 2020/1567 as amended)	Specific concentration limit (SCL)
n-Butane	Flam. Gas 1 (H220) Press. Gas ()	
Propane	Flam. Gas 1 (H220)	
Isobutane	Flam. Gas 1 (H220) Press. Gas	