

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

| | |
|-----------------|---|
| Product form | : Mixture |
| Product name | : TRIPLEWAX SNOW FOAM |
| Product code | : TSN256 TSN259 TSN905 TSN250 TSN005 TSF050 TSF106 TSF126 TSF250 TSF252 TSF253 TSF350 TSF450 TSF806 TSF906 |
| Type of product | : Detergent |
| Product group | : End product |

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

| | |
|------------------------------|--|
| Intended for general public | |
| Main use category | : Industrial use, Professional use, Consumer use |
| Use of the substance/mixture | : Car maintenance product |

1.3. Details of the supplier of the safety data sheet

Supplier

Tetrosyl Limited
Newgate House
Rochdale, Lancashire, OL16 1AT
T 0161 764 5981
info@tetrosyl.com, www.tetrosyl.com

E-mail address of competent person responsible for the SDS :
ataylor@jamesbriggs.co.uk

Distributor

Tetrosyl Europe
CRT3 - 79 rue du chemin vert 70
59273 59.273 Fretin, Hauts de France
France
T 03 20 28 06 30
qualite@tetrosyl-france.com

1.4. Emergency telephone number

Emergency number : +44 (0) 161 620 5400

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317
Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

May cause an allergic skin reaction.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

| | |
|--------------------------------|---|
| Signal word (CLP) | : Warning |
| Hazard statements (CLP) | : H317 - May cause an allergic skin reaction. |
| Precautionary statements (CLP) | : P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children. P261 - Avoid breathing vapours, spray. P280 - Wear protective gloves, protective clothing/eye protection/face protection. P302+P352 - IF ON SKIN: Wash with plenty of water. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. |

TRIPLEWAX SNOW FOAM

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

P362+P364 - Take off contaminated clothing and wash it before reuse.

P501 - Dispose of contents/ container in accordance with local regulations.

Child-resistant fastening : Not applicable

Tactile warning : Not applicable

2.3. Other hazards

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|---|-------------------|---|
| OLEFIN SULPHONATE, SODIUM SALT | CAS-No.: 68439-57-6 EC-No.: 931-534-0 REACH-no: 01-2119513401-57 | 3.5 – 5 | Skin Irrit. 2, H315 Eye Dam. 1, H318 |
| BENZALDEHYDE substance with national workplace exposure limit(s) (BG, FI, HU, LT, LV, PL) | CAS-No.: 100-52-7 EC-No.: 202-860-4 EC Index-No.: 605-012-00-5 | 0.005 – 0.05 | Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) |
| ISOPENTYL ACETATE substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, AL, IS, NO, MK, RS, TR); substance with a Community workplace exposure limit (Note C) | CAS-No.: 123-92-2 EC-No.: 204-662-3 EC Index-No.: 607-130-00-2 | 0.005 – 0.05 | Flam. Liq. 3, H226 Aquatic Chronic 3, H412 EUH066 |
| 2-METHYLISOTHIAZOL-3(2H)-ONE substance with national workplace exposure limit(s) (AT, CH) | CAS-No.: 2682-20-4 EC-No.: 220-239-6 EC Index-No.: 613-326-00-9 REACH-no: 01-2120764690-50 | 0.0000001 – 0.005 | Acute Tox. 3 (Oral), H301 (ATE=100 mg/kg bodyweight) Acute Tox. 3 (Dermal), H311 (ATE=300 mg/kg bodyweight) Acute Tox. 2 (Inhalation), H330 (ATE=0.05 mg/l/4h) Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1) EUH071 |
| ETHYL ACETATE substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, IS, NO, MK, RS, CH); substance with a Community workplace exposure limit | CAS-No.: 141-78-6 EC-No.: 205-500-4 EC Index-No.: 607-022-00-5 REACH-no: 01-2119475103-46 | 0.0000001 – 0.005 | Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 EUH066 |

TRIPLEWAX SNOW FOAM

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--|--|-------------------|---|
| METHYL-2H or METHYL-4 (3:1) Mixture of EC NO 220-239-6 substance with national workplace exposure limit(s) (AT, CH) | CAS-No.: 55965-84-9 EC-No.: 611-341-5 EC Index-No.: 613-167-00-5 | 0.0000001 – 0.005 | Acute Tox. 3 (Oral), H301 (ATE=100 mg/kg bodyweight) Acute Tox. 2 (Dermal), H310 (ATE=50 mg/kg bodyweight) Acute Tox. 2 (Inhalation), H330 (ATE=0.05 mg/l/4h) Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) |

Specific concentration limits:

| Name | Product identifier | Specific concentration limits (%) |
|--|---|---|
| OLEFIN SULPHONATE, SODIUM SALT | CAS-No.: 68439-57-6 EC-No.: 931-534-0 REACH-no: 01-2119513401-57 | (5 ≤ C < 38) Eye Irrit. 2; H319 (38 ≤ C < 100) Eye Dam. 1; H318 |
| 2-METHYLISOTHIAZOL-3(2H)-ONE | CAS-No.: 2682-20-4 EC-No.: 220-239-6 EC Index-No.: 613-326-00-9 REACH-no: 01-2120764690-50 | (0.0015 ≤ C ≤ 100) Skin Sens. 1A; H317 |
| METHYL-2H or METHYL-4 (3:1) Mixture of EC NO 220-239-6 | CAS-No.: 55965-84-9 EC-No.: 611-341-5 EC Index-No.: 613-167-00-5 | (0.00015 ≤ C < 0.0015) EUH208 (0.0015 ≤ C < 100) Skin Sens. 1A; H317 (0.06 ≤ C < 0.6) Skin Irrit. 2; H315 (0.06 ≤ C < 0.6) Eye Irrit. 2; H319 (0.6 ≤ C < 100) Skin Corr. 1C; H314 (0.6 ≤ C < 100) Eye Dam. 1; H318 |

Note C: Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.

Full text of H- and EUH-statements: see section 16

Detergent Regulation (648/2004)

Ingredient data sheet

| Component | CAS-No. | % |
|---|------------|----------|
| WATER | 7732-18-5 | ≥10% |
| OLEFIN SULPHONATE, SODIUM SALT | 68439-57-6 | 1 - 10% |
| SODIUM C10-13 ALKYL BENZENESULFONATE | 68411-30-3 | 0.1 - 1% |
| Parfum | | 0.1 - 1% |
| NON HAZARDOUS | | <0.1% |
| BENZISOTHIAZOLINONE | 2634-33-5 | <0.1% |
| METHYLISOTHIAZOLINONE | 2682-20-4 | <0.1% |
| METHYLCHLOROISOTHIAZOLINONE (AND) METHYLISOTHIAZOLINONE | 55965-84-9 | <0.1% |

TRIPLEWAX SNOW FOAM

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Labelling of contents | |
|---|-----|
| Component | % |
| anionic surfactants | <5% |
| METHYLCHLOROISOTHIAZOLINONE (AND) METHYLISOTHIAZOLINONE | |
| BENZISOTHIAZOLINONE | |
| METHYLISOTHIAZOLINONE | |
| perfumes | |

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|--|
| First-aid measures general | : If you feel unwell, seek medical advice. |
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. |
| First-aid measures after skin contact | : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. |
| First-aid measures after eye contact | : Rinse eyes with water as a precaution. |
| First-aid measures after ingestion | : Call a poison center or a doctor if you feel unwell. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|-------------------------------------|---|
| Symptoms/effects after inhalation | : Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard. |
| Symptoms/effects after skin contact | : May cause an allergic skin reaction. |
| Symptoms/effects after eye contact | : None under normal conditions. |
| Symptoms/effects after ingestion | : None under normal conditions. |

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|--------------------------------|--|
| Suitable extinguishing media | : Water spray. Dry powder. Foam. Carbon dioxide. |
| Unsuitable extinguishing media | : Do not use a heavy water stream. |

5.2. Special hazards arising from the substance or mixture

| | |
|--|--------------------------------|
| Fire hazard | : No fire hazard. |
| Explosion hazard | : No direct explosion hazard. |
| Hazardous decomposition products in case of fire | : Toxic fumes may be released. |

5.3. Advice for firefighters

| | |
|--------------------------------|---|
| Firefighting instructions | : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection. |
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

| | |
|------------------|---|
| General measures | : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage. |
|------------------|---|

TRIPLEWAX SNOW FOAM

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

For non-emergency personnel

- Protective equipment : Wear recommended personal protective equipment.
Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.
Methods for cleaning up : Take up liquid spill into absorbent material.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.
Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.
Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Keep in a cool, well-ventilated place away from heat.
Storage conditions : Store in a well-ventilated place. Keep cool.
Packaging materials : Store always product in container of same material as original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

| ETHYL ACETATE (141-78-6) | |
|--|------------------------------------|
| EU - Indicative Occupational Exposure Limit (IOEL) | |
| Local name | Ethyl acetate |
| IOEL TWA | 734 mg/m ³ |
| | 200 ppm |
| IOEL STEL | 1468 mg/m ³ |
| | 400 ppm |
| Regulatory reference | COMMISSION DIRECTIVE (EU) 2017/164 |

TRIPLEWAX SNOW FOAM

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| ETHYL ACETATE (141-78-6) | |
|---|---|
| Ireland - Occupational Exposure Limits | |
| Local name | Ethyl acetate |
| OEL TWA | 734 mg/m ³ |
| | 200 ppm |
| OEL STEL | 1468 mg/m ³ |
| | 400 ppm |
| Remark | IOELV (Indicative Occupational Exposure Limit Values) |
| Regulatory reference | Chemical Agents Code of Practice 2021 |
| ISOPENTYL ACETATE (123-92-2) | |
| EU - Indicative Occupational Exposure Limit (IOEL) | |
| Local name | Isopentylacetate |
| IOEL TWA | 270 mg/m ³ |
| | 50 ppm |
| IOEL STEL | 540 mg/m ³ |
| | 100 ppm |
| Regulatory reference | COMMISSION DIRECTIVE 2000/39/EC |
| Ireland - Occupational Exposure Limits | |
| Local name | Isopentyl acetate [Isoamyl acetate] |
| OEL TWA | 260 mg/m ³ |
| | 50 ppm |
| OEL STEL | 520 mg/m ³ |
| | 100 ppm |
| Remark | IOELV (Indicative Occupational Exposure Limit Values) |
| Regulatory reference | Chemical Agents Code of Practice 2021 |

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protection equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Personal protective equipment symbol(s):



Eye and face protection

Eye protection:

Safety glasses

TRIPLEWAX SNOW FOAM

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Eye protection | | | |
|----------------|----------------------|-----------------|----------|
| Type | Field of application | Characteristics | Standard |
| | | | EN 166 |

Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

| Hand protection | | | | | |
|-----------------|----------|------------|----------------|-------------|------------|
| Type | Material | Permeation | Thickness (mm) | Penetration | Standard |
| | | | | | EN ISO 374 |

| Other skin protection | | |
|-----------------------------------|----------|-------------|
| Materials for protective clothing | | |
| Condition | Material | Standard |
| | | EN ISO 6530 |

Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|------------------|
| Physical state | : Liquid |
| Colour | : pink. |
| Appearance | : Clear liquid. |
| Odour | : Fruity. |
| Odour threshold | : Not available |
| Melting point | : Not available |
| Freezing point | : Not available |
| Boiling point | : Not available |
| Flammability | : Non flammable. |
| Lower explosion limit | : Not available |
| Upper explosion limit | : Not available |
| Flash point | : 100 °C |
| Auto-ignition temperature | : Not available |
| Decomposition temperature | : Not available |
| pH | : 8 |
| Viscosity, kinematic | : Not available |
| Viscosity, dynamic | : < 50 cP |
| Solubility | : Not available |
| Partition coefficient n-octanol/water (Log Kow) | : Not available |
| Vapour pressure | : Not available |
| Vapour pressure at 50°C | : Not available |
| Density | : Not available |
| Relative density | : 1.01 |
| Relative vapour density at 20°C | : Not available |
| Particle characteristics | : Not applicable |

TRIPLEWAX SNOW FOAM

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

| ETHYL ACETATE (141-78-6) | |
|--------------------------|---|
| LD50 oral | 4934 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 401 (Acute Oral Toxicity) |
| LD50 dermal rabbit | > 20000 mg/kg bodyweight Animal: rabbit, Animal sex: male |

| ISOPENTYL ACETATE (123-92-2) | |
|------------------------------|--|
| LD50 dermal rabbit | > 5000 mg/kg bodyweight Animal: rabbit |

| OLEFIN SULPHONATE, SODIUM SALT (68439-57-6) | |
|---|---|
| LC50 Inhalation - Rat | > 52 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Remarks on results: other: |

Skin corrosion/irritation : Not classified
pH: 8

| 2-METHYLISOTHIAZOL-3(2H)-ONE (2682-20-4) | |
|--|---|
| pH | 2.58 Temp.: 25 °C Concentration: 50 g/L |

Serious eye damage/irritation : Not classified
pH: 8

| 2-METHYLISOTHIAZOL-3(2H)-ONE (2682-20-4) | |
|--|---|
| pH | 2.58 Temp.: 25 °C Concentration: 50 g/L |

Respiratory or skin sensitisation : May cause an allergic skin reaction.
Germ cell mutagenicity : Not classified

TRIPLEWAX SNOW FOAM

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Carcinogenicity : Not classified

OLEFIN SULPHONATE, SODIUM SALT (68439-57-6)

NOAEL (chronic, oral, animal/male, 2 years) ≥ 195 mg/kg bodyweight Animal: rat, Animal sex: male, Remarks on results: other:

NOAEL (chronic, oral, animal/female, 2 years) ≥ 259 mg/kg bodyweight Animal: rat, Animal sex: female, Remarks on results: other:

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

ETHYL ACETATE (141-78-6)

STOT-single exposure May cause drowsiness or dizziness.

STOT-repeated exposure : Not classified

ETHYL ACETATE (141-78-6)

LOAEL (oral, rat, 90 days) 3600 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test)

NOAEL (oral, rat, 90 days) 900 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test)

ISOPENTYL ACETATE (123-92-2)

NOAEL (subchronic, oral, animal/female, 90 days) 443.07 mg/kg bodyweight Animal: , Animal sex: female

Aspiration hazard : Not classified

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

ETHYL ACETATE (141-78-6)

LC50 - Fish [1] 230 mg/l Test organisms (species): Pimephales promelas

NOEC (chronic) 2.4 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

ISOPENTYL ACETATE (123-92-2)

LC50 - Fish [1] 11.1 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)

EC50 - Crustacea [1] 26.3 mg/l Test organisms (species): Daphnia magna

METHYL-2H or METHYL-4 (3:1) Mixture of EC NO 220-239-6 (55965-84-9)

LC50 - Fish [1] 0.19 mg/l

EC50 - Other aquatic organisms [1] 0.126 mg/l waterflea

EC50 - Other aquatic organisms [2] 0.003 mg/l

OLEFIN SULPHONATE, SODIUM SALT (68439-57-6)

LC50 - Fish [1] 4.2 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)

EC50 - Crustacea [1] 4.53 mg/l Test organisms (species): Ceriodaphnia sp.

EC50 72h - Algae [1] 5.2 mg/l Test organisms (species): Skeletonema costatum

TRIPLEWAX SNOW FOAM

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

OLEFIN SULPHONATE, SODIUM SALT (68439-57-6)

LOEC (chronic) 20 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

NOEC (chronic) 6.3 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

2-METHYLISOTHIAZOL-3(2H)-ONE (2682-20-4)

LC50 - Fish [1] 4.77 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)

EC50 - Crustacea [1] 1.6 mg/l Test organisms (species): Daphnia magna

12.2. Persistence and degradability

TRIPLEWAX SNOW FOAM

Persistence and degradability Not rapidly degradable

BENZALDEHYDE (100-52-7)

Persistence and degradability Not rapidly degradable

ETHYL ACETATE (141-78-6)

Persistence and degradability Not rapidly degradable

ISOPENTYL ACETATE (123-92-2)

Persistence and degradability Not rapidly degradable

METHYL-2H or METHYL-4 (3:1) Mixture of EC NO 220-239-6 (55965-84-9)

Persistence and degradability Not rapidly degradable

OLEFIN SULPHONATE, SODIUM SALT (68439-57-6)

Persistence and degradability Not rapidly degradable

2-METHYLISOTHIAZOL-3(2H)-ONE (2682-20-4)

Persistence and degradability Not rapidly degradable

12.3. Bioaccumulative potential

METHYL-2H or METHYL-4 (3:1) Mixture of EC NO 220-239-6 (55965-84-9)

Partition coefficient n-octanol/water (Log Pow) 0.4

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation : Disposal must be done according to official regulations.

TRIPLEWAX SNOW FOAM

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| | |
|--|---|
| Waste treatment methods | : Dispose of contents/container in accordance with licensed collector's sorting instructions. |
| Sewage disposal recommendations | : Disposal must be done according to official regulations. |
| Product/Packaging disposal recommendations | : Disposal must be done according to official regulations. |
| Additional information | : Do not re-use empty containers. |
| HP Code | : HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye. |

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR | IMDG | IATA | ADN | RID |
|---|---------------|---------------|---------------|---------------|
| 14.1. UN number or ID number | | | | |
| Not regulated for transport | | | | |
| 14.2. UN proper shipping name | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| 14.3. Transport hazard class(es) | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| 14.4. Packing group | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| 14.5. Environmental hazards | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| No supplementary information available | | | | |

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

TRIPLEWAX SNOW FOAM

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Detergent Regulation (648/2004)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

| Indication of changes | | |
|-----------------------|------------------------------------|-----------------|
| Section | Changed item | Comments |
| | Revision date | Modified |
| | Supersedes version of | Modified |
| | Issue date | Modified |
| 1.2 | Main use category | Modified |
| 2.2 | Precautionary statements (CLP) | Modified |
| 4.1 | First-aid measures for first aider | Added |
| 10.4 | Conditions to avoid | Modified |
| 10.6 | Hazardous decomposition products | Modified |

| Abbreviations and acronyms: | |
|-----------------------------|---|
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |
| BLV | Biological limit value |
| BOD | Biochemical oxygen demand (BOD) |
| COD | Chemical oxygen demand (COD) |
| DMEL | Derived Minimal Effect level |
| DNEL | Derived-No Effect Level |

TRIPLEWAX SNOW FOAM

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:

| | |
|---------|--|
| EC-No. | European Community number |
| EC50 | Median effective concentration |
| EN | European Standard |
| IARC | International Agency for Research on Cancer |
| IATA | International Air Transport Association |
| IMDG | International Maritime Dangerous Goods |
| LC50 | Median lethal concentration |
| LD50 | Median lethal dose |
| LOAEL | Lowest Observed Adverse Effect Level |
| NOAEC | No-Observed Adverse Effect Concentration |
| NOAEL | No-Observed Adverse Effect Level |
| NOEC | No-Observed Effect Concentration |
| OECD | Organisation for Economic Co-operation and Development |
| OEL | Occupational Exposure Limit |
| PBT | Persistent Bioaccumulative Toxic |
| PNEC | Predicted No-Effect Concentration |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| SDS | Safety Data Sheet |
| STP | Sewage treatment plant |
| ThOD | Theoretical oxygen demand (ThOD) |
| TLM | Median Tolerance Limit |
| VOC | Volatile Organic Compounds |
| CAS-No. | Chemical Abstract Service number |
| N.O.S. | Not Otherwise Specified |
| vPvB | Very Persistent and Very Bioaccumulative |
| ED | Endocrine disruptor |

Full text of H- and EUH-statements:

| | |
|---------------------------|---|
| Acute Tox. 2 (Dermal) | Acute toxicity (dermal), Category 2 |
| Acute Tox. 2 (Inhalation) | Acute toxicity (inhal.), Category 2 |
| Acute Tox. 3 (Dermal) | Acute toxicity (dermal), Category 3 |
| Acute Tox. 3 (Oral) | Acute toxicity (oral), Category 3 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aquatic Acute 1 | Hazardous to the aquatic environment – Acute Hazard, Category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment – Chronic Hazard, Category 1 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment – Chronic Hazard, Category 3 |
| EUH066 | Repeated exposure may cause skin dryness or cracking. |
| EUH071 | Corrosive to the respiratory tract. |

TRIPLEWAX SNOW FOAM

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:

| | |
|---------------|---|
| EUH208 | Contains {0} message≤name of sensitising substance> fieldvalue=_SENSITIZER_COMPONENTS}. May produce an allergic reaction. |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Flam. Liq. 2 | Flammable liquids, Category 2 |
| Flam. Liq. 3 | Flammable liquids, Category 3 |
| H225 | Highly flammable liquid and vapour. |
| H226 | Flammable liquid and vapour. |
| H301 | Toxic if swallowed. |
| H302 | Harmful if swallowed. |
| H310 | Fatal in contact with skin. |
| H311 | Toxic in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H330 | Fatal if inhaled. |
| H336 | May cause drowsiness or dizziness. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| Skin Corr. 1B | Skin corrosion/irritation, Category 1, Sub-Category 1B |
| Skin Corr. 1C | Skin corrosion/irritation, Category 1, Sub-Category 1C |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| Skin Sens. 1A | Skin sensitisation, category 1A |
| STOT SE 3 | Specific target organ toxicity – Single exposure, Category 3, Narcosis |

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.