

SAFETY DATA SHEET

Revision date: 06-April-2022 06-April-2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

EVAPO-RUST

Registration number

None.

Synonyms

BDS002697BU **Product code**

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Scale and rust remover

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company name CRC Industries Europe by

Address Touwslagerstraat 1

> 9240 Zele Belgium

+32(0)52/45.60.11 Telephone Fax +32(0)52/45.00.34 hse@crcind.com E-mail Website www.crcind.com

1.4. Emergency telephone

number

Tel.: +32(0)52/45.60.11 (office hours: 9-17h CET)

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

Austria National Poisons

Information Centre

Belgium National Poisons Control Center

070 245 245 (Available 24 hours a day. SDS/Product information may not be

+431 406 4343 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

available for the Emergency Service.)

Bulgaria National Toxicological Information

Centre

+359 2 9154233 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Czech Republic National Poisons Information

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided.

SDS/Product information may not be available for the Emergency Service.)

Denmark National Poisons

Control Center

+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

Estonia National Poisons

Information Centre

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be

available for the Emergency Service.)

Finland National Poison Information Center

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

France National Poisons

Control Center

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Hungary National

Emergency Phone Number

36 80 20 11 99 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Lithuania Neatidėliotina informacija apsinuodijus

+370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Malta Accident and Emergency Department

Material name: EVAPO-RUST - Manufacturers

2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Netherlands National Poisons Information Center (NVIC)

030-274 88 88 (Only for the purpose of informing medical personnel in cases of

acute intoxications)

Norway Norwegian Poison

Information Center

22 59 13 00 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.)

800 250 250 (Available 24 hours a day. SDS/Product information may not be **Portugal Poison Centre**

available for the Emergency Service.)

Romania Număr de telefon care poate fi apelat în caz

de urgență:

021 5992300, int. 291 Spitalul Clinic de Urgență București:

spital@urgentafloreasca.ro

0265 212111, 0265 211292, 0265 217235 Spitalul Clinic Județean de Urgență Romania

Târgu Mureș: secretariat@spitjudms.ro

Slovakia National

Toxicological Information

Centre

+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Sweden National Poison

Information Center

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product

information may not be available for the Emergency Service.)

Switzerland Tox Info

Suisse

145 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None. Signal word None.

The mixture does not meet the criteria for classification. **Hazard statements**

Precautionary statements

Not applicable. Prevention Not applicable. Response Storage Not applicable. Disposal Not applicable.

Supplemental label information

EUH210 - Safety data sheet available on request.

2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

| Chemical name | | % | CAS-No. / EC No. | REACH Registration No. | Index No. | Notes |
|--|--|----|------------------|------------------------|-----------|-------|
| Salt of an Organic Acid | | <5 | Confidential | Confidential | - | |
| | | | - | | | |
| Classification: Acute Tox 4:H302:(ATE: 940 mg/kg) Eve Irrit 2:H319 | | | | | | |

incation: Acute Tox. 4;H302;(ATE: 940 mg/kg), Eye Irrit. 2;H319

Specific Concentration Limits: Eye Irrit. 2;H319: C > 30 %

Organic acid Confidential Confidential

Classification: Eye Irrit. 2;H319, STOT SE 3;H335

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M· M-factor

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#: This substance has been assigned Union workplace exposure limit(s).

Material name: EVAPO-RUST - Manufacturers

Composition comments The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Treat symptomatically.

4.2. Most important symptoms and effects, both acute and

delayed

Exposure may cause temporary irritation, redness, or discomfort.

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

media
Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures

Move containers from fire area if you can do so without risk.

Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Wear appropriate personal protective equipment.

For emergency responders

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to

remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other

sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Avoid prolonged exposure. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any

incompatibilities

SDS). Storage class (TRGS 510): 12 (Non-combustible liquids that cannot be assigned to any of the

above storage classes)

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

| Components | GwV), BGBI. II, no. 184/2001 Type | Value | Form |
|--|--|--|---|
| 2-[bis(2-hydroxyethyl)amino ethanol (CAS 102-71-6) | MAK | 5 mg/m3 | Inhalable fraction. |
| • | | 0,8 ppm | Inhalable fraction. |
| | STEL | 10 mg/m3 | Inhalable fraction. |
| | | 1,6 ppm | Inhalable fraction. |
| Belgium. Exposure Limit Values | | | |
| Components | Туре | Value | |
| 2-[bis(2-hydroxyethyl)amino ethanol (CAS 102-71-6) | TWA | 5 mg/m3 | |
| Czech Republic. OELs. Governmen | | | |
| Components | Туре | Value | Form |
| 2-[bis(2-hydroxyethyl)amino ethanol (CAS 102-71-6) | Ceiling | 10 mg/m3 | |
| | TWA | 5 mg/m3 | |
| Organic acid | TWA | 4 mg/m3 | Dust. |
| Denmark. Exposure Limit Values | | | |
| Components | Туре | Value | |
| 2-[bis(2-hydroxyethyl)amino ethanol (CAS 102-71-6) | TLV | 3,1 mg/m3 | |
| | | 0,5 ppm | |
| Estonia. OELs. Occupational Expos | | | 5/2001, Annex), as amend |
| Components | Туре | Value | |
| 2-[bis(2-hydroxyethyl)amino | STEL | 10 mg/m3 | |
| 2-[bis(2-hydroxyethyl)amino | | | |
| 2-[bis(2-hydroxyethyl)amino ethanol (CAS 102-71-6) | STEL | 10 mg/m3 | |
| 2-[bis(2-hydroxyethyl)amino ethanol (CAS 102-71-6) Finland. Workplace Exposure Limits | STEL | 10 mg/m3 | |
| 2-[bis(2-hydroxyethyl)amino ethanol (CAS 102-71-6) Finland. Workplace Exposure Limits Components 2-[bis(2-hydroxyethyl)amino | STEL TWA | 10 mg/m3 5 mg/m3 | |
| 2-[bis(2-hydroxyethyl)amino ethanol (CAS 102-71-6) Finland. Workplace Exposure Limits Components 2-[bis(2-hydroxyethyl)amino ethanol (CAS 102-71-6) Germany. DFG MAK List (advisory (| STEL TWA s Type TWA | 10 mg/m3 5 mg/m3 Value 5 mg/m3 | ds of Chemical Compou |
| 2-[bis(2-hydroxyethyl)amino ethanol (CAS 102-71-6) Finland. Workplace Exposure Limits Components 2-[bis(2-hydroxyethyl)amino ethanol (CAS 102-71-6) Germany. DFG MAK List (advisory on the Work Area (DFG) | STEL TWA s Type TWA | 10 mg/m3 5 mg/m3 Value 5 mg/m3 | ds of Chemical Compou |
| 2-[bis(2-hydroxyethyl)amino ethanol (CAS 102-71-6) Finland. Workplace Exposure Limits Components 2-[bis(2-hydroxyethyl)amino ethanol (CAS 102-71-6) Germany. DFG MAK List (advisory (n the Work Area (DFG) Components 2-[bis(2-hydroxyethyl)amino | STEL TWA s Type TWA OELs). Commission for the Inve | 10 mg/m3 5 mg/m3 Value 5 mg/m3 estigation of Health Hazard | • |
| 2-[bis(2-hydroxyethyl)amino ethanol (CAS 102-71-6) Finland. Workplace Exposure Limits Components 2-[bis(2-hydroxyethyl)amino ethanol (CAS 102-71-6) Germany. DFG MAK List (advisory on the Work Area (DFG) Components 2-[bis(2-hydroxyethyl)amino ethanol (CAS 102-71-6) | STEL TWA s Type TWA OELs). Commission for the Inve | 10 mg/m3 5 mg/m3 Value 5 mg/m3 estigation of Health Hazard Value | Form |
| 2-[bis(2-hydroxyethyl)amino ethanol (CAS 102-71-6) Finland. Workplace Exposure Limits Components 2-[bis(2-hydroxyethyl)amino ethanol (CAS 102-71-6) Germany. DFG MAK List (advisory on the Work Area (DFG) Components 2-[bis(2-hydroxyethyl)amino ethanol (CAS 102-71-6) Organic acid | STEL TWA S Type TWA OELs). Commission for the Inventor Type TWA TWA | 10 mg/m3 5 mg/m3 Value 5 mg/m3 estigation of Health Hazard Value 1 mg/m3 2 mg/m3 | Form Inhalable fraction. |
| 2-[bis(2-hydroxyethyl)amino ethanol (CAS 102-71-6) Finland. Workplace Exposure Limits Components 2-[bis(2-hydroxyethyl)amino ethanol (CAS 102-71-6) Germany. DFG MAK List (advisory on the Work Area (DFG) Components 2-[bis(2-hydroxyethyl)amino ethanol (CAS 102-71-6) Drganic acid Germany. TRGS 900, Limit Values in | STEL TWA S Type TWA OELs). Commission for the Inventor Type TWA TWA | 10 mg/m3 5 mg/m3 Value 5 mg/m3 estigation of Health Hazard Value 1 mg/m3 2 mg/m3 | Form Inhalable fraction. |
| 2-[bis(2-hydroxyethyl)amino ethanol (CAS 102-71-6) Finland. Workplace Exposure Limits Components 2-[bis(2-hydroxyethyl)amino ethanol (CAS 102-71-6) Germany. DFG MAK List (advisory on the Work Area (DFG) Components 2-[bis(2-hydroxyethyl)amino ethanol (CAS 102-71-6) Organic acid Germany. TRGS 900, Limit Values in Components 2-[bis(2-hydroxyethyl)amino | STEL TWA S Type TWA OELs). Commission for the Inve Type TWA TWA TWA | 10 mg/m3 5 mg/m3 Value 5 mg/m3 estigation of Health Hazard Value 1 mg/m3 2 mg/m3 ace | Form Inhalable fraction. Inhalable fraction. |
| 2-[bis(2-hydroxyethyl)amino ethanol (CAS 102-71-6) Finland. Workplace Exposure Limits Components 2-[bis(2-hydroxyethyl)amino ethanol (CAS 102-71-6) Germany. DFG MAK List (advisory on the Work Area (DFG) Components 2-[bis(2-hydroxyethyl)amino ethanol (CAS 102-71-6) Organic acid Germany. TRGS 900, Limit Values in Components 2-[bis(2-hydroxyethyl)amino ethanol (CAS 102-71-6) | STEL TWA s Type TWA OELs). Commission for the Inventor Type TWA TWA TWA TWA n the Ambient Air at the Workpl | 10 mg/m3 5 mg/m3 Value 5 mg/m3 estigation of Health Hazard Value 1 mg/m3 2 mg/m3 acce Value | Form Inhalable fraction. Inhalable fraction. Form |
| 2-[bis(2-hydroxyethyl)amino ethanol (CAS 102-71-6) Finland. Workplace Exposure Limits Components 2-[bis(2-hydroxyethyl)amino ethanol (CAS 102-71-6) Germany. DFG MAK List (advisory on the Work Area (DFG) Components 2-[bis(2-hydroxyethyl)amino ethanol (CAS 102-71-6) Organic acid Germany. TRGS 900, Limit Values in Components 2-[bis(2-hydroxyethyl)amino ethanol (CAS 102-71-6) Organic acid Celand. OELs. Regulation 154/1999 | STEL TWA S Type TWA OELs). Commission for the Inventor of th | 10 mg/m3 5 mg/m3 Value 5 mg/m3 estigation of Health Hazard Value 1 mg/m3 2 mg/m3 acce Value 1 mg/m3 2 mg/m3 2 mg/m3 | Form Inhalable fraction. Inhalable fraction. Form Inhalable fraction. |
| 2-[bis(2-hydroxyethyl)amino ethanol (CAS 102-71-6) Finland. Workplace Exposure Limits Components 2-[bis(2-hydroxyethyl)amino ethanol (CAS 102-71-6) Germany. DFG MAK List (advisory on the Work Area (DFG) Components 2-[bis(2-hydroxyethyl)amino ethanol (CAS 102-71-6) Organic acid Germany. TRGS 900, Limit Values in Components 2-[bis(2-hydroxyethyl)amino ethanol (CAS 102-71-6) Organic acid Celand. OELs. Regulation 154/1999 Components | STEL TWA S Type TWA OELs). Commission for the Inventor Type TWA TWA TWA TWA TWA An the Ambient Air at the Workpl Type AGW AGW On occupational exposure limit Type | 10 mg/m3 5 mg/m3 Value 5 mg/m3 estigation of Health Hazard Value 1 mg/m3 2 mg/m3 acce Value 1 mg/m3 2 mg/m3 2 mg/m3 2 mg/m3 | Form Inhalable fraction. Inhalable fraction. Form Inhalable fraction. |
| 2-[bis(2-hydroxyethyl)amino ethanol (CAS 102-71-6) Finland. Workplace Exposure Limits Components 2-[bis(2-hydroxyethyl)amino ethanol (CAS 102-71-6) Germany. DFG MAK List (advisory on the Work Area (DFG) Components 2-[bis(2-hydroxyethyl)amino ethanol (CAS 102-71-6) Organic acid Germany. TRGS 900, Limit Values in Components 2-[bis(2-hydroxyethyl)amino ethanol (CAS 102-71-6) Organic acid Celand. OELs. Regulation 154/1999 Components 2-[bis(2-hydroxyethyl)amino | STEL TWA S Type TWA OELs). Commission for the Inventor of th | 10 mg/m3 5 mg/m3 Value 5 mg/m3 estigation of Health Hazard Value 1 mg/m3 2 mg/m3 acce Value 1 mg/m3 2 mg/m3 2 mg/m3 | Form Inhalable fraction. Inhalable fraction. Form Inhalable fraction. |
| Components 2-[bis(2-hydroxyethyl)amino lethanol (CAS 102-71-6) Finland. Workplace Exposure Limits Components 2-[bis(2-hydroxyethyl)amino lethanol (CAS 102-71-6) Germany. DFG MAK List (advisory (in the Work Area (DFG)) Components 2-[bis(2-hydroxyethyl)amino lethanol (CAS 102-71-6) Organic acid Germany. TRGS 900, Limit Values in Components 2-[bis(2-hydroxyethyl)amino lethanol (CAS 102-71-6) Organic acid Iceland. OELs. Regulation 154/1999 Components 2-[bis(2-hydroxyethyl)amino lethanol (CAS 102-71-6) Ireland. Occupational Exposure Lim Components | STEL TWA S Type TWA OELs). Commission for the Inventor Type TWA TWA TWA TWA An the Ambient Air at the Workpl Type AGW AGW ON occupational exposure limit Type TWA | 10 mg/m3 5 mg/m3 Value 5 mg/m3 estigation of Health Hazard Value 1 mg/m3 2 mg/m3 acce Value 1 mg/m3 2 mg/m3 2 mg/m3 2 mg/m3 | Form Inhalable fraction. Inhalable fraction. Form Inhalable fraction. |

| Components | Туре | Value | | |
|--|------------------------------------|------------------------------|--------------------|--|
| 2-[bis(2-hydroxyethyl)amino ethanol (CAS 102-71-6) | TWA | 5 mg/m3 | 5 mg/m3 | |
| Lithuania. OELs. Limit Valu | es for Chemical Substances, Genei | ral Requirements | | |
| Components | Туре | Value | | |
| 2-[bis(2-hydroxyethyl)amino ethanol (CAS 102-71-6) | STEL | 10 mg/m3 | | |
| | TWA | 5 mg/m3 | | |
| Norway. Administrative Nor | ms for Contaminants in the Workpl | ace | | |
| Components | Туре | Value | | |
| 2-[bis(2-hydroxyethyl)amino lethanol (CAS 102-71-6) | TLV | 5 mg/m3 | 5 mg/m3 | |
| • | cupational exposure to chemical ag | gents (NP 1796) | | |
| Components | Туре | Value | | |
| 2-[bis(2-hydroxyethyl)amino lethanol (CAS 102-71-6) | TWA | 5 mg/m3 | | |
| Spain. Occupational Exposi | ure Limits | | | |
| Components | Туре | Value | | |
| 2-[bis(2-hydroxyethyl)amino ethanol (CAS 102-71-6) | TWA | 5 mg/m3 | | |
| Sweden. OELs. Work Enviro | onment Authority (AV), Occupationa | al Exposure Limit Values (AF | S 2015:7) | |
| Components | Туре | Value | | |
| 2-[bis(2-hydroxyethyl)amino lethanol (CAS 102-71-6) | STEL | 10 mg/m3 | | |
| | | 1,6 ppm | | |
| | TWA | 5 mg/m3 | | |
| | | 0,8 ppm | | |
| Switzerland. SUVA Grenzwe | rte am Arbeitsplatz | | | |
| Components | Туре | Value | Form | |
| 2-[bis(2-hydroxyethyl)amino lethanol (CAS 102-71-6) | STEL | 5 mg/m3 | Inhalable fraction | |
| | TWA | 5 mg/m3 | Inhalable fraction | |
| Organic acid | STEL | 4 mg/m3 | Inhalable fraction | |
| | TWA | 2 mg/m3 | Inhalable fraction | |

Biol

Rec

procedures

Derived no effect levels (DNELs)

General Population

| Components | Value | Assessment factor | Notes | |
|--|-------------|-------------------|------------------------------|--|
| 2-[bis(2-hydroxyethyl)amino]ethanol (CA | S 102-71-6) | | | |
| Long-term, Local, Inhalation | 0,4 mg/m3 | 36 | Repeated dose toxicity | |
| Long-term, Systemic, Dermal | 2,66 mg/kg | 100 | Repeated dose toxicity | |
| Salt of an Organic Acid (CAS Confidentia | al) | | | |
| Long-term, Local, Inhalation | 10 mg/m3 | | irritation respiratory tract | |
| Long-term, Systemic, Dermal | 24 mg/kg | 20 | Repeated dose toxicity | |
| Workers | | | | |
| Components | Value | Assessment factor | Notes | |
| 2-[bis(2-hydroxyethyl)amino]ethanol (CA | S 102-71-6) | | | |
| Long-term, Local, Inhalation | 1 mg/m3 | | Repeated dose toxicity | |
| Long-term, Systemic, Dermal | 7,5 mg/kg | 50 | Repeated dose toxicity | |
| Salt of an Organic Acid (CAS Confidentia | al) | | | |
| Long-term, Local, Inhalation | 10 mg/m3 | | irritation respiratory tract | |
| Long-term, Systemic, Dermal | 48 mg/kg | 10 | Repeated dose toxicity | |

Material name: EVAPO-RUST - Manufacturers

Predicted no effect concentrations (PNECs)

| Components | Value | Assessment facto | r Notes |
|--------------------------------------|----------------|------------------|---------|
| 2-[bis(2-hydroxyethyl)amino]ethanol | (CAS 102-71-6) | | |
| Freshwater | 0,32 mg/l | 50 | |
| Sediment (freshwater) | 1,7 mg/kg | | |
| Soil | 0,151 mg/kg | | |
| STP | 10 mg/l | 100 | |
| Salt of an Organic Acid (CAS Confide | ential) | | |
| Freshwater | 0,096 mg/l | 100 | |
| Secondary poisoning | 5,3 mg/kg | 90 | Oral |
| Sediment (freshwater) | 193 mg/kg | | |
| Soil | 14 mg/kg | 50 | |
| STP | 58 mg/l | 5 | |

8.2. Exposure controls

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information Personal protection equipment should be chosen according to the CEN standards and in

discussion with the supplier of the personal protective equipment.

Wear safety glasses with side shields (or goggles). Use eye protection conforming to EN 166. Eye/face protection

Skin protection

- Hand protection For incidental contact with the product wear chemical-resistant gloves (standard EN 374). The use

of disposable gloves is acceptable provided that they are changed immediately after a splash or

spill. Neoprene gloves are recommended.

- Other Wear suitable protective clothing.

Respiratory protection

Not necessary in normal use. Wear approved respirator if exposure likely to exceed MEL/OES.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

Environmental exposure

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply

with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to

acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid.

Colour Colourless to yellow.

Odour Neutral. Melting point/freezing point Not available.

Boiling point or initial boiling point and boiling range

> 100 °C (> 212 °F)

Not available. Flammability (solid, gas)

179,0 °C (354,2 °F) estimated Flash point 324 °C (615,2 °F) estimated Auto-ignition temperature

Not available. **Decomposition temperature**

5.5

Solubility(ies)

Solubility (water) Not available. Not available. Partition coefficient

(n-octanol/water)

0.00001 hPa estimated Vapour pressure

Not available. Vapour density Relative density 1,1 g/cm3 Not available. **Particle characteristics**

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

Explosive properties Not explosive. Not oxidising Oxidising properties

SECTION 10: Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. 10.1. Reactivity

Material is stable under normal conditions. 10.2. Chemical stability

Not available.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Contact with incompatible materials. 10.4. Conditions to avoid

10.5. Incompatible materials Strong oxidising agents.

decomposition products

10.6. Hazardous

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Eye contact

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Symptoms Exposure may cause temporary irritation, redness, or discomfort.

11.1. Information on toxicological effects

Based on available data, the classification criteria are not met. **Acute toxicity**

Product Species **Test Results**

EVAPO-RUST

Acute

Oral

ATEmix 28445,2 mg/kg

Test Results Components **Species**

Organic acid

Acute

Dermal

LD50 Rabbit > 2000 mg/kg

Oral

LD50 Mouse 5000 mg/kg

Salt of an Organic Acid

Acute

Dermal

LD50 Rabbit > 2000 mg/kg

Oral

LD50 Rat 940 mg/kg

Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. Respiratory sensitisation Based on available data, the classification criteria are not met. Skin sensitisation Based on available data, the classification criteria are not met. Germ cell mutagenicity

Carcinogenicity Based on available data, the classification criteria are not met.

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

Reproductive toxicity Based on available data, the classification criteria are not met. Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. Aspiration hazard

Mixture versus substance

information

Not available.

11.2. Information on other hazards

Endocrine disrupting

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

Other information Not available.

SECTION 12: Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the 12.1. Toxicity

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components **Species Test Results** Organic acid Aquatic Acute Crustacea LC50 Daphnia 1535 mg/l, 24 hours Fish LC50 Fish 440 mg/l, 48 hours Salt of an Organic Acid Aquatic Acute Algae EC50 Algae 9,16 mg/l, 96 hours EC50 370 - 380 mg/l, 48 hours Crustacea Daphnia

12.2. Persistence and degradability

Fish

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

> -1.64 Organic acid < -3.5 Salt of an Organic Acid

LC50

Bioconcentration factor (BCF) Not available. 12.4. Mobility in soil

12.5. Results of PBT and vPvB

assessment

No data available.

Fish

12.6. Endocrine disrupting

properties

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.

> 200 mg/l, 96 hours

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Dispose of contents/container in accordance with local/regional/national regulations. Empty Contaminated packaging

containers should be taken to an approved waste handling site for recycling or disposal.

The Waste code should be assigned in discussion between the user, the producer and the waste FU waste code

disposal company.

Disposal methods/information

Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Maritime transport in bulk Not established. according to IMO instruments

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as

amended.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert - Germany).

ATE: Acute Toxicity Estimate according to REGULATION (EC) No 1272/2008 (CLP).

CAS: Chemical Abstract Service.

Ceiling: Short Term Exposure Limit Ceiling value. CEN: European Committee for Standardization.

CLP: Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification,

labeling and packaging of substances and mixtures.

Material name: EVAPO-RUST - Manufacturers SDS FII BDS002697BU Version #: 1,0 Revision date: 06-April-2022 Issue date: 06-April-2022

GWP: Global Warming Potential.

IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MAK: Threshold limit values Germany (Maximale Arbeitsplatzkonzentration - DFG).

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

REACH: Registration, Evaluation and Authorization of Chemicals (REGULATION (EC) No 1907/2006 concerning Registration, Evaluation Authorization and Restriction of Chemicals). RID: Regulations concerning the international carriage of dangerous goods by rail (Règlement International concernant le transport de marchandises dangereuses par chemin de fer). RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average.

VLE: Exposure Limit Value.
VME: Exposure Average Value.
VOC: Volatile organic compounds.

vPvB: Very persistent and very bioaccumulative.

STEL: Short-term Exposure Limit.

methods and test data, if available.

References

Information on evaluation method leading to the classification of mixture

Full text of any H-statements not written out in full under Sections 2 to 15

H302 Harmful if swallowed.

H319 Causes serious eye irritation. H335 May cause respiratory irritation.

Revision information

Training information

Disclaimer

None.

Not available.

Follow training instructions when handling this material.

CRC Industries Europe byba cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC.

The classification for health and environmental hazards is derived by a combination of calculation

Material name: EVAPO-RUST - Manufacturers