

Revision date 11-Oct-2021

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

EVO-STIK THE DOG'S B*LL*CKS ADHESIVE AND

SEALANT WHITE

Supercedes Date: 31-Mar-2021 Revision Number 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name EVO-STIK THE DOG'S B*LL*CKS ADHESIVE AND SEALANT WHITE

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Sealant.
Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Company Name
Bostik Limited
Common Rd
ST16 3EH
Stafford UK

Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom +44 (1785) 272650

+353 (1) 8624900 (Monday- Friday 9am-5pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Signal word

None

Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

EU Specific Hazard Statements

EUH208 - Contains Trimethoxyvinylsilane & Octadecanoic acid, 12-hydroxy-, reaction products with ethylenediamine. May produce an allergic reaction

EUH210 - Safety data sheet available on request

2.3. Other hazards

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. May be harmful in contact with skin.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no

United Kingdom - BE Page 1 / 13

EVO-STIK THE DOG'S B*LL*CKS ADHESIVE AND

SEALANT WHITE

Supercedes Date: 31-Mar-2021 Revision Number 1.1

Revision date 11-Oct-2021

substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
Trimethoxyvinylsilane	220-449-8	2768-02-7	1- <2.5	Skin Sens. 1B (H317) Acute Tox. 4 (H332) Flam. Liq. 3 (H226)		01-2119513215- 52-XXXX
Octadecanoic acid, 12-hydroxy-, reaction products with ethylenediamine	309-629-8	100545-48-0	0.1 - <1	Skin Sens. 1B (H317)	Skin Sens. 1 :: C>=25%	01-2119979085- 27-XXXX
Titanium dioxide	236-675-5	13463-67-7	0.1 - <1	Carc. 2 (H351) i		01-2119489379- 17-XXXX
Bis(2,2,6,6-tetramethyl-4 -piperidyl) sebacate	258-207-9	52829-07-9	0.1 - <1	Eye Dam. 1 (H318) Repr. 2 (H361f) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)		01-2119537297- 32-XXXX

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice If medical advice is needed, have product container or label at hand.

Inhalation Remove to fresh air. If symptoms persist, call a doctor.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Get medical

attention if irritation develops and persists.

Skin contactWash skin with soap and water. In the case of skin irritation or allergic reactions see a

doctor.

United Kingdom - BE Page 2 / 13

EVO-STIK THE DOG'S B*LL*CKS ADHESIVE AND

SEALANT WHITE

Supercedes Date: 31-Mar-2021 **Revision Number** 1.1

Call a doctor immediately. Rinse mouth thoroughly with water. Never give anything by Ingestion

mouth to an unconscious person. Small amounts of toxic methanol are released by

Revision date 11-Oct-2021

hydrolysis.

4.2. Most important symptoms and effects, both acute and delayed

None known. **Symptoms**

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically. Small amounts of methanol (CAS 67-56-1) are formed by

hydrolysis and released upon curing.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Suitable Extinguishing Media

Unsuitable extinguishing media Full water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Thermal decomposition can lead to release of irritating gases and vapours.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO2). Silicon dioxide.

5.3. Advice for firefighters

Special protective equipment and Wear self contained breathing apparatus for fire fighting if necessary.

precautions for fire-fighters

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Ensure adequate ventilation. Do not get

in eyes, on skin, or on clothing.

Use personal protection recommended in Section 8. For emergency responders

6.2. Environmental precautions

Environmental precautions Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section

12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Use a non-combustible material like vermiculite, sand or earth to soak up the product

and place into a container for later disposal.

Take up mechanically, placing in appropriate containers for disposal. Methods for cleaning up

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

United Kingdom - BE Page 3 / 13

EVO-STIK THE DOG'S B*LL*CKS ADHESIVE AND

SEALANT WHITE

Supercedes Date: 31-Mar-2021 Revision Number 1.1

Revision date 11-Oct-2021

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation. Use personal protection equipment. Avoid contact with

skin, eyes or clothing.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and after

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Protect from moisture. Keep away from food, drink and animal feedingstuffs.

Recommended storage

temperature

Keep at temperatures between 10 and 35 °C.

7.3. Specific end use(s)

Specific use(s)

Sealant.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing

Chemical name	European Union	United Kingdom
Methyl alcohol	TWA: 200 ppm	TWA: 200 ppm
67-56-1	TWA: 260 mg/m ³	TWA: 266 mg/m ³
	*	STEL: 250 ppm
		STEL: 333 mg/m ³
		Sk*

Chemical name	European Union	Ireland	United Kingdom
Methyl alcohol	-	15 mg/L (urine - Methanol end of	-
67-56-1		shift)	

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)		
Trimethoxyvinylsilane (2768-02-7)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Systemic health effects Long term	Inhalation	27,6 mg/m³	
worker Systemic health effects Long term	Dermal	3,9 mg/kg bw/d	

Octadecanoic acid, 12-hydroxy-, reaction products with ethylenediamine (100545-48-0)			
Type	Exposure route	Derived No Effect Level	Safety factor

United Kingdom - BE Page 4/13

EVO-STIK THE DOG'S B*LL*CKS ADHESIVE AND SEALANT WHITE

Supercedes Date: 31-Mar-2021

Revision date 11-Oct-2021

Revision Number 1.1

		(DNEL)	
worker	Inhalation	3.35 mg/m³	
ong term			
ocal health effects			
itanium dioxide (13463-67-7	7		
ype	Exposure route	Derived No Effect Level	Safety factor
. , , , ,	Ελροσαίο τουτο	(DNEL)	Carety racio.
worker	Inhalation	10 mg/m³	
_ong term			
ocal health effects			
Dia/2.2.6.6 tatramethyl 4 mins	aridul) cabacata (52020.07	0)	
3is(2,2,6,6-tetramethyl-4-pipe Гуре	Exposure route	Derived No Effect Level	Safety factor
Турс	Exposure route	(DNEL)	Carety factor
worker	Inhalation	2.82 mg/m ³	
Short term			
ong term			
Systemic health effects	D I	4.0 //	
worker	Dermal	1.6 mg/kg	
Long term Systemic health effects			
Systemic nearth enects	I		
Derived No Effect Level (DNE			
Trimethoxyvinylsilane (2768-			
Туре	Exposure route	Derived No Effect Level	Safety factor
Consumer	Inhalation	(DNEL) 18,9 mg/m ³	
Systemic health effects	Illialation	10,9 mg/m²	
Long term			
Consumer	Dermal	7,8 mg/kg bw/d	
Systemic health effects			
Long term			
Consumer	Oral	0,3 mg/kg bw/d	
Systemic health effects			
Long term			
Octadecanoic acid. 12-hvdro	xv reaction products with	ethylenediamine (100545-48-0)	
Туре	Exposure route	Derived No Effect Level	Safety factor
21	<u> </u>	(DNEL)	
Consumer	Inhalation	0.83 mg/m³	
Long term			
Titanium dioxide (13463-67-7	ή.		
Type	Exposure route	Derived No Effect Level	Safety factor
. , , , ,	Expossio fouto	(DNEL)	Caroty labtor
	<u> </u>	700 mg/kg bw/d	
Consumer	Oral	700 mg/kg bw/a	
Long term	Oral	700 mg/kg bw/d	
Consumer Long term Systemic health effects	Oral	700 mg/kg bw/d	
Long term Systemic health effects			
Long term Systemic health effects Bis(2,2,6,6-tetramethyl-4-pipe	eridyl) sebacate (52829-07-	9)	Sofon forter
ong term Systemic health effects Bis(2,2,6,6-tetramethyl-4-pipe		9) Derived No Effect Level	Safety factor
Long term Systemic health effects Bis(2,2,6,6-tetramethyl-4-pipe Type	eridyl) sebacate (52829-07- Exposure route	Derived No Effect Level (DNEL)	Safety factor
Long term Systemic health effects Bis(2,2,6,6-tetramethyl-4-pipe Type Consumer	eridyl) sebacate (52829-07-	9) Derived No Effect Level	Safety factor
Long term Systemic health effects Bis(2,2,6,6-tetramethyl-4-pipe Type Consumer Long term	eridyl) sebacate (52829-07- Exposure route	Derived No Effect Level (DNEL)	Safety factor
Long term	eridyl) sebacate (52829-07- Exposure route	Derived No Effect Level (DNEL)	Safety factor

EVO-STIK THE DOG'S B*LL*CKS ADHESIVE AND

SEALANT WHITE

Supercedes Date: 31-Mar-2021 Revision Number 1.1

Revision date 11-Oct-2021

Systemic health effects

Predicted No Effect Concentration No information available. (PNEC)

Predicted No Effect Concentration (PNEC)	
Trimethoxyvinylsilane (2768-02-7)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.34 mg/l
Marine water	0.034 mg/l
Microorganisms in sewage treatment	110 mg/l

Titanium dioxide (13463-67-7)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Marine water	0.0184 mg/l
Freshwater sediment	1000 mg/kg
Freshwater	0.184 mg/l
Marine sediment	100 mg/kg
Soil	100 mg/kg
Microorganisms in sewage treatment	100 mg/l
Freshwater - intermittent	0.193 mg/l

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.018 mg/l
Marine water	0.0018 mg/l
Freshwater sediment	29 mg/kg
Marine sediment	2.9 mg/kg
Soil	5.9 mg/kg

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Eye protection must conform to

standard EN 166.

Hand protection Wear suitable gloves. Recommended Use:. Neoprene™. Nitrile rubber. Butyl rubber.

Glove thickness > 0.7mm. The breakthrough time for the mentioned glove material is in general greater than 480 min. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific

gloves. Gloves must conform to standard EN 374

Skin and body protection Suitable protective clothing.

Respiratory protection In case of inadequate ventilation wear respiratory protection. Wear a respirator

conforming to EN 140 with Type A/P2 filter or better.

Recommended filter type: Organic gases and vapours filter conforming to EN 14387. White. Brown.

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateSolidAppearancePasteColourWhiteOdourCharacteristic

Odour threshold No information available

United Kingdom - BE Page 6 / 13

EVO-STIK THE DOG'S B*LL*CKS ADHESIVE AND

SEALANT WHITE Supercedes Date: 31-Mar-2021

Revision date 11-Oct-2021

Revision Number 1.1

Values Remarks • Method **Property** рΗ No data available Insoluble in water

pH (as aqueous solution) No data available No data available

Not applicable Melting point / freezing point Not applicable Initial boiling point and boiling No data available

range

61 °C Flash point

No data available **Evaporation rate Flammability** No data available

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapour pressure No data available Relative vapour density No data available Relative density 1.4 - 1.6

Reacts with water Water solubility Solubility(ies) No data available **Partition coefficient** No data available **Autoignition temperature** No data available No data available **Decomposition temperature**

Kinematic viscosity No data available

Spindle 4 @ 1 rpm @ 23 °C Dynamic viscosity approx 9000 - 13000 Pa.s

No data available **Explosive properties Oxidising properties** No data available

9.2. Other information

Solid content (%) No information available

VOC Content (%) ca. 1.5 g/cm³ **Density**

SECTION 10: Stability and reactivity

10.1. Reactivity

Product cures with moisture. Reactivity

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical None.

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Product cures with moisture. Protect from moisture. Keep away from open flames, hot

surfaces and sources of ignition.

10.5. Incompatible materials

United Kingdom - BE Page 7/13

EVO-STIK THE DOG'S B*LL*CKS ADHESIVE AND

SEALANT WHITE

Supercedes Date: 31-Mar-2021 Revision Number 1.1

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition

None under normal use conditions. Small amounts of methanol (CAS 67-56-1) are

Revision date 11-Oct-2021

products formed by hydrolysis and released upon curing.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact Based on available data, the classification criteria are not met. May cause sensitisation

in susceptible persons.

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (dermal) 4,035.70 mg/kg ATEmix (inhalation-vapour) 864.50 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Trimethoxyvinylsilane 2768-02-7	LD50 = 7120 -7236 mg/kg (Rattus) OECD 401	= 3540 mg/kg (Oryctolagus cuniculus)	LC50 (4hr) 16.8 mg/l (Rattus) OECD TG 403
Octadecanoic acid, 12-hydroxy-, reaction products with ethylenediamine 100545-48-0	LD50 >2000 mg/kg (Rattus)		LC50 =5.05 mg/kg (Rattus)
Titanium dioxide 13463-67-7	>10000 mg/kg (Rattus)	LD50 > 10000 mg/Kg	>5 mg/l
Bis(2,2,6,6-tetramethyl-4-piperi dyl) sebacate 52829-07-9	LD50 (Rattus)> 2000 mg/kg OECD 423	LD50 (Rattus) > 3 170 mg/kg OECD 402	=500 mg/m³ (Rattus) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationBased on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

United Kingdom - BE Page 8 / 13

EVO-STIK THE DOG'S B*LL*CKS ADHESIVE AND

SEALANT WHITE

Supercedes Date: 31-Mar-2021 Revision Number 1.1

Respiratory or skin sensitisation

OECD Test No. 406: Skin Sensitisation. No sensitisation responses were observed. No classification is proposed, based on conclusive negative data. May cause sensitisation in susceptible persons.

Revision date 11-Oct-2021

Product Information			
Method	Species	Exposure route	Results
OECD Test No. 406: Skin	Guinea pig	Dermal	No sensitisation responses
Sensitisation			were observed

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Chemical name	European Union
Titanium dioxide 13463-67-7	Carc. 2

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Reproductive toxicityBased on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

	Chemical name	Algae/aquatic	Fish	Toxicity to	Crustacea	M-Factor	M-Factor
ı		plants		microorganisms			(long-term)
	Trimethoxyvinylsilane	EC 50 (72h) >	LC50 (96h) =	-	EC50(48hr)		
	2768-02-7	957 mg/l	191 mg/l		168.7mg/l		
		(Desmodesmus	(Oncorhynchus		(Daphnia		
L		subspicatus)	mykiss)		magna)		

United Kingdom - BE Page 9 / 13

EVO-STIK THE DOG'S B*LL*CKS ADHESIVE AND

SEALANT WHITE

Supercedes Date: 31-Mar-2021 Revision Number 1.1

Revision date 11-Oct-2021

	EU Method C.3				
Octadecanoic acid,	EL50 (72h)	LL50 (96h)	-	EL50 (48h)	
12-hydroxy-, reaction	>100 mg/L	>10mg/L		>10mg/L	
products with	Algae	(Onchohynchus		Daphnia	
ethylenediamine	(Pseudokirchner	mykiss)		(Daphnia	
100545-48-0	iella			magna)	
	subcapitata)				
Titanium dioxide	LC50 (96h)	-	-	-	
13463-67-7	>10000 mg/l				
	(Cyprinodon				
	variegatus)				
	OECD 203				
Bis(2,2,6,6-tetramethyl-	EC50 72Hr	LC50 (96h) =	-	LC50 48Hr 8.58	
4-piperidyl) sebacate	0.705 mg/l	5.29 mg/l		mg/l (Daphnia	
52829-07-9	(Pseudokirchner	(Oryzias latipes)		magna)	
	ella subcapitata)				

12.2. Persistence and degradability

Persistence and degradability No information available.

Component Information TrimethoxyvinyIsilane (2768-02-7)				
Method	Exposure time	Value	Results	
OECD Test No. 301F: Ready	28 days	BOD	51 % Not readily	
Biodegradability: Manometric	-		biodegradable	
Respirometry Test (TG 301 F)				

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)					
Method	Exposure time	Value	Results		
OECD Test No. 303: Simulation	28 days	Total organic carbon (TOC)	24 % Moderate		
Test - Aerobic Sewage Treatment	-				
A: Activated Sludge Units; B:					
Biofilms					

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

	Chemical name	Partition coefficient	Bioconcentration factor (BCF)
Trimethoxyvinylsilane		1.1	-
	2768-02-7		
	Bis(2,2,6,6-tetramethyl-4-piperidyl)	0.35	-
	sebacate		
	52829-07-9		

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment	
Trimethoxyvinylsilane	The substance is not PBT / vPvB	
2768-02-7		

United Kingdom - BE Page 10 / 13

EVO-STIK THE DOG'S B*LL*CKS ADHESIVE AND

SEALANT WHITE

Supercedes Date: 31-Mar-2021 Revision Number 1.1

Octadecanoic acid, 12-hydroxy-, reaction products with ethylenediamine 100545-48-0	The substance is not PBT / vPvB	
Titanium dioxide	The substance is not PBT / vPvB	
13463-67-7	PBT assessment does not apply	
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate 52829-07-9	The substance is not PBT / vPvB	

12.6. Other adverse effects

Other adverse effects No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

Uncured product should be disposed of as hazardous waste. Dispose of contents/container in accordance with local, regional, national, and international

Revision date 11-Oct-2021

regulations as applicable.

Contaminated packaging Handle contaminated packages in the same way as the product itself.

European Waste Catalogue 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1 UN number or ID numberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental hazardsNot applicable

14.6 Special Provisions None

IMDG

14.1 UN number or ID numberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Marine pollutantNP

14.5 Marine pollutant NP
14.6 Special Provisions None

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID numberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental hazardsNot applicable14.6 Special ProvisionsNone

Section 15: REGULATORY INFORMATION

United Kingdom - BE Page 11 / 13

EVO-STIK THE DOG'S B*LL*CKS ADHESIVE AND SEALANT WHITE

Supercedes Date: 31-Mar-2021 Revision Number 1.1

Revision date 11-Oct-2021

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No	Restricted substance per REACH Annex XVII
Dioctyltin oxide	870-08-6	20

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H226 - Flammable liquid and vapour

H317 - May cause an allergic skin reaction

H318 - Causes serious eve damage

H332 - Harmful if inhaled

H351 - Suspected of causing cancer

H361f - Suspected of damaging fertility

H400 - Very toxic to aquatic life

H411 - Toxic to aquatic life with long lasting effects

United Kingdom - BE Page 12/13

EVO-STIK THE DOG'S B*LL*CKS ADHESIVE AND

SEALANT WHITE

Supercedes Date: 31-Mar-2021 Revision Number 1.1

Revision date 11-Oct-2021

Legend

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Ceiling Limit Value
* Skin designation

SVHC Substance(s) of Very High Concern

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

EWC European Waste Catalogue

Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 11-Oct-2021

Indication of changes

Revision note SDS sections updated: 3, 9, 16.

Training Advice No information available

Further information No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

United Kingdom - BE Page 13 / 13