

SAFETY DATA SHEET
(TOOLSTATION - FLUME) NSF CORROSION INHIBITOR

Page: 1
Compilation date: 17.06.2025
Revision date: 17.06.2025
Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: (TOOLSTATION - FLUME) NSF CORROSION INHIBITOR

Product code: AE917

Synonyms: FLUME - AE917

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Water based corrosion inhibitor.

1.3. Details of the supplier of the safety data sheet

Company name: TOOLSTATION LIMITED

Part of Travis Perkins Trading Company

Ryehill House,
Northampton,
NN5 7UA

Contact: <https://www.toolstation.com/contact>

1.4. Emergency telephone number

Emergency Contact: <https://www.toolstation.com/contact>

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Skin Irrit. 2: H315; Eye Irrit. 2: H319

Most important adverse effects: Causes skin irritation. Causes serious eye irritation.

2.2. Label elements

Label elements:

Hazard statements: H315: Causes skin irritation.

H319: Causes serious eye irritation.

Hazard pictograms: GHS07: Exclamation mark



SAFETY DATA SHEET
(TOOLSTATION - FLUME) NSF CORROSION INHIBITOR

Page: 2

Signal words: Warning

Precautionary statements: P102: Keep out of reach of children.

P260: Do not breathe spray.

P262: Do not get in eyes, on skin, or on clothing.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P302+P350: IF ON SKIN: Gently wash with plenty of soap and water.

Haz. ingredients (label): Contains:

BENZOTRIAZOLE

TETRAPOTASSIUM PYROPHOSPHATE

2.3. Other hazards

Other hazards: Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII. This mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or at a concentration of 0,1 % or more, no endocrine disrupting properties have been observed according to the criteria laid down in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

MONO PROPYLENE GLYCOL - REACH registered number(s): 01-2119456809-23-XXXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent
200-338-0	57-55-6	Substance with a Community workplace exposure limit.	-	1-10%

TRIETHANOLAMINE - REACH registered number(s): 01-2119486482-31-XXXX

203-049-8	102-71-6	Substance with a Community workplace exposure limit.	-	1-10%
-----------	----------	--	---	-------

TETRAPOTASSIUM PYROPHOSPHATE - REACH registered number(s): 01-2119489369-18-XXXX

230-785-7	7320-34-5	-	Eye Irrit. 2: H319	1-10%
-----------	-----------	---	--------------------	-------

[cont...]

SAFETY DATA SHEET
(TOOLSTATION - FLUME) NSF CORROSION INHIBITOR

Page: 3

BENZOTRIAZOLE - REACH registered number(s): 01-2119979079-20-XXXX

202-394-1	95-14-7	-	Acute Tox. 4: H302+H312+H332; Eye Irrit. 2: H319	1-10%
-----------	---------	---	--	-------

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water.

Inhalation: Move to fresh air in case of accidental inhalation of vapours.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes. Water based product. Advice relates to dry residues after water has evaporated.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding. Warning relates to a large spillage, not a single bottle.

[cont...]

SAFETY DATA SHEET
(TOOLSTATION - FLUME) NSF CORROSION INHIBITOR

Page: 4

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Single bottle spillage: wash down the drain with a large amount of water. Wash the spillage site with large amounts of water.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.
Do not handle in a confined space. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

MONO PROPYLENE GLYCOL

Workplace exposure limits:

Respirable dust:

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	150 ppm	No standard	-	-

TRIETHANOLAMINE

UK	5 mg/m3 (no std.)	-	-	-
----	-------------------	---	---	---

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Respiratory protection not required.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Section 9: Physical and chemical properties

[cont...]

SAFETY DATA SHEET
(TOOLSTATION - FLUME) NSF CORROSION INHIBITOR

Page: 5

9.1. Information on basic physical and chemical properties

State:	Liquid	
Colour:	Clear, Almost Colourless Liquid	
Odour:	Faint aromatic	
Evaporation rate:	Slow	
Solubility in water:	Highly soluble	
Viscosity:	Non-viscous	
Boiling point/range°C:	100	Melting point/range°C: 0
Flammability limits %: lower:	Not applicable.	upper: Not applicable.
Flash point°C:	Not applicable.	Part.coeff. n-octanol/water: No data available.
Autoflammability°C:	Not applicable.	Vapour pressure: Not applicable.
Relative density:	1.075 - 1.095	pH: 8.0 - 9.0
VOC g/l:	0	

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.
Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat. Temperatures below 5 Degrees Celcius

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

[cont...]

SAFETY DATA SHEET
(TOOLSTATION - FLUME) NSF CORROSION INHIBITOR

Page: 6

Hazardous ingredients:

MONO PROPYLENE GLYCOL

ORL	RAT	LD50	>5000	mg/Kg
-----	-----	------	-------	-------

TRIETHANOLAMINE

ORL	RAT	LD50	>2	g/kg
SKN	RBT	LD50	>10	g/kg

TETRAPOTASSIUM PYROPHOSPHATE

ORL	RBT	LD50	>2000	mg/kg
-----	-----	------	-------	-------

BENZOTRIAZOLE

DERMAL	RAT	LD50	>2000	mg/kg
ORAL	RAT	LD50	560	mg/kg

Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

TRIETHANOLAMINE

FISH	48H EC50	1390	mg/l
FISH	96H LC50	>5000	mg/l

TETRAPOTASSIUM PYROPHOSPHATE

RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	100	mg/l
-------------------------------------	----------	-----	------

[cont...]

SAFETY DATA SHEET
(TOOLSTATION - FLUME) NSF CORROSION INHIBITOR

Page: 7

BENZOTRIAZOLE

ZEBRAFISH (Brachydanio rerio)	96H LC50	>100	mg/l
-------------------------------	----------	------	------

12.2. Persistence and degradability

Persistence and degradability: Biodegradable. The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil. Volatile. Soluble in water.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: The product will not be dangerous to the environment when diluted in waste water systems and may be disposed of as low-hazard chemical waste within the scope of national and local regulations/permits.

Recovery operations: Not applicable.

Waste code number: 20 01 30

Disposal of packaging: Clean with water. Recycle container where permitted. Disposal of waste containers must be done in accordance with local and / or national regulations.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: This product is not, nor does it contain a persistent organic pollutant (POP) according to Regulation (EC) 2019/1021 and subsequent revisions. This product is not, nor does it contain any candidate on the REACH SVHC list according to Regulation (EC) 2006/1907 and subsequent revisions. This product is not, nor does it contain, any candidate on the Endocrine Disruptor list, and any subsequent revisions, classified for human health cat 2 or environmental cat 2, in accordance with EC1272/2008 (amended 2022)

[cont...]

SAFETY DATA SHEET
(TOOLSTATION - FLUME) NSF CORROSION INHIBITOR

Page: 8

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No. 2020/878.

IMPORTANT NOTE:

Risk phrases in this section below relate to the INDIVIDUAL COMPONENTS in the formulation when used at their FULL CONCENTRATIONS, and not at the reduced levels in the mixed product.

See sections 2 and 3 for the calculated hazard and risk phrases for the blended product.

Phrases used in s.2 and s.3: H302+H312+H332: Harmful if swallowed, in contact with skin or if inhaled

H315: Causes skin irritation.

H319: Causes serious eye irritation.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product. For professional and industrial use only.