

Printing date 28.02.2022

Version number 5 (replaces version 4)

Revision: 01.07.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

[•] Trade name: Ultra Foam Cleaner RM 615

1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

* Application of the substance / the mixture Car shampoo

1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier:

Alfred Kärcher SE & Co. KG Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

Kärcher (UK) Ltd. Kärcher House Brookhill Way Banbury Oxon OX16 3ED Great Britain Tel.: +44-1295-752-000

Internet: www.karcher.com

[•] Further information obtainable from:

Department CSD-D Tel.: +49-7195-14-0 productsafety.management@de.kaercher.com

1.4 Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

Version number 5 (replaces version 4)

Revision: 01.07.2021

Trade name: Ultra Foam Cleaner RM 615

KARCHER

Printing date 28.02.2022

	(Contd. of pag
Hazard pictog	rams
\wedge	
\mathbf{X}	
GHS05	
011000	
Signal word D	anger
Hazard-detern	nining components of labelling:
sodium lauryl e	
Hazard statem	
H315 Causes s	
	erious eye damage.
Precautionary	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P264	Wash hands thoroughly after handling.
P280	Wear protective gloves / eye protection / face protection.
P302+P352	
	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and
	easy to do. Continue rinsing.
P310	
	Immediately call a POISON CENTER/doctor. If skin irritation occurs: Get medical advice/attention.

• **PBT:** Not applicable. • **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

[•] 3.2 Mixtures

· Description: Cleaning agent

[•] Dangerous components:

CAS: 68891-38-3	sodium lauryl ether sulfate	≥20-<25%
	Eye Dam. 1, H318; Skin Irrit. 2, H315; Aquatic Chronic 3, H412 Specific concentration limits: Eye Dam. 1; H318: C ≥ 10 % Eye Irrit. 2; H319: 5 % ≤ C < 10 %	
CAS: 78330-20-8	fatty alcohol ethoxylate	1%
Regulation (EC) No 648/2004	on detergents / Labelling for contents	
anionic surfactants		≥15 - <30%
non-ionic surfactants		<5%
perfumes, preservation agents (PH	IENOXYETHANOL, BENZISOTHIAZOLINONE)	
		(Contd. on page

Version number 5 (replaces version 4)

Revision: 01.07.2021

Printing date 28.02.2022

Trade name: Ultra Foam Cleaner RM 615

(Contd. of page 2)

• Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · General information Involve doctor immediately.

After inhalation

In case of unconsciousness place patient stably in side position for transportation. Supply fresh air; consult doctor in case of complaints.

• After skin contact

Immediately wash with water and soap and rinse thoroughly. Immediately rinse with water.

• After eye contact Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing

Rinse out mouth and then drink plenty of water. If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents

Water sprav

Use fire extinguishing methods suitable to surrounding conditions.

• For safety reasons unsuitable extinguishing agents Water with full jet.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

• Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Not required.

6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.



Version number 5 (replaces version 4)

Printing date 28.02.2022

Trade name: Ultra Foam Cleaner RM 615

(Contd. of page 3)

• **6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders). Ensure adequate ventilation.

[•] 6.4 Reference to other sections

See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Avoid contact with eyes and skin.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

- Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Keep away from food, beverages and feed.
- Further information about storage conditions:

Protect from frost.

Store under lock and key and out of the reach of children.

Keep receptacle tightly sealed.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

[•] 8.1 Control parameters

[•] Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

[•] 8.2 Exposure controls

- Appropriate engineering controls No further data; see item 7.
- [•] Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Respiratory protection:

Use suitable respiratory protective device only when aerosol or mist is formed.

Short term filter device:



Revision: 01.07.2021

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.02.2022

KARCHER

Version number 5 (replaces version 4)

Revision: 01.07.2021

Trade name: Ultra Foam Cleaner RM 615

(Contd. of page 4)

Filter A/P2.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use selfcontained respiratory protective device.

Not necessary if room is well-ventilated.

· Hand protection

- * chemical resistant protective gloves (EN 374)
- The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves.

· Material of gloves Butyl rubber, BR

- Penetration time of glove material
- The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- For the permanent contact gloves made of the following materials are suitable:
- * butyl rubber 0,7 mm, 480 min (EN 374)
- As protection from splashes gloves made of the following materials are suitable:
- * nitril rubber 0,4 mm, 30 min (EN 374)
- · Eye/face protection



Tightly sealed goggles (EN 166)

SECTION 9: Physical and chemical properties
9.1 Information on basic physical and chemical properties

General Information		
[·] Physical state	Fluid	
· Colour:	Blue	
· Odour:	citrus-like	
· Odour threshold:	Not determined.	
 Melting point/freezing point: 	-1 °C	
Boiling point or initial boiling point and boiling range	100 °C	
· Flammability	Not applicable.	
Lower and upper explosion limit		
· Lower:	Not determined.	
· Upper:	Not determined.	
[·] Flash point:	Not applicable	
 Auto-ignition temperature: 	Product is not selfigniting.	
 Decomposition temperature: 	Not determined.	
· pH at 20 °C	9	
· pH-value 1 %:	7-9	
		(Contd

(Contd. on page 6)

GE

Printing date 28.02.2022

KARCHER

Version number 5 (replaces version 4)

Revision: 01.07.2021

Trade name: Ultra Foam Cleaner RM 615

	(Contd. of page 5
· Viscosity:	
· Kinematic viscosity	Not determined.
· dynamic at 20 °C:	20 mPas
· Solubility	
· Water:	Fully miscible
 Partition coefficient n-octanol/water (log value) 	Not determined.
· Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	1.033 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health and	
environment, and on safety.	
Ignition temperature:	not applicable
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	riduct does not present an explosion nazard.
Solids content:	24.0 %
Change in condition	24:0 /0
Evaporation rate	Not determined.
•	
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases	
in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity corresponds to 10.3

(Contd. on page 7)

– GB –

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.02.2022

KARCHER

Version number 5 (replaces version 4)

Revision: 01.07.2021

Trade name: Ultra Foam Cleaner RM 615

(Contd. of page 6)

- [•] 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- * 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- * 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
 Acute toxicity
- · LD/LC50 values relevant for classification:
- 78330-20-8 fatty alcohol ethoxylate
- Oral ATE 500 mg/kg (Rat)
- Skin corrosion/irritation Causes skin irritation.
- * Serious eye damage/irritation Causes serious eye damage.
- 11.2 Information on other hazards
- Endocrine disrupting properties
- None of the ingredients is listed.

SECTION 12: Ecological information

[•] 12.1 Toxicity

• Aquatic toxicity	y:
68891-38-3 sodiı	um lauryl ether sulfate
LC50/96 h	>1-10 mg/l (Brachydanio rerio) (OECD 203)
EC50/48 h	>1-10 mg/l (Daphnia magna) (OECD 202)
EC50/72 h	>10-100 mg/l (Algae) (OECD 201)
EC50 (static)	>10,000 mg/l (Pseudomonas putida)
NOEC (dynamic)	0.27 mg/l /(21 d) (Daphnia magna) (OECD 211)
	0.14 mg/l /(28 d) (Oncorhynchus mykiss) (OECD 204)
78330-20-8 fatty	alcohol ethoxylate
LC50/96 h	>10-100 mg/l (Leuciscus idus)
EC50/48 h	>10-<100 mg/l (Aquatic invertebrates)
EC50/72 h	>10-<100 mg/l (Aquatic plants)

• **12.2 Persistence and degradability** No further relevant information available.

(Contd. on page 8)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.02.2022

KARCHER

Version number 5 (replaces version 4)

Revision: 01.07.2021

Trade name: Ultra Foam Cleaner RM 615

(Contd. of page 7)

• **Other information:** The product is biodegradable.

* 12.3 Bioaccumulative potential No further relevant information available.

• **12.4 Mobility in soil** No further relevant information available.

12.5 Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.

¹12.7 Other adverse effects

- [•] Additional ecological information:
- · COD-value: 630000 mg/l
- · General notes:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

The product does not contain organic complexing agents.

The product does not contain organically bounded halogens (AOX-free).

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

[·] Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

European waste catalogue

20 01 29* detergents containing hazardous substances

[·] Uncleaned packaging:

- · Recommendation: Non contaminated packagings may be recycled.
- Recommended cleansing agents: Water, if necessary together with cleaning agents.

SECTION 14: Transport information

[•] 14.1 UN number or ID number [•] ADR, ADN, IMDG, IATA

Void

- GB —



Printing date 28.02.2022

Version number 5 (replaces version 4)

Revision: 01.07.2021

Trade name: Ultra Foam Cleaner RM 615

		(Contd. of pag
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
ADR, ADN, INIDO, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR, IMDG, IATA	Void	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk accordir	ng to IMO	
instruments	Not applicable.	
UN "Model Regulation":	Void	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

[·] Directive 2012/18/EU

• Named dangerous substances - ANNEX I None of the ingredients is listed.

[•] National regulations

· Information about limitation of use: Employment restrictions concerning juveniles must be observed.

* 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. A product information sheet can be provided if requested.

· Relevant phrases

H302 Harmful if swallowed.H315 Causes skin irritation.H318 Causes serious eye damage.H412 Harmful to aquatic life with long lasting effects.

· Department issuing SDS: CSD-D

[·] Contact:

Department CSD-D Tel.: +49-7195-14-0 productsafety.management@de.kaercher.com

GB

Version number 5 (replaces version 4)

Revision: 01.07.2021

Printing date 28.02.2022

KARCHER

Trade name: Ultra Foam Cleaner RM 615

(Contd. of page 9)

GB

Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 ** Data compared to the previous version altered. . 0.011-124.0 RM 615/5 2.256