

SAFETY DATA SHEET

SCRUBB Heavy Duty Cleaner & Degreaser Concentrate

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Trade name: SCRUBB Heavy Duty Cleaner & Degreaser Concentrate

Product no.: G1

Unique formula identifier

(UFI):

S360-80PP-M009-1TH3

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of Cleaning product

the substance or mixture:

Uses advised against: None known.

1.3. Details of the supplier of the safety data sheet

Company and address: Orca Hygiene

Blackhouse Circle,

Blackhouse Industrial Estate.

AB42 1BN Peterhead United Kingdom

Tel: +44 (0)1779 871945

E-mail: technical@orcahygiene.com

Revision: 31/07/2023

SDS Version: 1.0

1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).

See section 4 "First aid measures".

SECTION 2: HAZARDS IDENTIFICATION

Classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

2.1. Classification of the substance or mixture

Skin Corr. 1; H314, Causes severe skin burns and eye damage. Skin Sens. 1; H317, May cause an allergic skin reaction.

2.2. Label elements

Hazard pictogram(s):



Signal word: Danger

Hazard statement(s): Causes severe skin burns and eye damage. (H314)



May cause an allergic skin reaction. (H317)

Precautionary statement(s):

General: Keep out of reach of children. (P102)

If medical advice is needed, have product container or label at hand.

(P101)

Prevention: Do not breathe vapour/mist. (P260)

Wear eye protection/protective gloves. (P280)

Response: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water . (P303+P361+P353)

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

(P305+P351+P338)

Storage: Store locked up. (P405)

Disposal: Dispose of contents/container in accordance with local regulation (P501)

Hazardous substances: Alcohols, C9-11, ethoxylated

(R)-p-mentha-1,8-diene

Additional labelling: UFI: S360-80PP-M009-1TH3

2.3. Other hazards

Additional warnings: This mixture/product does not contain any substances considered to

meet the criteria classifying them as PBT and/or vPvB.

This product does not contain any substances considered to be endocrine

disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
2-(2- butoxyethoxy)ethanol;dieth ylene glycol monobutyl ether	CAS No.: 112-34-5 EC No.: 203-961-6 UK-REACH: Index No.: 603-096-00-8	5-10%	Eye Irrit. 2, H319	[1], [3]
Isotridecanol, ethoxylated	CAS No.: 9043-30-5 EC No.: 500-027-2 UK-REACH: Exempt: Polymer Index No.:	3-5%	Acute Tox. 4, H302 Eye Dam. 1, H318	
Alcohols, C9-11, ethoxylated	CAS No.: 68439-46-3 EC No.: 614-482-0 UK-REACH: Exempt: Polymer Index No.:	1-3%	Acute Tox. 4, H302 Eye Dam. 1, H318	[19]
(R)-p-mentha-1,8-diene	CAS No.: 5989-27-5 EC No.: 227-813-5 UK-REACH: Index No.: 601-029-00-7	1-3%	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=1)	[9]



	Aquatic Chronic 1, H410 (M=1)	
--	-------------------------------	--

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

- [1] European occupational exposure limit.
- [3] According to UK REACH, Annex XVII, the substance is subject to restrictions.
- [9] Identified by EU as one of 26 specific fragrance ingredients, known to cause allergic contact dermatitis (Regulation (EC) No 1223/2009 on cosmetic products)
- [19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

<u>Labelling of contents according to Detergents Regulation (EC) No 648/2004 as retained and amended in UK law</u>

5% - 15%

- · Non-ionic surfactants
- < 5%
- · Aliphatic hydrocarbons
- · Perfumes (D-LIMONENE)

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General information: In the case of accident: Contact a doctor or casualty department – take the

label or this safety data sheet.

Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other

drink.

Inhalation: Upon breathing difficulties or irritation of the respiratory tract: Bring the

person into fresh air and stay with him/her.

Skin contact: Flush exposed area with water for a long time - at least 30 minutes. It may

be necessary to flush for several hours. Use a comfortable water temperature (20-30 °C). Contact Poison Information/doctor/hospital for

further advice on follow-up and treatment.

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used.

DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

Eye contact: If in eyes: Flush eyes with plenty of water or salt water (20-30 °C) for at

least 30 minutes and continue until irritation stops. Remove contact lenses. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.

Ingestion: In the case of ingestion, contact a doctor immediately. If the person is

conscious, give them water. DO NOT try to induce vomiting unless this is recommended by a doctor. Hold head facing down to prevent vomit from returning to the mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If unconscious, roll the injured person into recovery position. Call

an ambulance.

Burns: Not applicable.



4.2. Most important symptoms and effects, both acute and delayed

Sensitisation: This product contains substances, which may trigger allergic reaction upon dermal contact. Manifestation of allergic reactions typically takes place within 12-72 hours after exposure. Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Nitrogen oxides (NO_x)

Carbon oxides (CO / CO2)

Some metal oxides

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: HANDLING AND STORAGE



7.1. Precautions for safe handling

Avoid direct contact with the product.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage

material:

Always store in containers of the same material as the original container.

Storage temperature: No specific requirements

Incompatible materials: Strong acids, strong bases, strong oxidizing agents, and strong reducing

agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

No substances are listed in the national list of substances with an occupational exposure limit.

DNEL

(R)-p-mentha-1,8-diene

<u>, , , , , , , , , , , , , , , , , , , </u>			
Duration:	Route of exposure:	DNEL:	
Long term – Systemic effects - General population	Dermal	4.8 mg/kg bw/day	
Long term – Systemic effects - Workers	Dermal	9.5 mg/kg bw/day	
Long term – Systemic effects - General population	Inhalation	16.6 mg/m³	
Long term – Systemic effects - Workers	Inhalation	66.7 mg/m³	
Long term – Systemic effects - General population	Oral	4.8 mg/kg bw/day	

Alcohols, C9-11, ethoxylated

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - Workers	Dermal	2080 mg/kg bw/day
Long term – Systemic effects - Workers	Inhalation	294 mg/m³

PNEC

Alcohols, C9-11, ethoxylated

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		103.79 μg/L
Freshwater sediment		13.7 mg/kg
Intermittent release (freshwater)		14 μg/L
Marine water		103.79 μg/L
Marine water sediment		13.7 mg/kg
Sewage treatment plant		1.4 mg/L
Soil		1 mg/kg

8.2. Exposure controls

Control is unnecessary if the product is used as intended.

General recommendations: Smoking, drinking and consumption of food is not allowed in the work



area.

Exposure scenarios: There are no exposure scenarios implemented for this product.

Exposure limits: Occupational exposure limits have not been defined for the substances in

this product.

Appropriate technical

measures:

Apply standard precautions during use of the product. Avoid inhalation of

vapours.

Hygiene measures: In between use of the product and at the end of the working day all

exposed areas of the body must be washed thoroughly. Always wash

hands, forearms and face.

Measures to avoid

Keep damming materials near the workplace. If possible, collect spillage

environmental exposure: during work.

Individual protection measures, such as personal protective equipment

Generally: Wash contaminated clothing before reuse.

Use only UKCA marked protective equipment.

Respiratory Equipment:No specific requirements

Skin protection:

No specific requirements.

Hand protection:

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Gloves	-	-	EN374	

Eve protection:

Туре	Standards	
Safety glasses	EN166	

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. <u>Information on basic physical and chemical properties</u>

Physical state:LiquidColour:ColourlessOdour / Odour threshold:Pleasant

Density (g/cm³): Testing not relevant or not possible due to the nature of the product.

Relative density: 1 (20 °C)

Kinematic viscosity: Testing not relevant or not possible due to the nature of the product.

Particle characteristics: Does not apply to liquids.

12.5

Phase changes

pH:

Melting point/Freezing Testing not relevant or not possible due to the nature of the product.



point (°C):

Softening point/range (waxes and pastes) (°C): Does not apply to liquids.

Testing not relevant or not possible due to the nature of the product. Boiling point (°C): Vapour pressure: Testing not relevant or not possible due to the nature of the product. **Relative vapour density:** Testing not relevant or not possible due to the nature of the product. **Decomposition**

temperature (°C):

Testing not relevant or not possible due to the nature of the product.

Data on fire and explosion hazards

Flash point (°C): Testing not relevant or not possible due to the nature of the product. Flammability (°C): Testing not relevant or not possible due to the nature of the product. Testing not relevant or not possible due to the nature of the product.

Auto-ignition temperature

limit (% v/v):

Lower and upper explosion Testing not relevant or not possible due to the nature of the product.

Solubility

Solubility in water: Testing not relevant or not possible due to the nature of the product. **n-octanol/water coefficient:** Testing not relevant or not possible due to the nature of the product. Solubility in fat (q/L): Testing not relevant or not possible due to the nature of the product.

9.2. Other information

> Oxidizing properties: Testing not relevant or not possible due to the nature of the product.

Other physical and chemical parameters: No data available.

SECTION 10: STABILITY AND REACTIVITY

<u>10.1.</u> **Reactivity**

No data available.

10.2. **Chemical stability**

The product is stable under the conditions, noted in section 7 "Handling and storage".

Possibility of hazardous reactions 10.3.

None known.

<u>10.4.</u> **Conditions to avoid**

None known.

Incompatible materials <u>10.5.</u>

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

Hazardous decomposition products 10.6.

The product is not degraded when used as specified in section 1.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and 11.1.



amended in UK law

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

Endocrine disrupting properties

Not applicable.

Other information

None known.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

No data available.

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them



as PBT and/or vPvB.

12.6. Endocrine disrupting properties

Not applicable.

12.7. Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

This product contains substances, which may cause adverse long-term effects to the aquatic environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product is covered by the regulations on hazardous waste.

HP 8 - Corrosive

Dispose of contents/container to an approved waste disposal plant.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code

Not applicable.

Specific labelling

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: TRANSPORT INFORMATION

		14.2 UN proper shipping name	14.3 Hazard class(es)	1	ı	Other information:
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

^{*} Packing group

Additional information

Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application: People under the age of 18 shall not be exposed to this product.

Demands for specific No specific requirements.

education:

^{**} Environmental hazards



SEVESO - Categories / dangerous substances:

Not applicable.

UK-REACH, Annex XVII

2-(2-butoxyethoxy)ethanol;diethylene glycol monobutyl ether is subject to restrictions, UK-REACH annex XVII (entry 55).

Additional information: The surfactant(s) contained in this preparation complies(comply) with the

biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request

or at the request of a detergent manufacturer.

Tactile warning.

If this product is sold in retail, it must be delivered with child-resistant

fastening.

Sources: The Management of Health and Safety at Work Regulations 1999.

Regulation (EC) No 648/2004 on detergents as retained and amended in

UK law.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained

and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law. Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and

amended in UK law.

15.2. Chemical safety assessment

No

SECTION 16: OTHER INFORMATION

Full text of H-phrases as mentioned in section 3

H226, Flammable liquid and vapour.

H302, Harmful if swallowed.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H318, Causes serious eye damage.

H319, Causes serious eve irritation.

H400, Very toxic to aquatic life.

H410, Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances



ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the

Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law. The classification of the substance/mixture in regard of skin corrosion and serious eye damage is based on the pH-criterion given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The safety data sheet is validated by

Orca Hygiene Ltd

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en