Sika FastFix-125



Version 5.0	Revision Date: 2021/10/31	SDS Number: 000000613520	Date of last issue: 2019/10/14 Date of first issue: 2017/12/04
Section 1:	Identification		
Produ	ct name	Sika FastFix-125	
Produ	ct code	: 000000613520	
Manu	facturer or supplier's o	details	
Company		: Sika (NZ) Ltd. 85-91 Patiki Road Avondale Auckland AKL 1026	
Telepl Emerg	hone gency telephone num-	: +64 9 820 2900 : 0800 734 607	
ber			
Telefa	IX	: +64 9 828 4091	
E-mail address		: info@nz.sika.com	

Section 2: Hazard identification

Skin irritation:6.3BSerious eye damage:8.3ASkin sensitisation:6.5BGHS label elements Hazard pictograms:Image: Constraints of the second	GHS Classification		
Skin sensitisation : 6.5B GHS label elements :		:	6.3B
GHS label elements Hazard pictograms : Signal word : Hazard statements : Precautionary statements : Precention: P261 Avoid breathing dust. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/ eye protection/ face protection. P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P304 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor/ physi-	Serious eye damage	:	8.3A
Hazard pictograms:Hazard pictograms:Signal word:DangerHazard statements:H316 Causes mild skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage.Precautionary statements:Precautionary statements:P261 Avoid breathing dust. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/ eye protection/ face protection.Response: P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor/ physi-	Skin sensitisation	:	6.5B
Hazard statements : H316 Causes mild skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. Precautionary statements : Prevention: P261 Avoid breathing dust. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/ eye protection/ face protection. Response: P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor/ physi-		:	
H317 May cause an allergic skin reaction. H318 Causes serious eye damage. Precautionary statements : Prevention: P261 Avoid breathing dust. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/ eye protection/ face protection. Response: P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor/ physi-	Signal word	:	Danger
 Prevention: P261 Avoid breathing dust. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/ eye protection/ face protection. Response: P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor/ physi- 	Hazard statements	:	H317 May cause an allergic skin reaction.
easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor/ physi-	Precautionary statements :		 P261 Avoid breathing dust. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/ eye protection/ face protection. Response: P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water
1/9			easy to do. Continue rinsing.
			1/9

Sika FastFix-125



Version 5.0	Revision Date: 2021/10/31	SDS Number: 000000613520	Date of last issue: 2019/10/14 Date of first issue: 2017/12/04			
		on this label).	see supplemental first aid instructions on or rash occurs: Get medical ad- clothing before reuse.			
		Disposal:				
		P501 Dispose of contents, disposal plant.	/ container to an approved waste			
Other	hazards which do not	result in classification				

None known.

Section 3: Composition/information on ingredients

Substance / Mixture	:	Mixture
---------------------	---	---------

Components

Chemical name	CAS-No.	Concentration (% w/w)
Quartz (SiO2)	14808-60-7	>= 50 -< 70
plaster of paris	26499-65-0	>= 1 -< 10
Cement, portland, chemicals	65997-15-1	>= 1 -< 10
Calcium sulfate hemihydrate	10034-76-1	>= 1 -< 10

Section 4: First-aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Obtain medical attention.

Sika FastFix-125



Vers 5.0	ion Revision Date: 2021/10/31		SDS Number: Date of last issue: 2019/10/ 000000613520 Date of first issue: 2017/12/		
	Most important symptoms and effects, both acute and delayed		sensitising effects Allergic reactions Excessive lachrymation See Section 11 for more detailed information on health effects and symptoms. Causes mild skin irritation. May cause an allergic skin reaction. Causes serious eye damage.		
	Notes to physician		Treat symptomatically.		
Sec	tion 5: Fire-fighting measure	es			
	Suitable extinguishing media :		Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.		
	Hazardous combustion prod- ucts	: No hazardous combustion products are known		products are known	
	Specific extinguishing meth- ods	: Standard procedure for chemical fires.		mical fires.	
	Special protective equipment : for firefighters		In the event of fire, wear sel	If-contained breathing apparatus.	

Section 6: Accidental release measures

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Deny access to unprotected persons.
Environmental precautions	:	Do not flush into surface water or sanitary sewer system.
Methods and materials for containment and cleaning up	:	Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

Section 7: Handling and storage

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	Do not breathe vapours/dust. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Sika FastFix-125



Version 5.0	Revision Date: 2021/10/31	SDS Number: 000000613520	Date of last issue: 2019/10/14 Date of first issue: 2017/12/04
		plication area.	king should be prohibited in the ap- measures when handling chemical
Hygiene measures		practice. When using do not eat or When using do not smoke	
Conditions for safe storage		: Keep container tightly clos place. Store in accordance with I	sed in a dry and well-ventilated local regulations.

Section 8: Exposure controls/personal protection

	=			
Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Quartz (SiO2)	14808-60-7	WES-TWA (Respirable dust)	0.05 mg/m3	NZ OEL
	Further inform	ation: Confirmed	carcinogen	
plaster of paris	26499-65-0	WES-TWA	10 mg/m3	NZ OEL
Cement, portland, chemicals	65997-15-1	WES-TWA	3 mg/m3	NZ OEL
	Further inform	ation: Skin sensi	itiser	
		WES-TWA	1 mg/m3	NZ OEL
		(Respirable dust)		
Calcium sulfate hemihydrate	10034-76-1	WES-TWA	10 mg/m3	NZ OEL

Components with workplace control parameters

Personal protective equipment

Respiratory protection :	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the max- imum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when han- dling the product. If this concentration is exceeded, self- contained breathing apparatus must be used.
Hand protection :	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Eye protection :	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary.

Sika FastFix-125



Version 5.0	Revision Date: 2021/10/31		SDS Number: 000000613520	Date of last issue: 2019/10/14 Date of first issue: 2017/12/04		
Skin and	Skin and body protection		: Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.			
Section 9: Pl	nysical and chemical	pro	operties			
Appeara	nce	:	granular			
Colour		:	light grey			
Odour		:	pleasant			
Odour Th	nreshold	:	No data available			
рН		:	ca. 11 Concentration: 500 g/l			
Melting p point	ooint/range / Freezing	:	No data available			
	oint/boiling range	:	No data available			
Flash po	int	:	Not applicable			
Evaporat	ion rate	:	No data available			
Flammat	pility (solid, gas)	:	No data available			
Upper ex flammab	plosion limit / Upper ility limit	:	No data available			
Lower ex flammab	······································	:	No data available			
Vapour p	oressure	:	No data available			
Relative	vapour density	:	No data available			
Density		:	1.3 g/cm3 (20 °C (68 °F))			
Solubility Water	r(ies) r solubility	:	No data available			
Solub	ility in other solvents	:	No data available			
octanol/v		:	No data available			
-	tion temperature	:	No data available			
Decompo	osition temperature	:	No data available			
Viscosity Visco	sity, dynamic	:	No data available			

Sika FastFix-125



Versio 5.0	on Revision Date: 2021/10/31		SDS Number: 000000613520	Date of last issue: 2019/10/14 Date of first issue: 2017/12/04	
	Viscosity, kinematic	:	Not applicable		
I	Explosive properties		No data available		
(Oxidizing properties		No data available		
v	Volatile organic compounds		Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable		
Section 10: Stability and reactivity					
ł	Reactivity		No dangerous reaction known under conditions of normal use.		
(Chemical stability		The product is chemically stable.		
	Possibility of hazardous reac- tions		No hazards to be specially mentioned.		
(Conditions to avoid	:	No data available		
I	Incompatible materials		No data available		

Section 11: Toxicological information

Acute toxicity

Not classified based on available information.

Components:

Calcium sulfate hemihydrate:

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Causes mild skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Sika FastFix-125



Version 5.0	Revision Date: 2021/10/31	SDS Number: 000000613520	Date of last issue: 2019/10/14 Date of first issue: 2017/12/04
Chron	nic toxicity		
	cell mutagenicity assified based on availal	ble information.	
	nogenicity assified based on availal	ble information.	
-	oductive toxicity assified based on availal	ble information.	
	• - single exposure assified based on availal	ble information.	
	- repeated exposure assified based on availal	ble information.	
-	ation toxicity assified based on availal	ble information.	
Section 12	2: Ecological information	on	
	oxicity ta available		
	stence and degradabili ta available	ty	
	cumulative potential ta available		
	ity in soil ta available		
Other	adverse effects		
<u>Produ</u> Additi matio	onal ecological infor-	: There is no data available	e for this product.
Section 13	3: Disposal considerati	ons	
Dispo	osal methods		
-	e from residues	: Do not contaminate pond cal or used container.	ls, waterways or ditches with chemi-

		Send to a licensed waste management company.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

Sika FastFix-125



Version	Revision Date:	SDS Number:	Date of last issue: 2019/10/14
5.0	2021/10/31	00000613520	Date of first issue: 2017/12/04

Section 14: Transport information

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

NZS 5433

Not regulated as a dangerous good

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

HSNO Approval Number

HSR002544 Construction Products Subsidiary Hazard Group Standard 2017

HSW Controls

Certified handler certificate not required. Tracking hazardous substance not required. Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

The components of this product are reported in the following inventories:

NZIoC

: On the inventory, or in compliance with the inventory

Section 16: Other information

Full text of other abbreviations

NZ OEL	:	New Zealand. Workplace Exposure Standards for Atmospher- ic Contaminants
NZ OEL / WES-TWA	:	Workplace Exposure Standard - Time Weighted average
ADG	:	Australian Dangerous Goods Code.
ADR	:	European Agreement concerning the International Carriage of
		Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level

Sika FastFix-125



Version 5.0	Revision Date: 2021/10/31		SDS Number: 000000613520	Date of last issue: 2019/10/14 Date of first issue: 2017/12/04
EC50		:	Half maximal effective conc	entration
GHS		:	Globally Harmonized Syster	n
IATA		:	International Air Transport A	ssociation
IMDG		:	International Maritime Code	for Dangerous Goods
LD50		:		ount of a material, given all at th of 50% (one half) of a group of
LC50		:		(concentrations of the chemical in animals during the observation
MARPO	DL	:	International Convention for Ships, 1973 as modified by	the Prevention of Pollution from the Protocol of 1978
OEL	OEL : PBT :		Occupational Exposure Lim	
PBT			Persistent, bioaccumulative	and toxic
PNEC		:	Predicted no effect concent	ation
REACH	1	:	and of the Council of 18 Dec istration, Evaluation, Author	006 of the European Parliament cember 2006 concerning the Reg- isation and Restriction of Chemi- a European Chemicals Agency
SVHC		:	Substances of Very High Co	
vPvB		:	Very persistent and very bio	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NZ / EN