Driving Since 1919

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: UK REACH Regulations (SI 2019/758 as amended)

Revision date 11/02/2025 Revision Number 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s) SAPP0139A, SAPP0176A

Product Name Simoniz Tar, Sap and Glue Remover

Pure substance/mixture Mixture

Contains Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics; Xylenes (o-, m-, p- isomers); Acetone

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Car Maintenance Product

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Supplier

Holts Auto Unit 100 Barton Dock Road Manchester United Kingdom M32 0YQ

For further information, please contact

Contact Point www.holtsauto.com

E-mail address info@holtsauto.com

1.4. Emergency telephone number

Emergency Telephone Holt Lloyd International: UK - 00 44 (0) 161 866 4800 Office Hours - Mon - Thurs: 8am -

5pm. Fri - 8am - 1pm.

00 44 (0) 161 886 4806 (24 Hour Voicemail).

United Kingdom Holt Lloyd International: UK - 00 44 (0) 161 866 4800 Office Hours - Mon - Thurs: 8am -

5pm. Fri - 8am - 1pm.

00 44 (0) 161 886 4806 (24 Hour Voicemail).

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Aerosols	Category 1 - (H222, H229)
Germ cell mutagenicity	Category 1B - (H340)
Carcinogenicity	Category 1B - (H350)
Specific target organ toxicity — single exposure	Category 3 - (H336)
Category 3 Narcotic effects	

2.2. Label elements

Contains Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics; Xylenes (o-, m-, p- isomers); Acetone



Signal word

Danger

Hazard statements

- H222 Extremely flammable aerosol
- H229 Pressurised container: May burst if heated
- H336 May cause drowsiness or dizziness
- H340 May cause genetic defects
- H350 May cause cancer

Precautionary statements

- P201 Obtain special instructions before use
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- P211 Do not spray on an open flame or other ignition source
- P251 Do not pierce or burn, even after use
- P280 Wear protective gloves/protective clothing/eye protection/face protection
- P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

Aliphatic hydrocarbons	>= 30%

Unknown aquatic toxicity

Contains 0 % of components with unknown hazards to the aquatic environment.

2.3. Other hazards

Causes mild skin irritation.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	Weight-%	EC No (EU	UK REACH registration	Classification according	Specific	M-Factor	M-Factor
	,	Index No)	number	to GB CLP (SI	concentration		(long-term)

Revision date 11/	

				2020/1567 as amended)	limit (SCL)		
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics 64742-48-9	25 - <50%	265-150-3 (649-327-00 -6)	-	Flam. Liq. 3 (H226) STOT SE 3 (H336) Asp. Tox. 1 (H304)	-	-	
n-Butane 106-97-8	25 - <50%	203-448-7 (601-004-00 -0)	-	Flam. Gas 1 (H220) Press. Gas ()	-	-	-
Propane 74-98-6	10 - <25%	200-827-9 (601-003-00 -5)	-	Flam. Gas 1 (H220)	1	-	1
Isobutane 75-28-5	10 - <25%	200-857-2 (601-004-00 -0)	-	Flam. Gas 1 (H220) Press. Gas	1	-	1
Xylenes (o-, m-, p- isomers) 1330-20-7	2.5 - <5%	215-535-7 (601-022-00 -9)	-	Flam. Liq. 3 (H226) Acute Tox. 4 (H312) Acute Tox. 4 (H332) Skin Irrit. 2 (H315) Muta. 1B (H340) Carc. 1B (H350) Asp. Tox. 1 (H304)	,	-	-
Acetone 67-64-1	1 - <2.5%	200-662-2 (606-001-00 -8)	-	(EUH066) Flam. Liq. 2 (H225) Eye Irrit. 2 (H319) STOT SE 3 (H336)	-	-	-

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration >= 0.1% (UK REACH Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get

medical advice/attention.

Inhalation Remove to fresh air. IF exposed or concerned: Get medical advice/attention.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and

persists.

Skin contact Wash skin with soap and water. In the case of skin irritation or allergic reactions see a

doctor.

Ingestion Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Call a doctor.

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Wear

personal protective clothing (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

ar, Sap and Revision date 11/02/2025

Symptoms Inhalation of high vapour concentrations may cause symptoms like headache, dizziness,

tiredness, nausea and vomiting. Prolonged contact may cause redness and irritation.

Effects of Exposure No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctorsTreat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media DO NOT EXTINGUISH A LEAKING GAS FIRE UNLESS LEAK CAN BE STOPPED.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Cylinders may rupture under extreme heat. Damaged cylinders should be handled only by specialists. Containers may explode when heated.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Take precautionary measures

against static discharges. Avoid breathing dust/fume/gas/mist/vapours/spray.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Environmental precautions Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if

safe to do so. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Methods for containment Keep out of drains, sewers, ditches and waterways. Stop leak if you can do it without risk. A

vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect

run-off water. Flood with water to complete polymerization and scrape off floor.

Take precautionary measures against static discharges. Dam up. Soak up with inert Methods for cleaning up

absorbent material. Pick up and transfer to properly labelled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

See section 8 for more information. See section 13 for more information. Reference to other sections

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use personal protection equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Use spark-proof tools and explosion-proof equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Keep in an area equipped with sprinklers. Do not puncture or incinerate cans. Contents under pressure. In case of rupture. Avoid breathing vapours or mists. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. In case of insufficient ventilation, wear suitable respiratory equipment.

General hygiene considerations

Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Protect from sunlight. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store in a cool, dry area away from potential sources of heat, open flames, sunlight or other chemicals. Store locked up.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	United Kingdom	
n-Butane	TWA: 600 ppm	
106-97-8	TWA: 1450 mg/m ³	
	STEL: 750 ppm	
	STEL: 1810 mg/m ³	
Xylenes (o-, m-, p- isomers)	TWA: 50 ppm	

1330-20-7	TWA: 220 mg/m³ STEL: 100 ppm STEL: 441 mg/m³ Sk*
Acetone 67-64-1	TWA: 500 ppm TWA: 1210 mg/m³ STEL: 1500 ppm STEL: 3620 mg/m³

Biological occupational exposure limits

Chemical name	United Kingdom		
Xylenes (o-, m-, p- isomers)	650 mmol/mol creatinine - urine (Methyl hippuric acid)		
1330-20-7	post shift		

Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics 64742-48-9			1286.4 mg/m³ [4] [7] 837.5 mg/m³ [5] [6] 1066.67 mg/m³ [5] [7]
Xylenes (o-, m-, p- isomers) 1330-20-7		212 mg/kg bw/day [4] [6]	221 mg/m³ [4] [6] 442 mg/m³ [4] [7] 221 mg/m³ [5] [6] 442 mg/m³ [5] [7]
Acetone 67-64-1		186 mg/kg bw/day [4] [6]	1210 mg/m³ [4] [6] 2420 mg/m³ [5] [7]

Notes

[4] Systemic health effects.
[5] Local health effects.
[6] Long term.
[7] Short term.

Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics 64742-48-9			1152 mg/m³ [4] [7] 178.57 mg/m³ [5] [6] 640 mg/m³ [5] [7]
Xylenes (o-, m-, p- isomers) 1330-20-7	12.5 mg/kg bw/day [4] [6]		65.3 mg/m³ [4] [6] 260 mg/m³ [4] [7] 65.3 mg/m³ [5] [6] 260 mg/m³ [5] [7]
Acetone 67-64-1	62 mg/kg bw/day [4] [6]		200 mg/m³ [4] [6]

Notes

[4] Systemic health effects.
[5] Local health effects.
[6] Long term.
[7] Short term.

Predicted No Effect Concentration (PNEC)

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
Xylenes (o-, m-, p- isomers) 1330-20-7	0.327 mg/L	0.327 mg/L	0.327 mg/L		
Acetone 67-64-1	10.6 mg/L	21 mg/L	1.06 mg/L		

Revision date 11/02/2025

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
Xylenes (o-, m-, p- isomers) 1330-20-7	12.46 mg/kg sediment dw	12.46 mg/kg sediment dw	6.58 mg/L	2.31 mg/kg soil dw	
Acetone 67-64-1	30.4 mg/kg sediment dw	3.04 mg/kg sediment dw	100 mg/L	29.5 mg/kg soil dw	

8.2. Exposure controls

Engineering controls No information available.

Personal protective equipment

Eye/face protection Tight sealing safety goggles. Safety glasses with side shields are recommended for medical

or industrial exposures.

Hand protection Impervious gloves. Wear suitable gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Antistatic boots.

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Do not eat, drink or smoke when using this product. Contaminated work clothing should not

be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Aerosol
Appearance Aerosol
Colour white
Odour Slight.

Odour threshold No information available

Property Values Remarks • Method

Melting point / freezing pointNo data availableNone knownInitial boiling point and boiling rangeNo data availableNone knownFlammabilityNo data availableNone knownFlammability Limit in AirNone known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Flash point No data available None known Autoignition temperature No data available None known Decomposition temperature None known

Decomposition temperature
pH

9.5

None known
pH (concentrated solution): 9.5

pH (as aqueous solution)

Kinematic viscosity

Dynamic viscosity

No data available

None known

No data available

None known

No data available

None known

Water solubility

No data available Slightly soluble in None known

water

Solubility(ies)No data availableNone knownPartition coefficientNo data availableNone knownVapour pressureNo data availableNone knownRelative density0.995 @ 20°CNone known

Relative density 0.995 @ 20°C

Bulk density No data available
Liquid Density No data available

Relative vapour density No data available

Particle characteristics

Particle Size
Particle Size Distribution
Explosive properties
Oxidising properties
No information available
No information available
No information available

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge Yes.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions
None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Heat, flames and sparks.

10.5. Incompatible materials

Incompatible materialsNone known based on information supplied.

None known

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information

Inhalation Intentional misuse by deliberately concentrating and inhaling contents may be harmful or

fatal. May cause drowsiness or dizziness.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available. Causes mild skin irritation.

Ingestion Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Inhalation of high vapour concentrations may cause symptoms like headache, dizziness,

tiredness, nausea and vomiting. Prolonged contact may cause redness and irritation.

Acute toxicity .

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 82,918.70 mg/kg

 ATEmix (dermal)
 26,060.20 mg/kg

 ATEmix (inhalation-gas)
 106,609.80 ppm

 ATEmix (inhalation-vapour)
 260.60 mg/l

 ATEmix (inhalation-dust/mist)
 35.50 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrocarbons, C9-C11,	> 6000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 8500 mg/m ³ (Rat) 4 h
n-alkanes, isoalkanes, cyclics, <2% aromatics			
Xylenes (o-, m-, p- isomers)	= 3500 mg/kg (Rat)	> 4350 mg/kg (Rabbit)	= 29.08 mg/L (Rat) 4 h
Acetone	= 5800 mg/kg (Rat)	> 15700 mg/kg (Rabbit)	= 50100 mg/m³ (Rat) 8 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationClassification based on data available for ingredients. Causes mild skin irritation.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitisation No information available.

Germ cell mutagenicity

Contains a known or suspected mutagen. Classification based on data available for

ingredients. May cause genetic defects.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic.

Chemical name	United Kingdom
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics	Muta. 1B
n-Butane	Muta. 1B
Propane	Muta. 1B
Isobutane	Muta. 1B
Xylenes (o-, m-, p- isomers)	Muta. 1B

Carcinogenicity

Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	United Kingdom
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics	Carc. 1B
n-Butane	Carc. 1A
Propane	Carc. 1A
Isobutane	Carc. 1A
Xylenes (o-, m-, p- isomers)	Carc. 1B

Reproductive toxicity No information available.

STOT - single exposure May cause drowsiness or dizziness.

STOT - repeated exposureNo information available.

Aspiration hazard No information available.

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Unknown aquatic toxicity

Contains 0 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
			microorganisms	
Hydrocarbons, C9-C11,	-	LC50: =2200mg/L (96h,	-	-
n-alkanes, isoalkanes,		Pimephales promelas)		
cyclics, <2% aromatics		, ,		
Xylenes (o-, m-, p-	EC50: =11mg/L (72h,	LC50: =13.4mg/L (96h,	-	EC50: =3.82mg/L (48h,
isomers)	Pseudokirchneriella	Pimephales promelas)		water flea)
,	subcapitata)	LC50: 2.661 - 4.093mg/L		LC50: =0.6mg/L (48h,
	. ,	(96h, Oncorhynchus		Gammarus lacustris)
		mvkiss)		1

Revision date	11/02/2025

	1			1
		LC50: 13.5 - 17.3mg/L		
		(96h, Oncorhynchus		
		mykiss)		
		LC50: 13.1 - 16.5mg/L		
		(96h, Lepomis		
		macrochirus)		
		LC50: =19mg/L (96h,		
		Lepomis macrochirus)		
		LC50: 7.711 - 9.591mg/L		
		(96h, Lepomis		
		macrochirus)		
		LC50: 23.53 - 29.97mg/L		
		(96h, Pimephales		
		promelas)		
		LC50: =780mg/L (96h,		
		Cyprinus carpio)		
		LC50: >780mg/L (96h,		
		Cyprinus carpio)		
		LC50: 30.26 - 40.75mg/L		
		(96h, Poecilia reticulata)		
Acetone	_	LC50: 4.74 - 6.33mL/L	_	EC50: 10294 -
7 10010110		(96h, Oncorhynchus		17704mg/L (48h, Daphnia
		mykiss)		magna)
		LC50: 6210 - 8120mg/L		EC50: 12600 -
		(96h, Pimephales		12700mg/L (48h, Daphnia
		promelas)		magna)
		LC50: =8300mg/L (96h,		
		Lepomis macrochirus)		
		=======================================		

12.2. Persistence and degradability

Persistence and degradability

No information available.

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

· · · · · · · · · · · · · · · · · · ·	
Chemical name	Partition coefficient
Xylenes (o-, m-, p- isomers)	3.15
Acetone	-0.24

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessmentThe product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Chemical name	PBT and vPvB assessment
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics	The substance is not PBT / vPvB
n-Butane	The substance is not PBT / vPvB
Propane	The substance is not PBT / vPvB
Isobutane	The substance is not PBT / vPvB
Xylenes (o-, m-, p- isomers)	The substance is not PBT / vPvB
Acetone	The substance is not PBT / vPvB

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

SECTION 14: Transport information

14.1 UN number or ID number UN1950 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group None

14.5 Environmental hazards

Not applicable

14.6 Special precautions for user

Special Provisions None

IMDG

UN1950 14.1 UN number or ID number 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group None Not applicable

14.5 Environmental hazards

14.6 Special precautions for user

Special Provisions

14.7 Maritime transport in bulk

according to IMO instruments

None

No information available

RID

UN1950 14.1 UN number or ID number 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group None 14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions None

ADR

14.1 UN number or ID number UN1950 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group None 14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Authorisations and/or restrictions on use:

This product contains one or more substances subject to restriction (UK REACH - Annex XVII).

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
Hydrocarbons, C9-C11, n-alkanes, isoalkanes,	Use restricted. See item 28.	-
cyclics, <2% aromatics - 64742-48-9	Use restricted. See item 29.	
	Restricted Carcinogen 1B	
	Restricted Mutagen 1B	
n-Butane - 106-97-8	Use restricted. See item 28.	-
	Use restricted. See item 29.	
	Restricted Carcinogen 1A	
	Restricted Mutagen 1B	
Propane - 74-98-6	Use restricted. See item 28.	-
	Use restricted. See item 29.	
Isobutane - 75-28-5	Use restricted. See item 28.	-
	Use restricted. See item 29.	
	Restricted Carcinogen 1A	
	Restricted Mutagen 1B	
Xylenes (o-, m-, p- isomers) - 1330-20-7	Use restricted. See item 28.	-
	Use restricted. See item 29.	

Revision date 11/02/2025

Persistent Organic Pollutants

Not applicable

Export Notification requirements

Not applicable

Dangerous substance category per COMAH Regulations 2015 (as amended)

P3a - FLAMMABLE AEROSOLS

P3b - FLAMMABLE AEROSOLS

Named dangerous substances per COMAH Regulations 2015 (as amended)

Chemical name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
Hydrocarbons, C9-C11, n-alkanes, isoalkanes,	-	25000
cyclics, <2% aromatics - 64742-48-9		

The Ozone-Depleting Substances Regulations 2015

Not applicable

The Biocidal Products Regulations 2001 (as amended)

Not applicable

The Water Environment (Water Framework Directive) (England and Wales) Regulations 2017 (as amended) Not applicable

Poisons Act 1972 (Explosive Precursors) Regulations (as Amended)

Chemical name	Poisons and Explosive Precursors
Acetone	Explosive precursor, Reportable

International Inventories

Contact supplier for inventory compliance status **TSCA DSL/NDSL** Contact supplier for inventory compliance status **EINECS/ELINCS** Contact supplier for inventory compliance status Contact supplier for inventory compliance status **ENCS IECSC** Contact supplier for inventory compliance status Contact supplier for inventory compliance status KECL **PICCS** Contact supplier for inventory compliance status AIIC Contact supplier for inventory compliance status **NZIoC** Contact supplier for inventory compliance status

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances **IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals **NZIoC** - New Zealand Inventory of Chemicals

15.2. Chemical safety assessment

Chemical Safety Report No information available

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H225 - Highly flammable liquid and vapour

H226 - Flammable liquid and vapour

H304 - May be fatal if swallowed and enters airways

H312 - Harmful in contact with skin

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H332 - Harmful if inhaled

H336 - May cause drowsiness or dizziness

H340 - May cause genetic defects

H350 - May cause cancer

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

+ Sensitisers

Classification procedure

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Method Used

Calculation method

Page 14 / 16

SAPP0139A, SAPP0176A - Simoniz Tar, Sap and Glue Remover

Revision date 11/02/2025

Acute dermal toxicity Calculation method Acute inhalation toxicity - gas Calculation method Acute inhalation toxicity - vapour Acute inhalation toxicity - dust/mist Calculation method Calculation method Skin corrosion/irritation Calculation method Serious eye damage/eye irritation Calculation method Respiratory sensitisation Calculation method Calculation method Skin sensitisation Mutagenicity Calculation method Carcinogenicity Calculation method Reproductive toxicity Calculation method STOT - single exposure Calculation method STOT - repeated exposure Calculation method Chronic aquatic toxicity Calculation method Acute aquatic toxicity Calculation method On basis of test data Aspiration hazard Calculation method Ozone Flammable aerosol On basis of test data

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)

European Chemicals Agency (ECHA) (ECHA API)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 11/02/2025

This material safety data sheet complies with the requirements of UK REACH Regulations (SI 2019/758 as amended) Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

UK SDS version information - XGHS

UL release:

GHS Revision 7 2022 Q1

United Kingdom

Partial process, including GHS Wizard, NO TW

Specific target organ toxicity — single exposure	Category 3
Category 3 Target organ effects: Narcotic effects.	

section 3

Full text of H-Statements referred to under H225 - Highly flammable liquid and vapour H226 - Flammable liquid and vapour H304 - May be fatal if swallowed and enters airways H312 - Harmful in contact with skin H315 - Causes skin irritation H319 - Causes serious eye irritation H332 - Harmful if inhaled H336 - May cause drowsiness or dizziness H340 - May cause genetic defects H350 - May cause cancer

Chemical name	Classification according to GB CLP (SI	Specific concentration limit (SCL)
	2020/1567 as amended)	
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics,	Flam. Liq. 3 (H226)	
<2% aromatics	STOT SE 3 (H336)	
	Asp. Tox. 1 (H304)	
n-Butane	Flam. Gas 1 (H220)	
	Press. Gas ()	
Propane	Flam. Gas 1 (H220)	
Isobutane	Flam. Gas 1 (H220)	
	Press. Gas	
Xylenes (o-, m-, p- isomers)	Flam. Liq. 3 (H226)	
	Acute Tox. 4 (H312)	
	Acute Tox. 4 (H332)	
	Skin Irrit. 2 (H315)	
	Muta. 1B (H340)	
	Carc. 1B (H350)	
	Asp. Tox. 1 (H304)	
Acetone	(EUH066)	
	Flam. Liq. 2 (H225)	
	Eye Irrit. 2 (H319)	
	STOT SE 3 (H336)	