

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Reference number: 56905 Issue date: 14/01/2019 Revision date: 23/06/2021 Supersedes version of: 22/02/2021 Version: 6.0

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1. Product identifier**

Product form Trade name Reference number

: Mixture : Fix All Turbo : 56905

#### **1.2.** Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category Use of the substance/mixture : Consumer use,Professional use: Sealants

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Soudal N.V. Everdongenlaan 18-20 2300 Turnhout - Belgium T +32 14 42 42 31 - F +32 14 42 65 14 sds@soudal.com - www.Soudal.com

#### **1.4. Emergency telephone number**

Emergency number

: +32 14 58 45 45 (BIG) 24h/24h

#### **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

#### Not classified

#### Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements

: EUH210 - Safety data sheet available on request.

EUH212 - Warning! Hazardous respirable dust may be formed when used. Do not breathe dust. (Except for black/brown/transparent product).

#### 2.3. Other hazards

The product does not meet the PBT and vPvB classification criteria

Component		
titanium dioxide (non-hazardous form) (13463-67-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

trimethoxyvinylsilane (2768-02-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
dioctylbis(pentane-2,4-dionato-O,O')tin (54068-28-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

#### Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
hydrocarbons C18-C24, isoalkanes, <2% aromatics	(CAS-No.) 1437280-85-7 (EC-No.) 940-734-7 (REACH-no) 01-2120078782-46	≥1-<5	Asp. Tox. 1, H304
titanium dioxide (non-hazardous form)	(CAS-No.) 13463-67-7 (EC-No.) 236-675-5 (EC Index-No.) 022-006-00-2 (REACH-no) 01-2119489379-17	≥1-<5	Not classified
trimethoxyvinylsilane	(CAS-No.) 2768-02-7 (EC-No.) 220-449-8 (EC Index-No.) 014-049-00-0 (REACH-no) 01-2119513215-52	≥ 1 – < 4	Flam. Liq. 3, H226 Skin Sens. 1B, H317
dioctylbis(pentane-2,4-dionato-O,O')tin substance with national workplace exposure limit(s) (GB)	(CAS-No.) 54068-28-9 (EC-No.) 483-270-6 (REACH-no) 01-0000020199-67	≥ 0,1 – < 1	Skin Sens. 1, H317 STOT SE 2, H371

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures general	: If you feel unwell, seek medical advice.	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Respiratory problems: consult a doctor/medical service.	
First-aid measures after skin contact	: Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention.	
First-aid measures after eye contact	: Rinse eyes with water as a precaution. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophtalmologist if irritation persists.	
First-aid measures after ingestion	: Rinse mouth out with water. Get medical advice/attention if you feel unwell.	
4.2. Most important symptoms and effects, both acute and delayed		

No additional information available

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media Unsuitable extinguishing media	<ul><li>Water spray. Dry powder. Foam. Carbon dioxide.</li><li>None known.</li></ul>		
5.2. Special hazards arising from the substance or mixture			
Hazardous decomposition products in case of fire	: Toxic fumes may be released.		
5.3. Advice for firefighters			
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.		

SECTION 6: Accidental release mea	asures		
6.1. Personal precautions, protective ed	quipment and emergency procedures		
6.1.1. For non-emergency personnel Emergency procedures	: Ventilate spillage area.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
6.2. Environmental precautions			
Avoid release to the environment.			
6.3. Methods and material for containment and cleaning up			
Methods for cleaning up	: Large spills: scoop solid spill into closing containers. Clean contaminated surfaces with an excess of water. Wash clothing and equipment after handling.		
Other information	: Dispose of materials or solid residues at an authorized site.		
6.4. Reference to other sections			

For further information refer to section 13.

SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling Hygiene measures	<ul> <li>Ensure good ventilation of the work station. Wear personal protective equipment.</li> <li>Do not eat, drink or smoke when using this product. Always wash hands after handling the product.</li> </ul>		
7.2. Conditions for safe storage, including any incompatibilities			
Storage conditions	: Store at room temperature. Store in a well-ventilated place. Keep container closed when not in use.		
Maximum storage period	: 1 year		
Packaging materials	: Synthetic material.		
7.3. Specific end use(s)			

No additional information available

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection		
8.1. Control parameters		
8.1.1 National occupational exposure and biological limit values		
dioctylbis(pentane-2,4-dionato-O,O')tin (54068-28-9)		
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	0,1 mg/m³	
WEL STEL (OEL STEL)	0,2 mg/m³	
titanium dioxide (non-hazardous form) (13463-67-7)		

United Kingdom - Occupational Exposure Limits	
Local name	Titanium dioxide
WEL TWA (OEL TWA) [1]	10 mg/m <sup>3</sup> 4 mg/m <sup>3</sup>
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

## 8.1.2. Recommended monitoring procedures

# No additional information available

# 8.1.3. Air contaminants formed

# No additional information available

#### 8.1.4. DNEL and PNEC

trimethoxyvinylsilane (2768-02-7)	trimethoxyvinylsilane (2768-02-7)		
DNEL/DMEL (Workers)			
Long-term - systemic effects, dermal	3,9 mg/kg bw/day		
Long-term - systemic effects, inhalation	27,6 mg/m <sup>3</sup>		
DNEL/DMEL (General population)			
Acute - systemic effects, dermal	26,9 mg/kg bodyweight/day		
Acute - systemic effects, inhalation	93,4 mg/m³		
Long-term - systemic effects,oral	0,3 mg/kg bw/day		
Long-term - systemic effects, inhalation	18,9 mg/m <sup>3</sup>		
Long-term - systemic effects, dermal	7,8 mg/kg bw/day		
PNEC (Water)			
PNEC aqua (freshwater)	0,4 mg/l		
PNEC aqua (marine water)	0,04 mg/l		
PNEC aqua (intermittent, freshwater)	3,4 mg/l		
PNEC (Sediment)			
PNEC sediment (freshwater)	1,5 mg/kg dwt		
PNEC sediment (marine water)	0,15 mg/kg dwt		
PNEC (Soil)			
PNEC soil	0,06 mg/kg dwt		
PNEC (STP)			
PNEC sewage treatment plant	6,6 mg/l		

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

titanium dioxide (13463-67-7)         DNEL/DMEL (Workers)         Long-term - local effects, inhalation       10 mg/m³         DNEL/DMEL (General population)         Long-term - systemic effects, oral       700 mg/kg bodyweight/day         PNEC (Water)         PNEC aqua (freshwater)       0,184 mg/l         PNEC aqua (intermittent, freshwater)       0,0184 mg/l         PNEC (Sediment)       0,193 mg/l         PNEC (Sediment)       1000 mg/kg dwt         PNEC sediment (marine water)       1000 mg/kg dwt			
Long-term - local effects, inhalation       10 mg/m³         DNEL/DMEL (General population)         Long-term - systemic effects, oral       700 mg/kg bodyweight/day         PNEC (Water)       700 mg/kg bodyweight/day         PNEC aqua (freshwater)       0,184 mg/l         PNEC aqua (marine water)       0,0184 mg/l         PNEC aqua (intermittent, freshwater)       0,193 mg/l         PNEC (Sediment)       1000 mg/kg dwt	titanium dioxide (13463-67-7)		
DNEL/DMEL (General population)         Long-term - systemic effects,oral       700 mg/kg bodyweight/day         PNEC (Water)       0,184 mg/l         PNEC aqua (freshwater)       0,184 mg/l         PNEC aqua (marine water)       0,0184 mg/l         PNEC aqua (intermittent, freshwater)       0,193 mg/l         PNEC (Sediment)       1000 mg/kg dwt	DNEL/DMEL (Workers)		
Long-term - systemic effects,oral       700 mg/kg bodyweight/day         PNEC (Water)       0,184 mg/l         PNEC aqua (freshwater)       0,184 mg/l         PNEC aqua (marine water)       0,0184 mg/l         PNEC aqua (intermittent, freshwater)       0,193 mg/l         PNEC (Sediment)       1000 mg/kg dwt	Long-term - local effects, inhalation	10 mg/m³	
PNEC (Water)       0,184 mg/l         PNEC aqua (freshwater)       0,0184 mg/l         PNEC aqua (marine water)       0,0184 mg/l         PNEC aqua (intermittent, freshwater)       0,193 mg/l         PNEC (Sediment)       1000 mg/kg dwt	DNEL/DMEL (General population)		
PNEC aqua (freshwater)       0,184 mg/l         PNEC aqua (marine water)       0,0184 mg/l         PNEC aqua (intermittent, freshwater)       0,193 mg/l         PNEC (Sediment)       0,190 mg/kg dwt	Long-term - systemic effects,oral	700 mg/kg bodyweight/day	
PNEC aqua (marine water)     0,0184 mg/l       PNEC aqua (intermittent, freshwater)     0,193 mg/l       PNEC (Sediment)     PNEC sediment (freshwater)       1000 mg/kg dwt	PNEC (Water)		
PNEC aqua (intermittent, freshwater)     0,193 mg/l       PNEC (Sediment)     PNEC sediment (freshwater)       1000 mg/kg dwt	PNEC aqua (freshwater)	0,184 mg/l	
PNEC (Sediment)       PNEC sediment (freshwater)       1000 mg/kg dwt	PNEC aqua (marine water)	0,0184 mg/l	
PNEC sediment (freshwater) 1000 mg/kg dwt	PNEC aqua (intermittent, freshwater)	0,193 mg/l	
	PNEC (Sediment)		
PNEC sediment (marine water) 100 mg/kg dwt	PNEC sediment (freshwater)	1000 mg/kg dwt	
	PNEC sediment (marine water)	100 mg/kg dwt	
PNEC (Soil)			
PNEC soil 100 mg/kg dwt	PNEC soil	100 mg/kg dwt	
PNEC (STP)			
PNEC sewage treatment plant 100 mg/l	PNEC sewage treatment plant	100 mg/l	

#### 8.1.5. Control banding

No additional information available

8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

Eye protection:	
Safety glasses	
8.2.2.2. Skin protection	
Skin and body protection:	
Wear suitable protective clothing	

Hand protection:

Protective gloves

#### 8.2.2.3. Respiratory protection

#### **Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment

#### 8.2.2.4. Thermal hazards

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

No additional information available

#### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: Variable.
Appearance	: Pasty.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not applicable
Explosive limits	: Not applicable
Lower explosive limit (LEL)	: Not applicable
Upper explosive limit (UEL)	: Not applicable
Flash point	: > 100 °C
Auto-ignition temperature	: Not applicable
Decomposition temperature	: Not available
рН	: Not available
pH solution	: Not available
Viscosity, kinematic	: Not applicable
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: 1504 kg/m³ (20°C)
Relative density	: 1,504 (20°C)
Relative vapour density at 20 °C	: Not applicable
Particle size	: Not available
Particle size distribution	: Not available
Particle shape	: Not available
Particle aspect ratio	: Not available
Particle aggregation state	: Not available
Particle agglomeration state	: Not available
Particle specific surface area	: Not available
Particle dustiness	: Not available

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

VOC content

: 4,19 % (63.78 g/l)

S	E	СТ	0	Ν	1	0	S	ta	ıb	f	tv	7	а	n	C	r	e	а	С	ti	V	ľ	t١
											-												

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### **10.2. Chemical stability**

Stable under normal conditions.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### **10.3. Possibility of hazardous reactions**

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### **10.5. Incompatible materials**

No additional information available

**10.6. Hazardous decomposition products** 

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	:	Not classified
Acute toxicity (dermal)	:	Not classified
Acute toxicity (inhalation)	:	Not classified

rimethoxyvinylsilane (2768-02-7)					
LD50 oral rat	7120 – 7236 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))				
LD50 dermal rabbit	3259 – 3880 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Fema Converted value, Dermal, 14 day(s))				
LC50 Inhalation - Rat	16,8 mg/l (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))				

dioctylbis(pentane-2,4-dionato-O,O')tin (54068	ioctylbis(pentane-2,4-dionato-O,O')tin (54068-28-9)				
LD50 oral rat	2500 mg/kg (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female Experimental value, Oral)				
LD50 dermal rat	> 2000 mg/g (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal)				
LC50 Inhalation - Rat	5,1 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation (vapours))				

hydrocarbons C18-C24, isoalkanes, <2% aron	natics (1437280-85-7)				
LD50 oral rat	> 5000 mg/kg				
LD50 dermal rabbit	> 2000 mg/kg				

titanium dioxide (non-hazardous form) (13463-67-7)				
LD50 oral rat	> 2000 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))			
LC50 Inhalation - Rat	> 5,09 mg/l (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male, Experimental value, Inhalation (dust), 14 day(s))			
Skin corrosion/irritation	: Not classified			
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met)			
Respiratory or skin sensitisation	: Not classified. (Based on available data, the classification criteria are not met)			
Germ cell mutagenicity	: Not classified			
Carcinogenicity	: Not classified.			

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Reproductive toxicity	: Not classified
trimethoxyvinylsilane (2768-02-7)	
NOAEL (animal/male, F0/P)	1000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Combined Repeated Dose and Reproductive / Developmental Toxicity Screening Test (Precursor Protocol of GL 422)
NOAEL (animal/female, F0/P)	250 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Combined Repeated Dose and Reproductive / Developmental Toxicity Screening Test (Precursor Protocol of GL 422)

ioctylbis(pentane-2,4-dionato-O,O')tin (54068-28-9)				
NOAEL (animal/male, F0/P)	0,3 – 0,4 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)			
NOAEL (animal/female, F0/P)	0,3 – 0,5 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)			

STOT-single exposure

: Not classified

: Not classified

dioctylbis(pentane-2,4-dionato-O,O')tin (54068-28-9)					
	STOT-single exposure	May cause damage to organs (immune system) (if swallowed).			

#### STOT-repeated exposure

trimethoxyvinylsilane (2768-02-7)	
LOAEL (oral, rat, 90 days)	62,5 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
NOAEL (oral, rat, 90 days)	< 62,5 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)

dioctylbis(pentane-2,4-dionato-O,O')tin (54068	3-28-9)
LOAEC (inhalation, rat, gas, 90 days)	650 ppm Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90- Day Study)
Aspiration hazard :	Not classified

#### 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

# **12.1. Toxicity** Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Hazardous to the aquatic environment, short-term (acute) : Not classified Hazardous to the aquatic environment, long-term (chronic) : Not classified. Not rapidly degradable : Not classified.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

trimethoxyvinylsilane (2768-02-7)		
LC50 - Fish [1]	191 mg/l (96 h, Oncorhynchus mykiss, Fresh water, Experimental value, Nominal concentration)	
EC50 - Crustacea [1]	168,7 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)	
EC50 72h - Algae [1]	> 957 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
ErC50 algae	> 89 mg/l (72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)	
NOEC chronic algae	89 mg/l (72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)	

dioctylbis(pentane-2,4-dionato-O,O')tin (54068-28-9)		
LC50 - Fish [1]       71,1 mg/l (96 h, Salmo gairdneri, Flow-through system, Fresh water, Expension         Nominal concentration)		
EC50 - Crustacea [1]	47,6 mg/l (48 h, Daphnia magna, Static system, Fresh water, Experimental value, Nor concentration)	
ErC50 algae	32 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP)	

hydrocarbons C18-C24, isoalkanes, <2% aromatics (1437280-85-7)		
LC50 - Fish [1]	> 100 mg/l	
EC50 - Crustacea [1]	> 100 mg/l	
EC50 72h - Algae [1]	> 100 mg/l	
NOEC chronic fish	> 100 mg/l	
NOEC chronic crustacea	> 100 mg/l	

titanium dioxide (non-hazardous form) (13463-67-7)		
LC50 - Fish [1] > 1000 mg/l (Pisces, Fresh water)		
EC50 - Crustacea [1]	> 1000 mg/l (Invertebrata, Fresh water)	
EC50 72h - Algae [1]       > 100 mg/l (OECD 201: Alga, Growth Inhibition Test, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Growth rate)		
12.2. Persistence and degradability	ty	
trimether minuteilene (2700-02-7		

Persistence and degradability not readily degradable in water	trimethoxyvinylsilane (2768-02-7)		
Toroladiy dogradable in water.	Persistence and degradability	not readily degradable in water.	

dioctylbis(pentane-2,4-dionato-O,O')tin (54068-28-9)	
Persistence and degradability	not readily degradable in water.

hydrocarbons C18-C24, isoalkanes, <2% aromatics (1437280-85-7)		
Persistence and degradability	Readily biodegradable.	
Biodegradation	74 % (OECD 301 F (Ready Biodegradability: Manometric Respirometry Test)28d)	

titanium dioxide (non-hazardous form) (13463-67-7)	
Persistence and degradability	Biodegradability: not applicable.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Chemical oxygen demand (COD)	Not applicable (inorganic)			
ThOD	Not applicable (inorganic)			
12.3. Bioaccumulative potential				
trimethoxyvinylsilane (2768-02-7)				
artition coefficient n-octanol/water (Log Pow) 1,1 (QSAR, KOWWIN, 20 °C)				
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).			
dioctylbis(pentane-2,4-dionato-O,O')tin (54068	(-28-9)			
Partition coefficient n-octanol/water (Log Pow) 0,6 (Calculated, 25 °C)				
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).			
•				
hydrocarbons C18-C24, isoalkanes, <2% arom	natics (1437280-85-7)			
Partition coefficient n-octanol/water (Log Pow)	> 7,2			
titanium dioxide (non-bazardous form) (12462	-67-7)			
titanium dioxide (non-hazardous form) (13463-67-7)         Bioaccumulative potential         Not bioaccumulative.				
12.4. Mobility in soil				
trimethoxyvinylsilane (2768-02-7)				
Partition coefficient n-octanol/water (Log Koc)	2,811 (log Koc, SRC PCKOCWIN v2.0, Calculated value)			
Ecology - soil	Low potential for adsorption in soil.			
dioctylbis(pentane-2,4-dionato-O,O')tin (54068	3-28-9)			
Surface tension	32,3 mN/m (20 °C, 30 mg/l, OECD 115: Surface Tension of Aqueous Solutions)			
Ecology - soil	No data available.			
titanium dioxide (non-hazardous form) (13463				
Surface tension	No data available in the literature			
Ecology - soil	Low potential for mobility in soil.			
12.5. Results of PBT and vPvB assessment				
Fix All Turbo				
The product does not meet the PBT and vPvB classification criteria				
Component				
titanium dioxide (non-hazardous form) (13463-67-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII			
trimethoxyvinylsilane (2768-02-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII			
dioctylbis(pentane-2,4-dionato-O,O')tin (54068-28-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII			
12.6. Endocrine disrupting properties				

No additional information available

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
Regional legislation (waste)	: Non hazardous waste.		
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.		
Sewage disposal recommendations	: Do not discharge into drains or the environment.		
Ecology - waste materials	: Avoid release to the environment.		
European List of Waste (LoW) code	: 08 04 10 - waste adhesives and sealants other than those mentioned in 08 04 09 15 01 02 - plastic packaging		

## **SECTION 14: Transport information**

ADR	IMDG	ΙΑΤΑ	ADN	RID
I4.1. UN number or ID n	umber			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shippin	g name	· /		
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard o	class(es)	l l		
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group		l l		
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental haz	ards	l l		
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated

## 14.6. Special precautions for user

Overland transport Not regulated Transport by sea Not regulated Air transport Not regulated Inland waterway transport Not regulated Rail transport Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

Reference code	Applicable on	Entry title or description
3(a)	trimethoxyvinylsilane	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	trimethoxyvinylsilane ; hydrocarbons C18- C24, isoalkanes, <2% aromatics	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
40.	trimethoxyvinylsilane	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

VOC content

: 4,19 % (63.78 g/l)

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Indication of changes:				
Section	Changed item	Change	Comments	
	according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878			
2.2		Modified		
3.2		Modified		

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BLV	Biological limit value	
CAS-No.	Chemical Abstract Service number	

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
EC-No.	European Community number
EN	European Standard
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OEL	Occupational Exposure Limit
РВТ	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative
WGK	Water Hazard Class

Full text of H- and EUH-statements:		
Asp. Tox. 1	Aspiration hazard, Category 1	
Flam. Liq. 3	Flammable liquids, Category 3	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	
STOT SE 2	Specific target organ toxicity — Single exposure, Category 2	
H226	Flammable liquid and vapour.	
H304	May be fatal if swallowed and enters airways.	
H317	May cause an allergic skin reaction.	
H371	May cause damage to organs.	
EUH210	Safety data sheet available on request.	
EUH212	Warning! Hazardous respirable dust may be formed when used. Do not breathe dust. (Except for black/brown/transparent product)	

Safety Data Sheet (SDS), EU-2020

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.