SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Zep Drain Bioclean & Odour Control
- · Article number: 08320004
- · UFI: SX95-70F0-D00J-DV0H
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Product category

PC37 Water treatment chemicals

PC35 Washing and cleaning products (including solvent based products)

- · Process category PROC0 Other
- · Technical function

Deodorizer

Cleaning agent

· Application of the substance / the mixture

Cleaning agent
Deodorising cleaner
Odour neutralising agent
Tube cleaner/pipe cleaning agent

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Manufacturer:

ZEP UK Ltd

Tanhouse Lane

Widnes Cheshire, WA8 0RD

United Kingdom

Tel: +44 (0)151 422 1000 Fax: +44 (0)151 422 1011 @: info@zep.co.uk

web: www.zep.co.uk

Distributed in EU by:

ZEP Industries BV

Vierlinghweg 30

4612 PN Bergen op Zoom

The Netherlands

Tel: (NL) + 31 164 250 100 (B) + 32 2 347 0117 Fax: (NL) + 31 164 266 710 (B) + 32 2 347 1395

@: info@zepbenelux.com

ZEP ITALIA SRL

Piazzale Luigi Cadorna, 2 - Milano - (MI)

20123 Milano (MI) - Italy; Via Nettunense Km. 25.000 04011 Aprilia (LT) - Italy

T: +39.06.926691

F: +39.06.92747061

@: tecnico@zepeurope.com

Sito: www.zep.it

· Further information obtainable from:

Customer Service

NL: Tel: +31 164 250 100 Fax: +31 164 266 710 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

(Contd. on page 2)

Trade name: Zep Drain Bioclean & Odour Control

(Contd. of page 1)

· 1.4 Emergency telephone number:

NHS +44 0845 46 47 (England or Wales); +44 08454 24 24 (Scotland) emergency number (europe): 112

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms



- · Signal word Warning
- · Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

P102 Keep out of reach of children.
P264 Wash thoroughly after handling.
P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

· Additional information:

EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

• •			
· Dangerous component) :		
CAS: 68439-46-3	Alcohols, C9-11, ethoxylated	♠ Eye Dam. 1, H318	1-2.5%
EC number: 614-482-0		Eye Dam. 1, H318 ••• Acute Tox. 4, H302	
· Additional information	:		
Nonionic surfactants			<5%
	Perfumes (LIMONENE), Preservation agents (BENZISC		
<i>METHYLCHLOROISO</i>	THIAZOLINONE AND METHYLISOTHIAZOLINONE)		

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

Trade name: Zep Drain Bioclean & Odour Control

(Contd. of page 2)

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire.
- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Remove persons from danger area.

Wear protective equipment. Keep unprotected persons away.

- · 6.2 Environmental precautions: No special measures required.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, universal binders).

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Store in cool, dry place in tightly closed receptacles.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · 7.3 Specific end use(s) See exposure scenario

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further data; see item 7.
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Avoid contact with the eyes.

Do not eat, drink, smoke or sniff while working.

· Protection of hands:



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

Trade name: Zep Drain Bioclean & Odour Control

(Contd. of page 3)

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Odour threshold: pH-value at 20 °C: Change in condition Melting point/freezing point: Initial boiling point and boiling range: >10. Flash point: Not of the state of the	uid e vracteristic determined. determined.
Appearance: Form: Liqu Colour: Blue Odour: Chan Odour threshold: Not of pH-value at 20 °C: 7.4 Change in condition Melting point/freezing point: Und Initial boiling point and boiling range: >10. Flash point: Not of Flammability (solid, gas): Not of	e tracteristic determined. determined. 13°C
Form: Colour: Blue Odour: Chan Odour threshold: PH-value at 20 °C: Change in condition Melting point/freezing point: Initial boiling point and boiling range: >10. Flash point: Not a	e tracteristic determined. determined. 13°C
Colour: Odour: Chan Odour threshold: PH-value at 20 °C: Change in condition Melting point/freezing point: Initial boiling point and boiling range: >10 Flash point: Not a	e tracteristic determined. determined. 13°C
Odour threshold: pH-value at 20 °C: Change in condition Melting point/freezing point: Initial boiling point and boiling range: >10. Flash point: Not of the state of the	determined. letermined. 13°C
pH-value at 20 °C: 7.4 Change in condition Melting point/freezing point: Undd Initial boiling point and boiling range: >10. Flash point: Not of the state of t	letermined. 3°C
Change in condition Melting point/freezing point: Undinitial boiling point and boiling range: >10. Flash point: Not a Flammability (solid, gas): Not a	3 °C
Melting point/freezing point: Und. Initial boiling point and boiling range: >10. Flash point: Not a Flammability (solid, gas): Not a	3 °C
Initial boiling point and boiling range: >10. Flash point: Not of Flammability (solid, gas): Not of the state	3 °C
Flash point: Not of Flammability (solid, gas): Not of Statement (Solid, gas):	
Flammability (solid, gas): Not	applicable.
* ' * '	
D	applicable.
Decomposition temperature: Not a	determined.
Auto-ignition temperature: Prod	duct is not selfigniting.
* * *	duct does not present an explosion hazard. determined.
Explosion limits:	
Lower: Not a	determined.
Upper: Not a	determined.
Vapour pressure at 20 °C: 23 h	nPa
Density at 20 °C: 1 g/c	cm³
Relative density Not a	determined.
r	determined.
Evaporation rate Not	determined.
Solubility in / Miscibility with	
water: Fully	ly miscible.
Partition coefficient: n-octanol/water: Not	determined.
Viscosity:	
	determined.
Kinematic at 20 °C: 10 s	(DIN 53211/4)
Solvent content:	
Organic solvents: 0.19 Swiss VOC: 0.10	•

(Contd. on page 5)

Trade name: Zep Drain Bioclean & Odour Control

(Contd. of page 4)

· 9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 31,684 mg/kg (Rat)

CAS: 68439-46-3 Alcohols, C9-11, ethoxylated

 Oral
 LD50
 500 mg/kg (Rat)

 Dermal
 LD50
 2,000 mg/kg (Rat)

- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation

Causes serious eye irritation.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- 12.1 Toxicity
- · Aquatic toxicity:

CAS: 68439-46-3 Alcohols, C9-11, ethoxylated

LC50/96 h 5-7 mg/ltr (fish)

EC 50 / 48 h 2.5 mg/ltr (Daphnia magna (water flea))

EC 50 / 72 H 1.4 /mg/l (Selenastrum capricornutum (Algae))

- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- General notes: Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 6)

Revision: 08.09.2021 Printing date 08.09.2021 Version: 1

Trade name: Zep Drain Bioclean & Odour Control

· 12.6 Other adverse effects No further relevant information available.

(Contd. of page 5)

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Disposal must be made according to official regulations
- · Uncleaned packaging:
- Recommendation:

Disposal in accordance with administrative provisions

Dispose of packaging according to regulations on the disposal of packagings.

SECTION 14: Transport information

· 14.1 UN-Number · ADR, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Annex II of Mai IBC Code	rpol and the Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Reg. (EC) n. 1272/2008 - CLP;

Reg. (EC) n. 2015/830 annex II of REACH;

Dir. 06/08 ADR - RID - IMDG - IATA;

Dir. 12/18 (Seveso III);

Dir. 2008/98/CE and Reg. (EC) n.1357/2014 (Waste management)

- · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.
- Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard statements

H319 Causes serious eye irritation.

· Precautionary statements

P102 Keep out of reach of children. P264 Wash thoroughly after handling. P280 Wear eye protection / face protection.

(Contd. on page 7)

Trade name: Zep Drain Bioclean & Odour Control

(Contd. of page 6)

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

- · National regulations:
- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

H318 Causes serious eye damage.

· Classification according to Regulation (EC) No 1272/2008 Calculation method

Department issuing SDS:

Customer Service

NL: Tel: +31 164 250 100 Fax: +31 164 266 710 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

Contact:

Customer Service

NL: Tel: +31 164 250 100 Fax: +31 164 266 710 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

WELL: The highest acceptable concentration

IOELV: Indicative occupational exposure limit values

Acute Tox. 4: Acute toxicity - Category 4

Eye Dam. 1: Serious eye damage/eye irritation — Category 1 Eye Irrit. 2: Serious eye damage/eye irritation — Category 2

* Data compared to the previous version altered.

UK

Trade name: Zep Drain Bioclean & Odour Control

(Contd. of page 7)

Annex: Exposure scenario

- · Short title of the exposure scenario For the finished product.
- · Sector of Use
- SU21 Consumer uses: Private households / general public / consumers
- SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet.
- · Conditions of use
- · Duration and frequency 5 workdays/week.
- · Physical parameters
- · Physical state Fluid
- Concentration of the substance in the mixture The substance is main component.
- · Used amount per time or activity According to directions for use.
- · Other operational conditions
- · Other operational conditions affecting environmental exposure No special measures required.
- · Other operational conditions affecting worker exposure Avoid contact with eyes.
- · Other operational conditions affecting consumer exposure Keep out of the reach of children.
- Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- · Risk management measures
- · Worker protection
- · Organisational protective measures No special measures required.
- · Technical protective measures No special measures required.
- · Personal protective measures

Avoid contact with the eyes.

Tightly sealed goggles

- · Measures for consumer protection Ensure adequate labelling.
- · Environmental protection measures
- · Water No special measures required.
- · Disposal measures Disposal in accordance with administrative provisions
- Disposal procedures Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- · Waste type Partially emptied and uncleaned packaging
- Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.

UK