Printing date 12.01.2022 Version: 6 (replaces version 5) Revision: 12.01.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Zep Silicone Sealant Remover
- · Article number: 10110012
- · UFI: GMN6-X46G-RX0P-YFRE
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Life cycle stages
- C Consumer use

PW Widespread use by professional workers

· Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- · Product category PC35 Washing and cleaning products (including solvent based products)
- · Process category PROC19 Manual activities involving hand contact
- Environmental release category

ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)

ERC8d Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)

- · Technical function Cleaning agent
- · Application of the substance / the mixture Cleaner solvent
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Manufacturer:

ZEP UK Ltd

Tanhouse Lane

Widnes Cheshire, WA8 0RD

United Kingdom

Tel: +44 (0)151 422 1000 Fax: +44 (0)151 422 1011 @: info@zep.co.uk

web: www.zep.co.uk

Distributed in EU by:

ZEP Industries BV

Vierlinghweg 30

4612 PN Bergen op Zoom

The Netherlands

Tel: (NL) + 31 164 250 100 (B) + 32 2 347 0117

Fax:(NL) + 31 164 266 710 (B) + 32 2 347 1395

@: info@zepbenelux.com

ZEP ITALIA SRL

Piazzale Luigi Cadorna, 2 - Milano - (MI)

20123 Milano (MI) - Italy;

Via Nettunense Km. 25.000

04011 Aprilia (LT) - Italy

T: +39.06.926691

F: +39.06.92747061

@: tecnico@zepeurope.com

Sito: www.zep.it

ZEP ITALIA SRL

Piazzale Luigi Cadorna, 2

20123 Milano (MI) - Italy;

Via Nettunense Km. 25.000

04011 Aprilia (LT) - Italy

T: +39.06.926691

F: +39.06.92747061

@: tecnico@zepeurope.com

Sito: www.zep.it

ZEP Industries BV

Vierlinghweg 30

4612 PN Bergen op Zoom

The Netherlands

Tel: (NL) + 31 164 250 100 (B) + 32 2 347 0117

 $Fax:(NL) + 31\ 164\ 266\ 710\ (B) + 32\ 2\ 347\ 1395$

@: info@zepbenelux.com

Printing date 12.01.2022 Version: 6 (replaces version 5) Revision: 12.01.2022

Trade name: Zep Silicone Sealant Remover

(Contd. of page 1)

Distributed in the UK by:

ZEP UK Ltd Tanhouse Lane

Widnes Cheshire, WA8 0RD

United Kingdom

Tel: +44 (0)151 422 1000 Fax: +44 (0)151 422 1011 @: info@zep.co.uk web: www.zep.co.uk

· Further information obtainable from:

Customer Service

NL: Tel: +31 164 250 100 Fax: +31 164 266 710 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

· 1.4 Emergency telephone number:

NHS +44 0845 46 47 (England or Wales); +44 08454 24 24 24 (Scotland)

emergency number (europe): 112

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard statements

H319 Causes serious eye irritation.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.
P264 Wash thoroughly after handling.
P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

- Labelling of packages where the contents do not exceed 125 ml
- · Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard statements Void
- Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.
P264 Wash thoroughly after handling.
P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

(Contd. on page 3)

Printing date 12.01.2022 Version: 6 (replaces version 5) Revision: 12.01.2022

Trade name: Zep Silicone Sealant Remover

(Contd. of page 2)

P337+P313 If eye irritation persists: Get medical advice/attention.

- 2.3 Other hazards The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
EC number: 926-141-6	Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics	75-100%
Reg.nr.: 01-2119456620-43	♦ Asp. Tox. 1, H304	
	EUH066	
CAS: 34590-94-8	(2-methoxymethylethoxy)propanol	10-25%
EINECS: 252-104-2	substance with a Community workplace exposure limit	
Reg.nr.: 01-2119450011-60-xxxx		
CAS: 68439-46-3	Alcohols, C9-11, ethoxylated	1-2.5%
Polymer		7

· Additional information:

Ingredients according to Detergents Regulation 648/2004/EC

Aliphatic hydrocarbons	≥30%
Nonionic surfactants	<5%

[·] Additional Information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Remove persons from danger area.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, universal binders).

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)

Printing date 12.01.2022 Version: 6 (replaces version 5) Revision: 12.01.2022

Trade name: Zep Silicone Sealant Remover

See Section 13 for disposal information.

(Contd. of page 3)

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Store in cool, dry place in tightly closed receptacles.

Keep away from heat and direct sunlight.

Use only in well ventilated areas.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Provide solvent resistant, sealed floor.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:		
CAS: 34590-94-8 (2-methoxymethylethoxy)propanol		
WEL (Great Britain)	Long-term value: 308 mg/m³, 50 ppm Sk	
IOELV (European Union)	Long-term value: 308 mg/m³, 50 ppm Skin	

· DNELs

CAS: 34590-94-8	(2-methoxymethylethoxy)propanol
-----------------	---------------------------------

Oral	DNEL Long term-systemic	1.67 mg/kg human/day (consumer)
Dermal	DNEL Long term-systemic	15 mg/kg human/day (consumer)
		65 mg/kg human/day (worker)
Inhalative	DNEL Long term-systemic mg/m3	37.2 mg/m3 (consumer)
		310 mg/m3 (worker)

· PNECs

CAS: 34590-94-8 (2-methoxymethylethoxy)propanol

(3 3	3/1 1
PNEC Freshwater mg/L	19 mg/L
PNEC Marinewater mg/L	19 mg/L 1.9 mg/L
PNEC Freshwater sediment	70.2 mg/Kg
PNEC Marine water sediment	7.02 mg/Kg
PNEC Intermittent release	190
PNEC Soil	2.74 mg/Kg
PNEC Soil PNEC Sewage treatment Plant mg/L	4,168 mg/L

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Do not eat, drink, smoke or sniff while working.

(Contd. on page 5)

Printing date 12.01.2022 Version: 6 (replaces version 5) Revision: 12.01.2022

Trade name: Zep Silicone Sealant Remover

· Hand protection

(Contd. of page 4)



Protective gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

· For the permanent contact gloves made of the following materials are suitable:

Nitrile rubber, NBR

PVA gloves

- · Not suitable are gloves made of the following materials: Strong material gloves
- · Eye/face protection



Tightly sealed goggles

· Body protection:

Protective work clothing

Solvent resistant protective clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Physical state
Colour:
Colourless
Odour:
Solvent-like
Odour threshold:
Not determined.
Helting point or initial boiling point and boiling range
Flammability
Fluid
Colourless
Solvent-like
Not determined.
Undetermined.
189 °C
Not applicable.

· Lower and upper explosion limit

· Lower: 0.6 Vol %
· Upper: 14 Vol %
· Flash point: 75 °C

· Auto-ignition temperature: Product is not selfigniting.

• **Decomposition temperature:** Not determined.

• pH Mixture is non-polar/aprotic.

· Viscosity:

• Kinematic viscosity at 40 °C 900 mm²/s • Dynamic at 20 °C: 0 mPas

Solubility

water:
Partition coefficient n-octanol/water (log value)
Vapour pressure at 20 °C:
Insoluble.
Not determined.
0.1 hPa

Density and/or relative density

Density at 20 °C: 0.8 g/cm³
 Relative density Not determined.
 Vapour density Not determined.

· 9.2 Other information

· Appearance:

Form: Highly viscous

(Contd. on page 6)

Printing date 12.01.2022 Version: 6 (replaces version 5) Revision: 12.01.2022

Trade name: Zep Silicone Sealant Remover

		(Contd. of page
Important information on protection of health and environment, and on safety.		
Ignition temperature:	207 °C	
Explosive properties:	Product does not present an explosion hazard.	
	Not determined.	
Solvent content:		
Organic solvents:	95.1 %	
Swiss VOC:	12.32 %	
Solids content:	2.9 %	
Change in condition		
Evaporation rate	Not determined.	
Information with regard to physical hazard classes		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flammable gases	s in	
contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:		
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics		
LD50	>5,000 mg/kg (Rat) (OECD 401)	
LD50	>5,000 mg/kg (Rabbit) (OECD 402 (24 h))	
LC50/8 h	>5,000 mg/m3 (Rat) (OECD 403)	
CAS: 34590-94-8 (2-methoxymethylethoxy)propanol		
LD50	>4,000 mg/kg (Rat)	
LD50	9,510 mg/kg (Rabbit)	
LC50 / 48 h	1.919 mg/ltr (Daphnia magna (water flea))	
CAS: 68439-46-3 Alcohols, C9-11, ethoxylated		
LD50	2,000 mg/kg (Rat)	
(DNS, C11-C1- LD50 LD50 LC50/8 h D-94-8 (2-me LD50 LD50 LC50/48 h	

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Causes serious eye irritation.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.

(Contd. on page 7)

Printing date 12.01.2022 Version: 6 (replaces version 5) Revision: 12.01.2022

Trade name: Zep Silicone Sealant Remover

(Contd. of page 6)

- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- $\cdot \textbf{STOT-repeated exposure} \ \textit{Based on available data, the classification criteria are not met.}$
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity:

 Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics

 EL50 (48 h) >1,000 mg/l (Daphnia magna (water flea)) (OECD 202)

 OECD test 301 F 69 % (biodegradation in % after 28 days)
 Readily Biodegradable

 CAS: 34590-94-8 (2-methoxymethylethoxy)propanol

 LC50 / 96 h >10,000 mg/ltr (Pimephales promelas)

 EC 50 / 72 H 1,000 (Selenastrum capricornutum (Algae))
 - 12.2 Persistence and degradability No further relevant information available.
 - 12.3 Bioaccumulative potential No further relevant information available.
 - 12.4 Mobility in soil No further relevant information available.
 - · 12.5 Results of PBT and vPvB assessment
 - · **PBT:** Not applicable.
 - · vPvB: Not applicable.
 - · 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
 - · 12.7 Other adverse effects
 - Additional ecological information:
 - · General notes: Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

- · Uncleaned packaging:
- · Recommendation:

Disposal in accordance with administrative provisions

Dispose of packaging according to regulations on the disposal of packagings.

14.1 UN number or ID number		
ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR, IMDG, IATA	Void	
14.5 Environmental hazards:		
Marine pollutant:	No	

Printing date 12.01.2022 Version: 6 (replaces version 5) Revision: 12.01.2022

Trade name: Zep Silicone Sealant Remover

Contd. of page 7)

- 14.6 Special precautions for user

- 14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

- UN "Model Regulation":

Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Reg (EC) n. 648/2004 - Detergents

Reg. (EC) n. 1272/2008 - CLP;

Reg. (EC) n. 2015/830 annex II of REACH;

Dir. 06/08 ADR – RID - IMDG - IATA;

Dir. 12/18 (Seveso III);

Dir. 2008/98/CE and Reg. (EC) n.1357/2014 (Waste management)

- · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms



- · Signal word Warning
- · Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.
P264 Wash thoroughly after handling.
P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- · National regulations:
- · Technical instructions (air):

Class	Share in %
NK	95.1

· Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

(Contd. on page 9)

Version: 6 (replaces version 5) Printing date 12.01.2022 Revision: 12.01.2022

Trade name: Zep Silicone Sealant Remover

(Contd. of page 8)

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

May be fatal if swallowed and enters airways.

H318 Causes serious eye damage.

EUH066 Repeated exposure may cause skin dryness or cracking.

Classification according to Regulation (EC) No 1272/2008 Calculation method

Department issuing SDS:

Customer Service

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

Contact:

Customer Service

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

- Date of previous version: 21.12.2021
- · Version number of previous version: 5
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

WELL: The highest acceptable concentration

IOELV: Indicative occupational exposure limit values

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Asp. Tox. 1: Aspiration hazard – Category 1

* Data compared to the previous version altered.

(Contd. on page 10)

Printing date 12.01.2022 Version: 6 (replaces version 5) Revision: 12.01.2022

Trade name: Zep Silicone Sealant Remover

(Contd. of page 9)

Annex: Exposure scenario

- · Short title of the exposure scenario For the finished product.
- · Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- **Product category** PC35 Washing and cleaning products (including solvent based products)
- · Process category PROC19 Manual activities involving hand contact
- Environmental release category

ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)

ERC8d Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)

- Technical function Cleaning agent
- Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet.
- · Conditions of use
- · Duration and frequency 5 workdays/week.
- · Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- Used amount per time or activity

According to directions for use.

Smaller than 10 g per application.

- · Other operational conditions
- · Other operational conditions affecting environmental exposure No special measures required.
- · Other operational conditions affecting worker exposure

Avoid contact with eyes.

Take precautionary measures against static discharge.

Keep away from sources of ignition - No smoking.

Indoor application.

Outdoor application.

Other operational conditions affecting consumer exposure

Keep out of the reach of children.

Not required.

- Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- · Risk management measures
- · Worker protection
- · Organisational protective measures No special measures required.
- · Technical protective measures

No special measures required.

Provide explosion-proof electrical equipment.

· Personal protective measures

Protective work clothing

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes.

Tightly sealed goggles

· Measures for consumer protection

Ensure adequate labelling.

Keep locked up and out of the reach of children.

- · Environmental protection measures
- · Air No special measures required.
- · Water No special measures required.
- · Disposal measures Ensure that waste is collected and contained.
- · Disposal procedures

Dispose of product residues with household waste.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- Guidance for downstream users No further relevant information available.

UK