

# DHC-E 8/10 Set

COMPACT INSTANTANEOUS WATER HEATER

PRODUCT-NO.: 236447

## The main features

Works even with low water pressure

High quality - Made in Germany

Electronic control for maximum energy efficiency and accurate temperature delivery





Type	DHC-E 8/10 Set	DHC-E 12 Set
Part no.	236447	236448

## Electrical details

Rated voltage 1	208 V	208 V
Rated voltage 2	220 V	220 V
Rated voltage 3	230 V	230 V
Rated voltage 4	240 V	240 V
Rated output 1	5,4/7,2 kW	9 kW
Rated output 2	6,0/8,1 kW	10 kW
Rated output 3	6,6/8,8 kW	11 kW
Rated output 4	7.2/9,6 kW	12 kW
Rated current 1	28/35 A	44 A
Rated current 2	30/50 A	46 A
Rated current 3	31/39 A	48 A
Rated current 4	32/40 A	50 A
Fuse 1	30/50 A	60 A
Fuse 2	40/50 A	60 A
Fuse 3	40/50 A	60 A
MCB/fuse 4	40/50 A	60 A
Phases	1/N/PE ~220-240V	1/N/PE ~220-240V

## Hydraulic data

Rated capacity	0,5 l	0,5 l
----------------	-------	-------

## Energy data

Energy efficiency class	A	A
-------------------------	---	---

### Dimensions

Height	360 mm	360 mm
Width	200 mm	200 mm
Depth	110 mm	110 mm

### Weights

Weight	2,7 kg	2,7 kg
--------	--------	--------

### Application limits

Max. permissible pressure	1 MPa	1 MPa
---------------------------	-------	-------

### Versions

Type of installation	Oversink	Oversink
Heating system heat generator	Tubular heater	Tubular heater
Cap and back panel	Plastic	Plastic
Colour	white	white
IP-Rating	IP24	IP24

### Values

ON	>1,0 l/min	>1,0 l/min
----	------------	------------

**Contact information**

Do you have additional questions? Then please do not hesitate to contact us, we would be only too happy to help:

Call 0151 346 2300

Or send an e-mail to

[sales@stiebel-eltron.co.uk](mailto:sales@stiebel-eltron.co.uk)

Only a qualified contractor should carry out the installation, commissioning, maintenance and repair of this appliance. Where applicable and prior to installation the electricity and/or water utility companies should be notified of your intention to install the product.